## SPECIFICATION FOR

# CONNECTOR USED FOR FPC/FFC WITH 1mm CONTACT SPACING COPING WITH AUTOMATIC MOUNTING & SMT HFW S-2STA LF/HFW S-2STB LF

## 1. SCOPE

This specification covers the requirements for the connector (HFW\_\_S-2ST\_\_\_LF) which the edge of 1mm spacing FPC(Flexible Printed circuit) and FFC(Flexible Flat Cable) are inserted into directly and connected to and which copes with automatic mounting and SMT.

## 2. APPLICABLE STANDARDS

JIS C 5402

Method for Test of Connectors for Electronic Equipment

JIS C 0806

Packaging of Electronic Components on Continuous Tapes


(Surface Mount Components)

UL-94

TESTS FOR FLAMMABILITY OF PLASTIC MATERIALS FOR PARTS IN

DEVICES AND APPLIANCES.

## 3. CATALOG No.



## 4. SHAPE, DIMENSIONS AND MATERIALS

See attached drawings.

# 5. ACCOMMODATED CONDUCTORS (FPC/FFC)

See attached drawings.

## 6. PACKAGING CONDITION

See attached drawings.

## 7. RECOMMENDED MOUNTING PATTERN DIMENSIONS

See attached drawings.

## 8. RATING

8-1. Voltage: A.C.100V

D.C.100V


8-2. Current : A.C.1A

D.C.1A (Refer to the following note.)

8-3. Operating Temperature :  $-55^{\circ}$ C  $\sim +85^{\circ}$ C

(Including terminal temperature rises)

Allowable maximum current for one contact is 1A. Total allowable current for a whole connector is the following values shown below.



# 9. PERFORMANCE CHARACTERISTICS

# 9-1. Electrical Performance

No.	Test Item	Test Method	Requirements
9-1-1	Contact resistance	1)Measure contact resistance between V <sub>1</sub> -V <sub>2</sub> by voltage drop method using the following circuit by mating accommodated conductor stipulated in clause 5 after reflow soldering the connector on the P.CB. and cleaning flux dregs.  Conductor  V1  P.C.B.  Soldering portion  2)Open circuit voltage  : Less than A.C.20mV  3)Test current: Less than A.C.20mA	1)Initial value  : Less than 30mΩ 2)Contact resistance after the test is in accordance with the value specified in each test item.
9-1-2	Insulation resistance	1)Measure insulation resistance between adjacent contacts in a connector individual. 2)Test voltage: D.C.500V 3)Read value one minute after applying test voltage.	1)More than 500MΩ
9-1-3	Dielectric withstanding voltage	1) For one minute, apply A.C.500V between adjacent contacts in a connector individual. 2) Set current: A.C.1mA	1)Free from any short circuit and insulation breakdown.

# 9-2. Mechanical Performance

victianical 1 elionalice				
No.	Test Item	Test Method	Requirements	
9-2-1	Durability (Insertion and extraction)	1)Measure contact resistance before and	1)Initial contact resistance	
		after the test by the method in clause	: Less than $30 \mathrm{m}\Omega$	
		9-1-1 by mating the accommodated	2)Contact resistance after the	
		conductor specified in clause 5.	test: Less than $50\mathrm{m}\Omega$	
		2) Number of Insertion and extraction	3)Free from any defect such as	
		: 30 times	break etc. on the connector	
		3)Speed of insertion and extraction	and conductor.	
		: Less than 10 times per minute.		
9-2-2	Vibration (Sinusoidal)	JIS C 60068-2-6 (IEC60068-2-6)	1)During the test, no circuit	
		1)Frequency range: 10 ~ 500Hz	opening for more than 1 µs.	
		2)Amplitude: 0.75mm	2)Free from any defect such as	
		or Acceleration: 100m/s <sup>2</sup>	break, deformation, loosing	
		3)Sweep rate: 1 octave/minute	and falling off etc. on each	
		4)Kind of test: Sweep endurance test	portion of the connector.	
		5)Test time: 10 cycles		

# 9-3. Environmental Performance

No.	Test Item	Test Method	Requirements
9-3-1	Damp heat (Steady state)	JIS C 60068-2-78 (IEC60068-2-78)  1) Measure contact resistance before and after the test by the method in clause 9-1-1 by mating the accommodated conductor specified in clause 5.  2) Measure insulation resistance after the test by the method in clause 9-1-2.  3) Bath temperature: 40°C  4) Bath humidity: 90 ~ 95% (relative humidity)  5) Period of exposure: 48 hours  6) Expose conductor and connector in mated condition and leave them under normal temperature.  (Without insertion and separation)  JIS C 60068-2-11 (IEC60068-2-11)	1)Initial contact resistance : Less than 30mΩ 2)Contact resistance after the test: Less than 50mΩ 3)Insulation resistance after the test: More than 100MΩ
9-3-2	Salt spray	1)Measure contact resistance before and after the test according to the method in clause 9-1-1 by mating the accommodated conductor specified in clause 5.  2)Salt solution concentration: 5%  3)Period of exposure: 48 hours  4)Expose conductor and connector in mated condition and leave them under normal temperature after posttreatment. (24 hours)	<ul> <li>1)Initial contact resistance : Less than 30mΩ</li> <li>2)Contact resistance after the test: Less than 50mΩ</li> </ul>
9-3-3	Change of temperature	JIS C 0025 (IEC60068-2-14)  1) Measure contact resistance before and after the test according to the method in clause 9-1-1 by mating accommodated conductor in clause 5.  2) One cycle of temperature is as follow and test 5 cycles.  Step Temp.(°C) Time(min.)  1	1)Initial contact resistance : Less than 30mΩ 2)Contact resistance after the test: Less than 50mΩ 3)Free from any defect such as crack, warping and deformation etc. on each portion the connector.

9-4. Other performance

	rformance		T .
No.	Test Item	Test Method	Requirements
9-4-1	Soldering (Resistance to reflow soldering)	JIS C 60068-2-58 (IEC60068-2-58)  1)Solder by setting reflow bath on the following condition.  2)Preheating:150~180°C, 120±5s  3)Soldering:220°C min. 60s max.  4)Peak:245°C min. 20s max.  (Peak 255°C max.)  (See Diagram A)  NOTE: Temperature must be measured at contact terminal portion and peak temperature on the upper surface of P.C.B must be less than 260°C.  4)Solder paste to be used is JIS Z 3282  Sn96.5Ag3.0Cu0.5	<ol> <li>Contact resistance after the test: Less than 50Ω</li> <li>Insulation resistance after the test: More than 100MΩ</li> <li>No short circuit and insulation breakdown for dielectric withstanding voltage test after this test.</li> <li>Free from any damage on performance and contact performance after soldering.</li> </ol>
		Diagram A °C  245  327  180  480  150  120±5s	Peak 255°C  20s max.  60s max.  TIME  reflow soldering profile
9-4-2	Soldering (Solderability) (Reflow)	JIS C 60068-2-58 (IEC60068-2-58)  1) Solder by setting reflow bath on the following condition.  2) Preheating: 150~180°C, 60~120s  3) Soldering: 225°C min., 20±5s  (Peak 235°C max.)  (See Diagram B)  NOTE: Temperature must be measured at contact terminal portion and peak temperature on the upper surface of P.C.B must be less than 260°C.  4) Solder paste to be used is JIS Z 3282  Sn96.5Ag3.0Cu0.5	1) Actual soldered area must be more than 95% of the dipped area intended to be soldered.  Peak 235°C
		1)Measure total extraction force (initial	
9-4-3	retention force (Reference)	value) by using accommodated conductor specified in clause 5.	

## 10. INDICATION AND PACKAGING

## 10-1. Indication

- 1) Catalog number and lot number are not indicated on the connector.
- 2) Catalog number and quantity shall be indicated on the surface of the package box.

## 10-2. Packaging

1) The connector individuals are packed by tapes with specified quantity in accordance with [JIS C 0806"Packaging of Electronic Components on Continuous Tapes (Surface Mount components)"] and put into package box in accordance with our packaging specification.

## 11. Remarks

- 11-1. Retention force for accommodated conductor specified in clause 9-4-3 differs due to it's kind, structure and surface treatment of conductor. Therefore, the value of retention force specified in the clause for performance is reference value.
- 11-2. Please use for Gold plating cable as accommodated conductor.
- 11-3. Please refer to the "Handing procedures and remarks" before use.

PDM: Rev:B

STATUS: Released



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

## Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов:
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



## Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.