



PRODUCT NO.

SEE SHEET 4



SECT X-X

NOTE

- PRODUCT SPEC. : GS-12-195
- PACKAGING SPEC. : GS-14-786
- MATERIAL
 - HOUSING : LCP, UL94V-0, COLOR BLACK
 - CONTACT : PHOSPHOR BRONZE
 - HOLD DOWN : BRASS
- FINISH
 - TERMINAL : SEE TABLE
 - HOLD DOWN : SEE TABLE
- CO-PLANARITY : 0.1 MAX.(INCLUDE HOLD DOWN)
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A REFLOW SOLDER APPLICATION.

Ø0.95 0
-0.1 (LOCATING PEG)

Φ A 0.2

Φ A 0.2
Ø1.45 0
-0.1 (LOCATING PEG)

mat'l code				tolerances unless otherwise specified				CUSTOMER COPY		FCI	
ltr	ecn no	dr	date								
A	DG06-0183	C S	05-12-06	linear	.X ± 0.38/.015			projection		title	www.fciconnect.com
B	DG06-0535	C S	12/14/06		.XX ± 0.25/.010					DDR SO-DIMM 0.6mm PITCH 200P	
C	DG08-0333	B L	12/01/08	angles	.XXX ± 0.15/.005					STANDARD TYPE ASS'Y	
				dr	CHARLIE S	05/12/06'				product family	DDR
				engr	CHARLIE S	05/12/06'				size	dwg no
				chr	BEER FU	05/12/06'				code	DG
				appd	JOSEPH HSIA	05/12/06'				sheet	1 of 4
sheet index	revision sheet	C	C	C	C			scale	1:1	A4	10069102
		1	2	3	4						


PRODUCT NO.

10069102-*****

Tous droits strictement reserves. Reproduction ou communication a des tiers
Interdite sous quelque forme que ce soit sans autorisation écrite du
Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any
form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.




RECOMMENDED MOUNTING P.C.B LAYOUT

mat'l code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com								
ltr	ecn no	dr	date	linear	.X ± 0.38/.015			projection 	title DDR SO-DIMM 0.6mm PITCH 200P STANDARD TYPE ASS'Y									
C					.XX ± 0.25/.010													
					.XXX ± 0.15/.005													
				angles	0° ±2°				product family DDR size dwg no A4 10069102									
				dr	CHARLIE S	05/12/06'	scale 1:1											
				engr	CHARLIE S	05/12/06'												
				chr	BEER FU	05/12/06'												
				appd	JOSEPH HSIA	05/12/06'			sheet 2 of 4									
sheet	revision																	
index	sheet																	



PRODUCT NO.
10069102-*****



RECOMMENDED MODULE P.C.B. LAYOUT

mat'l code				tolerances unless otherwise specified		CUSTOMER COPY	FCI	
ltr	ecn no	dr	date	linear	angular		www.fciconnect.com	
C				.X ± 0.38/.015	0° ±2°	projection	title	
				.XX ± 0.25/.010			DDR SO-DIMM 0.6mm PITCH 200P	
				.XXX ± 0.15/.005			STANDARD TYPE ASS'Y	
						MM	product family	
				dr CHARLIE S	05/12/06'	scale	DDR	
				engr CHARLIE S	05/12/06'		code	
				chr BEER FU	05/12/06'	1:1	size	
				appd JOESPH HSIA	05/12/06'		10069102	
sheet index	revision sheet						cage code	
							22526	
							sheet	
							3 of 4	



PRODUCT NO.	LOCATING PEG	TERMINAL CONTACT AREA FINISH	HOLD DOWN FINISH	SOLDER TAIL FINISH
10069102-452FC	YES	Au FLASH	Sn-Pb PLATING	Sn-Pb PLATING
10069102-452AC	YES	Au 0.76um MIN.	Sn-Pb PLATING	Sn-Pb PLATING
10069102-252FSLF	YES	Au FLASH	Sn PLATING	Sn PLATING
10069102-252ASLF	YES	Au 0.76um MIN.	Sn PLATING	Sn PLATING

△10069102-□□□□ LF

<HOLD DOWN FINISH>

C : Sn-Pb

S : Pure Sn

<CONTACT AREA FINISH>

F : Au FLASH

A : Au 0.76um MIN.

<TOTAL HEIGHT>

52 : 5.2mm

<LOCATING PEG, SOLDER TAIL PLATING>

4 : YES, Sn-Pb PLATING

2 : YES, Sn PLATING

For Rohs OPTIONS:

TAIL PLATING CODE MUST BE 0~3.

HOLD DOWN PLATING CODE MUST BE 'S'.


'LF' CODE IS EXIST IN THE END.

EX: 10069102-252FSLF

FOR NOT Rohs COMPATIBLE:

THIS 'LF' CODE IS 'BLANK'.

EX:10069102-452FC

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X ± 0.38/.015		projection 	title DDR SD-DIMM 0.6mm PITCH 200P STANDARD TYPE ASS'Y			
C					.XX ± 0.25/.010						
					.XXX ± 0.15/.005						
				angles	0° ±2°			product family		DDR	code
				dr	CHARLIE S	05/12/06'		size dwg no		DG	
				engr	CHARLIE S	05/12/06'					
				chr	BEER FU	05/12/06'	scale	A4		10069102	sheet
				appd	JOESPH HSIA	05/12/06'	1:1				4 of 4
sheet index	revision sheet										



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.