





PRODUCT NO.

SEE SHEET 4



SECT X-X

NOTE

1. PRODUCT SPEC. : GS-12-195
2. PACKAGING SPEC. : GS-14-786
3. MATERIAL
 - 1) HOUSING : LCP, UL94V-0, COLOR BLACK
 - 2) CONTACT : PHOSPHOR BRONZE
 - 3) HOLD DOWN : BRASS
4. FINISH
 - 1) TERMINAL : SEE TABLE
 - 2) HOLD DOWN : SEE TABLE
5. CO-PLANARITY : 0.1 MAX.(INCLUDE HOLD DOWN)
6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A REFLOW SOLDER APPLICATION.

mat'l code				tolerances unless otherwise specified				CUSTOMER COPY		FCI	
ltr	ecn no	dr	date	linear	.X ± 0.38/.015	.XX ± 0.25/.010	.XXX ± 0.15/.005	projection	title	www.fciconnect.com	
A	DG06-0183	C S	05-12-06						DDR SO-DIMM 0.6mm PITCH 200P		
B	DG06-0535	C S	12/14/06						STANDARD TYPE ASS'Y		
C	DG08-0333	B L	12/01/08	angles	0° ± 2°						
				dr	CHARLIE S	05/12/06			product family	DDR	code
				engr	CHARLIE S	05/12/06			size	dwg no	DG
				chr	BEER FU	05/12/06			A4	10069102	sheet
				appd	JOSEPH HSIA	05/12/06					1 of 4
sheet index	revision	C	C	C	C						
	sheet	1	2	3	4						


PRODUCT NO.

10069102-*****

Tous droits strictement reserves. Reproduction ou communication a des tiers
Interdite sous quelque forme que ce soit sans autorisation écrite du
Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any
form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.




RECOMMENDED MOUNTING P.C.B LAYOUT

mat'l code				tolerances unless otherwise specified		CUSTOMER COPY	www.fciconnect.com			
ltr	ecn no	dr	date	linear	.X ± 0.38/.015	projection 	title DDR SO-DIMM 0.6mm PITCH 200P STANDARD TYPE ASSY			
C					.XX ± 0.25/.010					
					.XXX ± 0.15/.005					
				angles	0° ±2°		product family DDR size dwg no A4 10069102			
				dr	CHARLIE S 05/12/06'					
				engr	CHARLIE S 05/12/06'					
				chr	BEER FU 05/12/06'	scale 1:1	code DG sheet 2 of 4			
				appd	JOSEPH HSIA 05/12/06'					
sheet index	revision sheet									



PRODUCT NO.
10069102-*****



RECOMMENDED MODULE P.C.B. LAYOUT

mat'l code				tolerances unless otherwise specified		CUSTOMER COPY	FCI	
ltr	ecn no	dr	date	linear	angular		www.fciconnect.com	
C				.X ± 0.38/.015	0° ±2°	projection	title	
				.XX ± 0.25/.010			DDR SO-DIMM 0.6mm PITCH 200P	
				.XXX ± 0.15/.005			STANDARD TYPE ASS'Y	
						MM	product family	
				dr CHARLIE S	05/12/06'	scale	DDR	
				engr CHARLIE S	05/12/06'		code	
				chr BEER FU	05/12/06'	1:1	size	
				appd JOSEPH HSIA	05/12/06'		dwg no	
sheet	revision						A4	
index	sheet						10069102	
							cage code	
							22526	
							sheet	
							3 of 4	



PRODUCT NO.	LOCATING PEG	TERMINAL CONTACT AREA FINISH	HOLD DOWN FINISH	SOLDER TAIL FINISH
10069102-452FC	YES	Au FLASH	Sn-Pb PLATING	Sn-Pb PLATING
10069102-452AC	YES	Au 0.76um MIN.	Sn-Pb PLATING	Sn-Pb PLATING
10069102-252FSLF	YES	Au FLASH	Sn PLATING	Sn PLATING
10069102-252ASLF	YES	Au 0.76um MIN.	Sn PLATING	Sn PLATING

△10069102-□□□□ LF

<HOLD DOWN FINISH>

C : Sn-Pb
S : Pure Sn

<CONTACT AREA FINISH>

F : Au FLASH

A : Au 0.76um MIN.

<TOTAL HEIGHT>

52 : 5.2mm

<LOCATING PEG, SOLDER TAIL PLATING>



4 : YES, Sn-Pb PLATING

2 : YES, Sn PLATING

For Rohs OPTIONS:

TAIL PLATING CODE MUST BE 0~3.
HOLD DOWN PLATING CODE MUST BE 'S'.
'LF' CODE IS EXIST IN THE END.
EX: 10069102-252FSLF

FOR NOT Rohs COMPATIBLE:
THIS 'LF' CODE IS 'BLANK'.
EX:10069102-452FC

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com				
ltr	ecn no	dr	date	linear	.X ± 0.38/.015			projection 	title DDR SO-DIMM 0.6mm PITCH 200P STANDARD TYPE ASS'Y				
C					.XX ± 0.25/.010								
					.XXX ± 0.15/.005								
				angles	0° ±2°				product family DDR size dwg no				
				dr	CHARLIE S	05/12/06'	scale 1:1					A4	10069102
				engr	CHARLIE S	05/12/06'							
				chr	BEER FU	05/12/06'		sheet 4 of 4					
				appd	JOSEPH HSIA	05/12/06'							
sheet index	revision sheet												



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.