





LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		B	REVISED PER ECO-09-022874	19OCT2009	CR	MS	
			C	REVISED PER ECO-11-024172	07DEC2011	TX	AC	
			D	REVISED PER ECO-12-014021	29NOV2012	TD	AC	



1. MATERIAL: CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY.
EMI SPRINGS: COPPER ALLOY
2. FINISH
SPRINGS: MINIMUM OF 0.8um MATTE TIN PLATED OVER A MINIMUM OF 0.8um NICKEL UNDERPLATE.
NON-PLATED EDGES PERMISSIBLE.
3. PADS AND VIAS CHASSIS GROUND.
4. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
7. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
8. REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
9. HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
10. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50
DOUBLE SIDED = 2.25
11. CERTAIN MATING TRANSCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD NEED TO BE DETERMINED BY THE CUSTOMER.
12. PRODUCT COMPLIES WITH WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.




2007132-1
MOUNTED BELLYTO BELLY ON PCB
SCALE 5:1


2007132-1
PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SCHMITT 21JUN2007	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT 21JUN2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD B. WERTZ 21JUN2007	NAME	
	0 PLC ±0.1	PRODUCT SPEC	SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS	
	1 PLC ±0.1	108-2364		
	2 PLC ±0.1	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
	3 PLC ±0.1	114-13120		
MATERIAL	FINISH	WEIGHT	A100779C=2007132	
		Customer Drawing	SCALE 1:1	SHEET 1 OF 4 REV D

LOC		DIST		REVISIONS			
GP				P	LTR	DESCRIPTION	DATE
				-	-	SEE SHEET 1	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 3:1




8X R0.3
MAX

RECOMMENDED BEZEL CUT-OUT
BELLY TO BELLY APPLICATIONS
SCALE 5:1




2007132-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 5:1




2007132-1
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN	M. SCHMITT	21JUN2007	TE Connectivity	
				CHK	M. SCHMITT	21JUN2007		
				APVD	B. WERTZ	21JUN2007	NAME	
				PRODUCT SPEC			SFP+ 1X4 CAGE ASSEMBLY	
				108-2364			PRESS FIT, EXTERNAL EMI SPRINGS	
				APPLICATION SPEC			-	
				114-13120			SIZE	
				WEIGHT			CAGE CODE	
				Customer Drawing			DRAWING NO	
							RESTRICTED TO	
							A100779	
							C=2007132	
							SCALE	
							1:1	
							SHEET	
							2	
							OF	
							4	
							REV	
							D	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. 21JUN2007 M. SCHMITT CHK. 21JUN2007 M. SCHMITT APPR. 21JUN2007 B. WERTZ		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: Ø PLC ±0.1 P PLC ±0.1 F PLC ±0.1 A PLC ±0.1 ANGLES ±1°0'		NAME SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS -	
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120		SIZE CAGE CODE DRAWING NO A100779C-2007132	
MATERIAL -		WEIGHT -		RESTRICTED TO -	
FINISH -		Customer Drawing		SCALE 1:1 SHEET 3 OF 4 REV D	



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.