



LOC		DIST		REVISIONS					
DW				P	LTR	DESCRIPTION	DATE	DWN	APVD
					A	RELEASED	25NOV2011	T.K	H.K
					A1	REVISED (ECR-12-003980)	01MAR2012	T.K	H.K


2129364-1, 1-2129364-1; AS SHOWN

- 1 MATERIAL:
HOUSING: THERMO-PLASTIC(UL94V-0,BLACK).
CONTACT: COPPER ALLOY.
SHELL: STAINLESS STEEL.
BRACKET: STAINLESS STEEL.
2 FINISH:
CONTACT: ALL OVER 2um MIN. Ni UNDER PLATING.
0.254um MIN. Au PLATING ON CONTACT AREA.
1~3um Tin PLATING ON TINE AREA.
SHELL: ALL OVER 1.3um MIN. Ni UNDER PLATING (FOR 2129364-1, -2).
ALL OVER 0.5um MIN. BLACK-Ni UNDER PLATING (FOR 1-2129364-1).
3 DATE CODE




BLACK-Ni		1-2129364-1
Ni		2129364-1
FINISH		PART NUMBER
1	BRACKET	④
1	SHELL	③
40	CONTACT	②
1	HOUSING	①
Q'TY	NAME	ITEM

WITH BRACKET



VIEW A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. KUO	25NOV2011	TE Connectivity RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS		
		CHK V. PENG	25NOV2011			
		APVD H. KODAMA	25NOV2011			
		PRODUCT SPEC 108-99033				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
		0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES ± ± ± ± ± ± ±0.25 ±3° ± ± ± ±		APPLICATION SPEC -		
MATERIAL 		FINISH 		SIZE	CAGE CODE	DRAWING NO
		WEIGHT 1.08g		A3	00779	C-2129364
CUSTOMER DRAWING				SCALE	SHEET	REV
				5:1	1 OF 6	A1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DW



DIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

2129364-2; AS SHOWN

WITHOUT BRACKET



1	SHELL	③
40	CONTACT	②
1	HOUSING	①
Q'TY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±
±
±
±
±
±
-

±0.25
±3°
±
±
±
±
-

DWN
-
CHK
-
APVD
-
PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
0.83g

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS
-

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2129364

RESTRICTED TO
-

SCALE
5:1


SHEET
2

OF
6


REV
A1

1470-19 (3/11)


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
DW		-	-	SEE SHEET 1	-	-




VIEW A
2129364-2 IS SAME AS 2129364-1



MATING CONDITION
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN CHK APVD PRODUCT SPEC APPLICATION SPEC WEIGHT		TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES ± ± ± ± ± ± ±0.25 ±3° ±		NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
				SIZE CAGE CODE DRAWING NO RESTRICTED TO	
MATERIAL		FINISH		A300779C-2129364	
		CUSTOMER DRAWING		SCALE SHEET 3 OF 6 REV A1	

2129364-2 IS SAME AS 2129364-1



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -







ALL RIGHTS RESERVED.

LOC
DW

DIST
-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	
1 PLC	±	±0.5
2 PLC	±	±3°
3 PLC	±	
4 PLC	±	
ANGLES	±	
FINISH	-	

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

CUSTOMER DRAWING



TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE
A300779

CAGE CODE

DRAWING NO
C-2129364

RESTRICTED TO

SCALE
FREE

SHEET
6 OF 6

REV
A1

2129364-2	600	3	1800
P/N	PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.