

## SmartRack Rolling Caster Kit, 4 pack

MODEL NUMBER: SRCASTER



### Highlights

- Per caster rating of 550lbs
- Includes 4 casters, installation guide and mounting hardware
- Included with all floor-standing rack enclosure models (48/45/42/25/12U)
- Can be purchased as an accessory to turn stationary 4-post open frame and wall-mount racks into mobile rolling racks

### Package Includes

- Includes casters, installation guide and mounting hardware

### Description

Tripp Lite's SmartRack SRCASTER is a rolling caster kit used to maneuver rack enclosures, wall-mounts and 4 post open frame racks to their desired location. The kit includes 4 casters (550 lb per caster rating), installation guide and mounting hardware. The kit comes standard with all floor standing rack enclosures (48/45/42/25/12U).

Note: Casters are intended for minor position adjustments and are not designed for moving racks over long distances.

### Features

- Rolling caster kit used to maneuver rack enclosures, wall-mounts and 4-post open frame racks to their desired location
- The kit includes 4 casters (550 lb per caster rating), installation guide and mounting hardware
- The kit comes standard with all floor standing rack enclosures (48/45/42/25/12U)
- Note: Casters are intended for minor position adjustments and are not designed for moving racks over long distances

## Specifications

PHYSICAL	
Shipping Dimensions (hwd / in.)	3.75 x 7.75 x 4.5
Shipping Dimensions (hwd / cm)	9.53 x 19.69 x 11.43
Shipping Weight (lbs.)	5.7
Shipping Weight (kg)	2.59
WARRANTY	



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Product Warranty Period (Worldwide)	5-year limited warranty
-------------------------------------	-------------------------

© 2015 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<http://www.tripplite.com/products/product-certification-agencies>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.