




NOTES:

1. MATERIALS: HOUSING = LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL94V-0
TERMINALS = HIGH PERFORMANCE COPPER ALLOY
2. FINISH: 30 MICROINCH MIN GOLD IN CONTACT AREA. SELECTIVE TIN/LEAD (-4***)
OR SELECTIVE MATTE TIN (-5***)) ON PCB TAILS. NICKEL OVERALL.
10 MICROINCH MIN GOLD IN CONTACT AREA. SELECTIVE MATTE TIN (-5***)
ON PCB TAILS. NICKEL OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-75710-999 FOR PERFORMANCE SPECS.
4. PRODUCT IS PACKAGED PER PK-70873-609.
5. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPEC PS-45499-002.
6. GUIDED PARTS TO BE SHIPPED WITH 2-32 TYPE AB
SELF-TAPPING SCREW P/N 73726-0000.
7. FOR GROUNDED GUIDE MODULES USE DIA 2.45+/-0.10 (PTH), DIA 2.58 (DRILL),
AND DIA 4.50 (PAD).
8. MAPS (MOLEX ADVANCED PLATING SYSTEM)

ADD MAPS PLATING EC NO.: UCP2013-0762 DRYNAMOLFE 2012/08/22 CHYKOTI BARRA 2012/08/22 APPR: SMILLER 2012/08/28	DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY JLAURX	DATE 2/17/05	TITLE I-TRAC DAUGHTERCARD 11 ROW SIGNAL MODULE GUIDE RIGHT SALES DWG			
			4 PLACES	± ---	± ---	CHECKED BY NMARTIN	DATE 2/17/05				
			3 PLACES	± ---	± ---	APPROVED BY	DATE				
			2 PLACES	± 0.13	± ---	CBIXLER	2/17/05				
			1 PLACE	± 0.25	± ---	MATERIAL NO.		DOCUMENT NO.			
			0 PLACE	±	±	SEE TABLE		SD-75710-004			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
					SHEET NO. 1 OF 2						

J

I

H

G

F

E

D

C

B

A

J

I

H

G

F

E

D

C

B

A

75710-****

MODULE TYPE -- TAIL PLATING TYPE

GUIDE RIGHT -- TIN/LEAD = 4

GUIDE RIGHT -- MATTE TIN = 5

POLARIZATION KEY ORIENTATION

0 = NO KEY

1 = A 5 = E

2 = B 6 = F

3 = C 7 = G

4 = D 8 = H

OF COLUMNS

05 & 25 = 5 COL

06 & 26 = 6 COL

08 & 28 = 8 COL

10 & 20 = 10 COL

55 & 65 = 5 COL W/ESD

56 & 66 = 6 COL W/ESD

58 & 68 = 8 COL W/ESD

50 & 60 = 10 COL W/ESD

MATERIAL NUMBER	# OF COLUMNS	DIM "A" MAX	DIM "B"	GOLD THICKNESS MICROMETERS	
75710-**05	5	25.90	14.80	0.76	WITHOUT ESD CLIP
75710-**06	6	29.60	18.50		
75710-**08	8	37.00	25.90		
75710-**10	10	44.40	33.30		WITH ESD CLIP
75710-**55	5	25.90	14.80		
75710-**56	6	29.60	18.50		
75710-**58	8	37.00	25.90	0.25 (MAPS)	WITHOUT ESD CLIP
75710-**50	10	44.40	33.30		
75710-5*25	5	25.90	14.80		
75710-5*26	6	29.60	18.50		WITH ESD CLIP
75710-5*28	8	37.00	25.90		
75710-5*20	10	44.40	33.30		
75710-5*65	5	25.90	14.80		
75710-5*66	6	29.60	18.50		
75710-5*68	8	37.00	25.90		
75710-5*60	10	44.40	33.30		

SEE SHEET 1 EC NO: UCP2013-0762 DRAWN: MWOLFE 2012/08/22 CHKD: TIBARA 2012/08/22 APPR: SMILLER 2012/08/28	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
						DRAWN BY DATE		TITLE			
						JLAURX 2/17/05					
				4 PLACES ± --- ± ---		CHECKED BY DATE		I-TRAC DAUGHTERCARD 11 ROW SIGNAL MODULE GUIDE RIGHT SALES DWG			
				3 PLACES ± --- ± ---		NMARTIN 2/17/05					
				2 PLACES ± 0.13 ± ---		APPROVED BY DATE		molex			
				1 PLACE ± 0.25 ± ---		CBIXLER 2/17/05					
				0 PLACE ± ±		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2	
				ANGULAR ±1/2°		SEE TABLE		SD-75710-004			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.