




LOC		DIST		REVISIONS			
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A9		ECR-16-012681	05SEP2016	WW	RR
		A10		ECR-17-001797	16FEB2017	LZ	RR
		A11		ECR-17-009226	03JUL2017	LZ	RR



- NOTE
- 1 HOUSING HAS RAST 5 COMPLIANT KEYING, LATCHING, AND POLARIZATION TAB IS 6.30 X 0.8 ACCORDING TO DIN 46244
- 2 SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS
- 3 MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
CONTACT, COPPER ALLOY, 0.8MM THICK
- 4 FINISH: CONTACTS, MATT TIN PLATING OVERALL, NICKEL UNDER-PLATING
BRIGHT TIN PLATING OVERALL, NICKEL UNDER-PLATING
SILVER PLATING OVERALL, NICKEL UNDER-PLATING
- 5 PCB TABS INSERTED IN A STAGGERED PATTERN BEGINNING WITH POSITION 1 (C_c+1)
- 6 THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 & 5 ARE FOR NATURAL COLOR. THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 6
- 7 PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.
- 8 PRELIMINARY PART NOT RELEASED FOR PRODUCTION
- 9 FOR P/N: 8-2232043-7:
1) THE CONTACTS ARE WITH BRIGHT TIN PLATING ACCORDING TO STANDARD:ASTM B 545.




- 5 PART NUMBERS WITH TUBE PACKAGING
- 5 PART WITHOUT POLARIZATION PEG STRUCTURE (FOR PN: 2316476-3)




SECTION A-A



POLARIZATION PEG STRUCTURE
WITHOUT PEG STRUCTURE FOR 5



RECOMMEND PCB LAYOUT - SOLDER SIDE
EVEN NUMBER OF PINS
PCB 15±0.2 THICK



RECOMMEND PCB LAYOUT - SOLDER SIDE
ODD NUMBER OF PINS
PCB 15±0.2 THICK

42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Raybin.Wu 17Mar2014	 TE Connectivity		
		CHK Jain.Liu 17Mar2014			
DIMENSIONS:		APVD Robbena_Rickard 17Mar2014	NAME	RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL	
mm		PRODUCT SPEC			
		108-106080		RESTRICTED TO	
		APPLICATION SPEC			
		SIZE CAGE CODE DRAWING NO			
		A100779C-2232043			
		SCALE 5:1 SHEET 1 OF 6 REV A1			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT			
0 PLC ±		Customer Drawing			
1 PLC ±					
2 PLC ±					
3 PLC ±					
4 PLC ±					
ANGLES					
FINISH					
MATERIAL					

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


8	TAB CONTACT MATT TIN PLATING (8-2232043-7 IS WITH BRIGHT TIN)	1	RAST 5 TAB HEADER HOUSING,8P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	8	5-2232043-8
7		1	RAST 5 TAB HEADER HOUSING,7P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	7	4-2232043-8
					3-2232043-8
					2-2232043-8
					1-2232043-8
					2232043-8
					9-2232043-7
					8-2232043-7 
					7-2232043-7
					6-2232043-7
					5-2232043-7
6		1	RAST 5 TAB HEADER HOUSING,6P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	6	4-2232043-7
					3-2232043-7
					2-2232043-7
					1-2232043-7
					2232043-7
					2232045-6
					9-2232043-6
					8-2232043-6
					7-2232043-6
	6-2232043-6				
5	1	RAST 5 TAB HEADER HOUSING,5P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	5	5-2232043-6	
				4-2232043-6	
				3-2232043-6	
				2-2232043-6	
				1-2232043-6	
				2232043-6	
				2232512-5	
				9-2232043-5	
				8-2232043-5	
				7-2232043-5	
6-2232043-5					
5-2232043-5					
4-2232043-5					
3-2232043-5					
2-2232043-5					
1-2232043-5					
2232043-5					
QTY	②	QTY	①	NO. OF POS.	TE PART NO.

4		I	RAST 5 TAB HEADER HOUSING,4P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	4		5-2232045-4
						4-2232045-4
						3-2232045-4
						2-2232045-4
						2232045-4
						9-2232043-4
						8-2232043-4
						7-2232043-4
						6-2232043-4
						5-2232043-4
						4-2232043-4
						3-2232043-4
						2-2232043-4
						1-2232043-4
						2303420-4
						2232043-4
3	TAB CONTACT MATT TIN PLATING	I	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3		5-2232045-3
						4-2232045-3
						3-2232045-3
						2-2232045-3
						1-2232045-3
						2232045-3
						9-2232043-3
						8-2232043-3
						7-2232043-3
						6-2232043-3
						5-2232043-3
						4-2232043-3
						3-2232043-3
						2-2232043-3
						1-2232043-3
						2303420-3
	2232043-3					
2		I	RAST 5 TAB HEADER HOUSING,2P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	2		4-2232045-2
						3-2232045-2
						2-2232045-2
						1-2232045-2
						2232045-2
						9-2232043-2
						8-2232043-2
						7-2232043-2
						6-2232043-2
						5-2232043-2
						4-2232043-2
						3-2232043-2
						2-2232043-2
						1-2232043-2
						2232043-2
QTY	②	QTY	①	NO. OF POS.	TE PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.25

3 PLC ±

4 PLC ±

ANGLES ±2°

FINISH

MATERIAL

-

CHK. HUIPING WU 30-Jan-13

CHK. HAPYE WU 30-Jan-13

APVD. YHM 30-Jan-13

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL

SIZE A1

CAGE CODE 00779

DRAWING NO. 2232043

RESTRICTED TO

SCALE N/A

SHEET 2 OF 6

REV A9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


3	TAB CONTACT W/SILVER PLATING	1	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3	
QTY	②	QTY	①	NO. OF POS.	△① TE PART NO.

8	TAB CONTACT w/ SILVER PLATING	1	RAST 5 TAB HEADER HOUSING,8P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	8	5-2232044-8 4-2232044-8 3-2232044-8 2-2232044-8 1-2232044-8 2232044-8
7		1	RAST 5 TAB HEADER HOUSING,7P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	7	9-2232044-7 8-2232044-7 7-2232044-7 6-2232044-7 5-2232044-7 4-2232044-7 3-2232044-7 2-2232044-7 1-2232044-7 2232044-7
6		1	RAST 5 TAB HEADER HOUSING,6P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	6	2232046-6 9-2232044-6 8-2232044-6 7-2232044-6 6-2232044-6 5-2232044-6 4-2232044-6 3-2232044-6 2-2232044-6 1-2232044-6 2232044-6
5		1	RAST 5 TAB HEADER HOUSING,5P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	5	9-2232044-5 8-2232044-5 7-2232044-5 6-2232044-5 5-2232044-5 4-2232044-5 3-2232044-5 2-2232044-5 1-2232044-5 2232044-5
QTY	②	QTY	①	NO. OF POS.	TE PART NO.

4	TAB CONTACT w/ SILVER PLATING	I	RAST 5 TAB HEADER HOUSING,4P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	4	5-2232046-4 4-2232046-4 3-2232046-4 2-2232046-4 1-2232046-4 2232046-4 9-2232044-4 8-2232044-4 7-2232044-4 6-2232044-4 5-2232044-4 4-2232044-4 3-2232044-4 2-2232044-4 1-2232044-4 2232044-4
3		I	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3	△⑧ 4-2232046-3 △⑧ 3-2232046-3 2-2232046-3 1-2232046-3 2232046-3 9-2232044-3 8-2232044-3 7-2232044-3 6-2232044-3 5-2232044-3 4-2232044-3 3-2232044-3 2-2232044-3 1-2232044-3 2232044-3
2		I	RAST 5 TAB HEADER HOUSING,2P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	2	△② 4-2232046-2 3-2232046-2 2-2232046-2 1-2232046-2 2232046-2 9-2232044-2 8-2232044-2 7-2232044-2 6-2232044-2 5-2232044-2 4-2232044-2 3-2304587-2 3-2232044-2 2-2232044-2 1-2232044-2 2232044-2
QTY	②	QTY	①	NO. OF POS.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES ±2°
FINISH -

OWN
RWIPING_WU
CHK
HAPYE_WU
YHM

30-Jan-13
30-Jan-13

PRODUCT SPEC
APPLICATION SPEC

WEIGHT
-

CUSTOMER DRAWING

NAME
RAST 5 TAB HEADER ASSY. OPPOSITE
DIN STYLE, TH, VERTICAL
-

SIZE
A1

CAGE CODE
00779

DRAWING NO.
②-2232043

RESTRICTED TO
-


SCALE
N/A

SHEET
3


OF
6

REV
A9


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00		-	SEE SHEET 1	-	-	-




2232043-2
2232044-2




2232045-2
2232046-2




2232043-3
2232044-3
2303420-3




2232045-3
2232046-3




2232043-4
2232044-4
2303420-4




2232045-4
2232046-4




2232043-5
2232044-5




2232512-5




1-2232043-2
1-2232044-2




1-2232045-2
1-2232046-2




1-2232043-3
1-2232044-3




1-2232045-3
1-2232046-3




1-2232043-4
1-2232044-4




1-2232045-4
1-2232046-4




1-2232043-5
1-2232044-5




2-2232043-2
2-2232044-2




2-2232045-2
2-2232046-2




2-2232043-3
2-2232044-3




2-2232045-3
2-2232046-3




2-2232043-4
2-2232044-4




2-2232045-4
2-2232046-4




2-2232043-5
2-2232044-5




3-2232043-2
3-2232044-2
3-2304587-2




3-2232045-2
3-2232046-2




3-2232043-3
3-2232044-3




3-2232045-3
3-2232046-3




3-2232043-4
3-2232044-4




3-2232045-4
3-2232046-4




3-2232043-5
3-2232044-5




4-2232043-2
4-2232044-2




4-2232045-2
4-2232046-2




4-2232043-3
4-2232044-3




4-2232045-3
4-2232046-3




4-2232043-4
4-2232044-4




4-2232045-4
4-2232046-4




4-2232043-5
4-2232044-5




5-2232043-2
5-2232044-2




5-2232043-3
5-2232044-3




5-2232045-3




5-2232043-4
5-2232044-4




5-2232045-4
5-2232046-4




5-2232043-5
5-2232044-5




6-2232043-2
6-2232044-2




6-2232043-3
6-2232044-3




6-2232043-4
6-2232044-4




6-2232043-5
6-2232044-5




7-2232043-2
7-2232044-2




7-2232043-3
7-2232044-3




7-2232043-4
7-2232044-4




7-2232043-5
7-2232044-5




8-2232043-2
8-2232044-2




8-2232043-3
8-2232044-3




8-2232043-4
8-2232044-4




8-2232043-5
8-2232044-5




9-2232043-2
9-2232044-2




9-2232043-3
9-2232044-3




9-2232043-4
9-2232044-4




9-2232043-5
9-2232044-5




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING WU 30-Jan-13	 TE Connectivity				
DIMENSIONS: mm		CHK HAPYE WU 30-Jan-13					
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±7° FINISH	APVD YHM 30-Jan-13	NAME		RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL		
			PRODUCT SPEC				
			APPLICATION SPEC				
MATERIAL		WEIGHT		SIZE		RESTRICTED TO	
-		-		A1 00779 C-2232043			
CUSTOMER DRAWING				SCALE	N/A	SHEET 4 OF 6	REV A9


LOC		DIST		REVISIONS				
ES	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	




2232043-6
2232044-6




2232045-6
2232046-6




2232043-7
2232044-7




2232043-8
2232044-8




1-2232043-6
1-2232044-6




1-2232043-7
1-2232044-7




1-2232043-8
1-2232044-8




2-2232043-6
2-2232044-6




2-2232043-7
2-2232044-7




2-2232043-8
2-2232044-8




3-2232043-6
3-2232044-6




3-2232043-7
3-2232044-7




3-2232043-8
3-2232044-8




4-2232043-6
4-2232044-6




4-2232043-7
4-2232044-7




4-2232043-8
4-2232044-8




5-2232043-6
5-2232044-6




5-2232043-7
5-2232044-7




5-2232043-8
5-2232044-8




6-2232043-6
6-2232044-6




6-2232043-7
6-2232044-7




7-2232043-6
7-2232044-6




7-2232043-7
7-2232044-7




8-2232043-6
8-2232044-6




8-2232043-7
8-2232044-7



9-2232043-6
9-2232044-6




9-2232043-7
9-2232044-7



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING WU 30-Jan-13		TE TE Connectivity			
DIMENSIONS:		CHK HAPYE WU 30-Jan-13					
mm		APVD YHM 30-Jan-13		NAME		RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL	
		PRODUCT SPEC		SIZE		CAGE CODE	
		APPLICATION SPEC		DRAWING NO		RESTRICTED TO	
		MATERIAL		WEIGHT		SCALE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		FINISH		CUSTOMER DRAWING		SHEET 5 OF 6	
0. PLC ± 1. PLC ± 2. PLC ±0.25 3. PLC ± 4. PLC ± ANGLES ±°		-		A1 00779 C-2232043		REV A9	

LOC		DIST		REVISIONS					
-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD


FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE. BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR. THE FOLLOWING SHOWS WHAT'S THE P/N FOR COLOR CONNECTOR



COLOR	PART NUMBER OF THE CONNECTOR				COMMENTS
	WITH MATT TIN PLATING CONTACT (SPECIAL P/N: 8-2232043-7 ARE WITH BRIGHT TIN)	 WITH AG PLATING CONTACT			
NATURAL	#-2232043-# 	#-2232045-#	#-2232044-#	#-2232046-#	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9.
RED	#-2232055-#	#-2232057-#	#-2232056-#	#-2232058-#	
BLUE	#-2232047-#	#-2232049-#	#-2232048-#	#-2232050-#	
YELLOW	#-2232063-#	#-2232065-#	#-2232064-#	#-2232066-#	
BALCK	#-2232059-#	#-2232061-#	#-2232060-#	#-2232062-#	
GREY	#-2232067-#	#-2232069-#	#-2232068-#	#-2232070-#	
GREEN	#-2232051-#	#-2232053-#	#-2232052-#	#-2232054-#	
PURPLE	#-2232071-#	#-2232073-#	#-2232072-#	#-2232074-#	
WHITE	#-2232298-#	#-2232300-#	#-2232299-#	#-2232301-#	


COLOR	PART NUMBER OF THE CONNECTOR		COMMENTS
	WITH BRIGHT PLATING CONTACT		
NATURAL	#-2232924-#	#-2232925-#	THE KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION ARE SAME AS THE MATT TIN CONNECTOR WITH THE SAME PREFIX AND POSTFIX FOR EACH COLOR. FOR EXAMPLE: 2232924-4 AND 2232043-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. 2232925-4 AND 2232045-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. THE DETAIL KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION FOR EACH P/N, PLEASE SEE SHEET 2-5
RED	#-2232926-#	#-2232927-#	
BLUE	#-2232928-#	#-2232929-#	
YELLOW	#-2232930-#	#-2232931-#	
BALCK	#-2232932-#	#-2232933-#	
GREY	#-2232934-#	#-2232935-#	
GREEN	#-2232936-#	#-2232937-#	
PURPLE	#-2232938-#	#-2232939-#	
WHITE	#-2232940-#	#-2232941-#	

FOR EXAMPLE, IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 1-2232043-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 1-2232055-4



1-2232043-4

FOR ANOTHER EXAMPLE, IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 1-2232045-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 1-2232057-4



1-2232045-4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING.WU	10-Jul-17	TE Connectivity	
		CHK HAPYE.WU	10-Jul-17		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL
mm		0 PLC ±- 1 PLC ±- 2 PLC ±0.25 3 PLC ±- 4 PLC ±- ANGLES ±2° FINISH -		PRODUCT SPEC 108-106080 APPLICATION SPEC -	
MATERIAL -		WEIGHT -		SIZE A1	RESTRICTED TO -
-		Customer Drawing		CAGE CODE 2232043	
		SCALE 5:1		SHEET 6	OF 6
				REV. A11	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.