

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	ECR-14-001887	12FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151400-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1385243
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385243

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		SIDE FEED HDM APPLICATOR			
		1 PLC ±					
2 PLC ±		APVD		RAGHAVENDRA			
3 PLC ±		PRODUCT SPEC					
4 PLC ±		APPLICATION SPEC					
ANGLES ±		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH				A3		©- 1385243	
MATERIAL		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV F1

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	FIRST USED
1385243-1	F	122500-1
1385243-2	F	565435-5
1385243-3	F	354500-1



TERMINAL NAME: JUMBO PV RECEPTAL R/A FOR .040/1.02 PIN					
1448272-1	957233	CRIMP DATA (NON-AMP TERMINAL-CUST SPEC)			
PAD LTR	CRIMP HEIGHT	WIRE SIZE			
A .047 ±.001 [1.19 ±.05mm]		18			
B .043 ±.001 [1.09 ±.05mm]		20			
C	NOT	USED			
D	NOT	USED			
CRIMP	SIZE	TYPE		RANGE	
WIRE .070 [1.78mm]		F		18-20	
INSUL .110 [2.79mm]		0		.042-.103	
WIRE STRIP LENGTH .148-.168	TERM APPL SPEC NONE	FEED .600	APPL INSTRUCTION 408-8040	SET UP GAGE 458637-1	LAYOUT L2520

LOC	DIST	REVISIONS			
A	66	P LTR	DESCRIPTION	DATE	OWN APVD
F	ECR-07-016881			7-2007	MY GB

-1	LEADMAKER	MECH POST FEED
-2	BENCH MODEL K	MECH PRE FEED
-3	BENCH MODEL G	MECH PRE FEED


1	1	1	-	22594-8	NUT, HEX(1/2-20)	70
1	1	1	-	240628-1	PLATE, ADJUSTMENT	69
1	1	1	-	240626-1	SHAFT, PIVOT	68
1	1	1	-	240633-1	BUSHING	67
1	1	1	-	455680-1	LEVER, INTERMEDIATE	66
1	1	1	-	240629-1	BLOCK, PIVOT	65
1	1	1	-	240632-2	SCREW, ADJ FEED ROD	64
1	1	1	-	240659-3	PIN, CAM ROLLER	63
1	1	1	-	240658-1	ROLLER, CAM	62
1	1	1	-	454398-2	ROD, FEED	61
1	1	1	-	454178-1	GUIDE, FEED ROD	60
1	1	1	-	454220-1	CAP, RAM	59
1	1	1	-	454485-8	HOUSING	58
1	1	1	-	458537-2	PAWL, FEED	57
1	1	1	-	240624-1	PIN, FEED FINGER	55
1	1	1	-	691499-1	SPRING, FEED FINGER	54
1	1	1	-	690541-1	HOLDER, FEED FINGER	53
1	1	1	-	455679-2	LEVER, TERMINAL FEED ARM	52
1	1	1	-	690602-6	CAM, PRE-FEED 1 5/8 ST	49
1	1	1	-	690602-5	CAM, PRE-FEED 1 1/8 ST	48
1	1	1	-	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	-	690191-1	PLUG, NYLON	45
1	1	1	-	455673-4	RAM	44
1	1	1	-	690125-1	WASHER, LAMINATED	43
1	1	1	-	690124-1	WASHER, RAM	42
1	1	1	-	690686-1	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	-	23241-6	BALL, STEEL	40
1	1	1	-	690170-1	SPRING, COMPRESSION	39
1	1	1	-	690142-1	DISC, INSULATION	38
1	1	1	-	354777-1	WIRE DISC, PLASTIC	37
1	1	1	-	22480-5	WASHER, SPRING	36
1	1	1	-	690212-1	POST, RAM	35
1	1	1	-	1583361-1	PLATE, BASE	33
1	1	1	-	690432-3	SCREW, ADJUSTMENT	32
1	1	1	-	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	-	3-455671-9	PLATE, STRIP GUIDE	29
2	2	2	-	1-22284-0	SPRING, DRAG	27
1	1	1	-	690546-1	LEVER, DRAG RELEASE	26
1	1	1	-	240792-1	DRAG, TERMINAL	25
1	1	1	-	6-690504-6	GUIDE, STRIP (REAR)	24
1	1	1	-	690438-1	GUIDE, STRIP (FRONT)	23
1	1	1	-	1-458230-0	STRIPPER	22
1	1	1	-	4-22284-9	SPRING, FEED RETURN	21
1	1	1	-	455888-1	SPACER, FRONT SHEAR DEP	18
1	1	1	-	1-455889-4	DEPRESSOR, SHEAR (FRONT)	17
1	1	1	-	318563-1	GUARD, CHIP, FRONT	16
1	1	1	-	1424352-1	BLOCK, SHEAR	13
1	1	1	-	6-22279-4	SPRING, SHEAR	12
1	1	1	-	690461-1	STOP, SHEAR	11
1	1	1	-	468798-1	HOLDER, SHEAR (FRONT)	10
1	1	1	-	462006-3	SHEAR, FLOAT (FRONT)	9
1	1	1	-	1424351-1	ANVIL	8
1	1	1	-	1-853714-3	PLATE, REAR SHEAR	7
1	1	1	-	1-853720-0	BLADE, SLUG	6
1	1	1	-	455888-1	SPACER	5
1	1	1	-	1-238011-0	SPACER, BLOCK CRIMPER	4
1	1	1	-	6-683454-4	CRIMPER, INSULATION	3
1	1	1	-	455888-3	SPACER, CRIMPER	2
1	1	1	-	1424354-1	CRIMPER, WIRE	1

2	2	2	-	2-354779-6	PIN, WIRE DISC (.3120)B	128
2	2	2	-	1-354779-8	PIN, WIRE DISC (.3080)A	126
1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	-	4088040	SF APPL INST 408-8040	123
1	1	1	-	3-21028-7	PIN, SLT SPR(Ø.093x.75)ST GDE PL	121
1	1	1	-	1-21030-1	PIN, DOWEL(Ø.187x.50)LEVER	120
1	1	1	-	1-21030-6	PIN, DOWEL(Ø.187x1.25)HOUSING	119
1	1	1	-	21045-3	RING, RET "C"(Ø.187)FD FING PIN	118
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ PLATE	116
1	1	1	-	21024-5	WASHER, LOCK(#10)FEED GDE ROD	115
2	2	2	-	21024-2	WASHER, LOCK(#4)FRONT STP GUIDE	114
1	1	1	-	5-21028-1	PIN, SLT SPR(Ø.125x.50)ADJ ROD	113
2	2	2	-	21024-4	WASHER, LOCK(#8)STRIPPER	111
1	1	1	-	21899-4	WASHER, FLAT(Ø5/16)SCREW ADJ	110
1	1	1	-	21018-5	NUT, HEX(NO.6)HOLDDOWN	108
1	1	1	-	21068-5	NUT, HEX(6-32)FEED ADJ	107
1	1	1	-	21009-2	SCR, SKT SET(1/4-20x.25 LW)RAM	103
2	2	2	-	21017-2	SCR, DRIVE(#2x.19)ID PLATE	102
1	1	1	-	6-23715-5	SCR, PAN HD(6-32x1.50)FEED ADJ	101
1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
2	2	2	-	5-21006-6	SCR, SET(10-32x.75)DRAG	99
1	1	1	-	22733-8	SCR, BHC(8-32x.38 LW)ANVIL	98
1	1	1	-	2-21002-9	SCR, BHC(10-32x.75)CAP	97
1	1	1	-	2-22733-8	SCR, BHC(1/4-20x.62)HOUSING	96
1	1	1	-	2-21002-7	SCR, BHC(10-32x.50)SG ADJ BLOCK	95
4	4	4	-	2-21002-2	SCR, BHC(8-32x.50)TERM H DWN	94
1	1	1	-	1-21002-7	SCR, BHC(6-32x.38)CAM	91
1	1	1	-	2-22603-0	SCR, HEX HD(8-32x.31)FEED FINGER	86
1	1	1	-	2-21000-8	SCR, SHC(8-32x.62)SHEAR	85
1	1	1	-	2-21000-7	SCR, SHC(8-32x.50)STRIPPER	84
1	1	1	-	3-21000-7	SCR, SHC(10-32x.75)FEED ROD GD	83
1	1	1	-	3-21000-6	SCR, SHC(10-32x.62)FD ADJ BLK	82
1	1	1	-	3-21000-4	SCR, SHC(10-32x.38)SG ADJ BL	81
1	1	1	-	3-21000-4	SCR, SHC(10-32x.38)PIVOT BLK	80
-1	-1	-1	-	455749-1	GUARD, WINDOW	79
REF	-	-	-	679532-1	INSERT, GUARD	78
1	1	1	-	690603-1	SPRING, ASSIST	74
1	1	1	-	23030-1	SCR, SHC(6-32x.25 SL)INS DISC	73
1	1	1	-	458109-1	WASHER, SPECIAL	72
1	1	1	-	690517-1	SPACER	71
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY	PARTS LIST					

POST FEED 1 5/8 STROKE (REF) 44 91 47 2 ROTATED 180°	PRE FEED 1 1/8 STROKE (REF) 44 91 48 2 ROTATED 180°	PRE FEED 1 5/8 STROKE (REF) 44 91 49 2 ROTATED 180°
--	---	---

- 1 RECOMMENDED SPARE PARTS.
2 GREASE LIGHTLY.
3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.

5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.