

## specifications

Horizontal cable management systems shall be capable of managing cable on the front and rear of any EIA 19" rack. Horizontal cable management panels shall be constructed of a steel panel with PVC fingered duct attached.



## Horizontal Cable Management System

### technical information

<b>Dimensions:</b>	WMPHF3 - H x D x W = 5.22 x 5.06 x 20in. (132.6 x 128.5 x 508mm) WMPH2 - H x D x W = 3.47 x 8.2 x 20in. (88.1 x 207.5 x 508mm) WMPHF2 - H x D x W = 3.47 x 3.1 x 20in. (88.1 x 78.7 x 508mm) WMP1 - H x D x W = 3.47 x 7.2 x 19in. (88.1 x 183.8 x 482.6mm) WMPF1 - H x D x W = 3.47 x 3.1 x 19in. (88.1 x 78.5 x 482.6mm) WMPS - H x D x W = 1.72 x 7.2 x 19in. (43.7 x 182.8 x 482.6mm) WMPLS - H x D x W = 1.72 x 6.2 x 19in. (43.7 x 156.3 x 482.6mm) WMPFS - H x D x W = 1.72 x 3.1 x 19in. (43.7 x 78.7 x 482.6mm) WMLFS - H x D x W = 1.72 x 2.1 x 19in. (43.7 x 53.3 x 482.6mm)
--------------------	---

<b>Mounting options:</b>	Brackets and hardware (included) allow mounting to any EIA 19" rack
--------------------------	---

<b>Packaging:</b>	Cable management panels include a plastic cover, mounting hardware, wire retainers, and rear strain relief clips
-------------------	--

### key features and ...benefits

<b>Bend radius control clip on WMPH2</b>	Maintains TIA 1" bend radius requirement in transition between horizontal and vertical panels
<b>Standard and high capacity versions</b>	Suitable for large and small cabling installations
<b>Hinged cover</b>	Allows access to cable without removing the cover
<b>Wire retainer</b>	Holds cable in place for quick moves, adds and changes
<b>Increased spacing between fingers for WMPHF3 and WMPH3</b>	Accommodates and provides appropriate bend radius control for Cat 6 cable
<b>Flexible duct fingers</b>	Organize cables for easier manageability
<b>Strain relief</b>	Minimizes stress on cables
<b>Pass-through holes</b>	Provides cable routing between front and rear of rack

### applications

Panduit Horizontal Cable Management Panels provide a neat and efficient way to manage cable on any standard EIA 19" rack. The panels can be used in multi-media applications with all coax, copper and fiber optic cables. Panduit Horizontal Cable Management keeps cables organized yet accessible so that system moves, adds and changes are kept simple. Panduit also

offers a high capacity version which can provide up to three times the capacity of the standard two rack space panels. When used with Panduit's patch panels, patch cords, vertical cable management and racks, the user receives a total system that satisfies closet requirements today and in the future.

Visit our website at: [www.panduit.com/ncg](http://www.panduit.com/ncg)

3 rack space panel, front and rear duct

4 x 5 front & rear duct: WMPH3

3 rack space panel, front only duct

4 x 5 front duct: WMPHF3

2 rack space panel, front and rear duct

2 x 5 rear duct: WMPH2  
2 x 4 rear duct: WMP1

2 rack space panel, front only duct

3 x 3 front duct: WMPHF2  
3 x 3 front duct: WMPF1

1 rack space panel, front and rear duct

1.5 x 3 front duct: WMPS  
1.5 x 2 front duct: WMPLS

1 rack space panel, front only duct

1.5 x 3 front duct: WMPFS  
1.5 x 2 front duct: WMLFS

Panels with hinged front covers

1 rack space front and rear: WMPSH

1 rack space front only: WMPF5H

2 rack space front and rear: WMPH2H

2 rack space front only: WMPHF2H

3 rack space front and rear: WMPH3H

3 rack space front only: WMPHF3H

Bend radius control clip

2 RU: CMSRC2


Strain relief clips

2 RU: WMSRC2  
1 RU: WMSRC1

### installer tip

To install panels on an EIA 23" rack, order PEB1 (1 RU) or PEB2 (2RU) panel extender brackets.

# Horizontal Cable Management System



Dimensions are in inches (Dimensions in parentheses are metric)

Our products are warranted to be free from defects in material and workmanship at the time of sale but our obligation under this warranty is limited to the replacement of any product proved to be defective within 6 months (for product) or 90 days (for tools) from the date of delivery. Tool warranty is void if Panduit tools are modified, altered or misused in any way. Use of Panduit tooling with any product other than the specified Panduit products for which the tool was designed, constitutes misuse. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith.

This warranty is made in lieu of and excludes all other warranties, expressed or implied. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE ARE SPECIFICALLY EXCLUDED. Neither seller nor manufacturer shall be liable for any other injury, loss or damage, whether direct or consequential, arising out of the use of, or the inability to use, the product.

The information contained in this literature is based on our experience to date and is believed to be reliable. It is intended as a guide for use by persons having technical skill at their own discretion and risk. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. For specific dimensional requirements consult the factory. This publication is not to be taken as a license to operate under, or a recommendation to infringe any existing patents. This supersedes and voids all previous literature, etc.



**WORLD HEADQUARTERS**  
 PANDUIT CORP.  
 Tinley Park, Illinois, USA  
 Phone: 888-506-5400, ext. 6914  
 708-532-1800, ext. 6914  
 Fax: 708-460-2897  
 Email: info@panduit.com  
 Internet: http://www.panduit.com/ngc

**For Pricing and Further Information –  
 Contact your local authorized  
 PANDUIT PAN-NET™ Distributor or Sales Office**

PANDUIT CANADA  
 Div. of PANDUIT CORP.  
 Markham, Ontario  
 Phone: 800-387-9689

EUROPEAN HEADQUARTERS  
 PANDUIT EUROPE LTD.  
 London, UK  
 Phone: 181-601-7200

ASIAN HEADQUARTERS  
 PANDUIT SINGAPORE PTE. LTD.  
 Republic of Singapore  
 Phone: 861-3122

PANDUIT CORPORATION  
 Japan Branch  
 Phone: (81) (3) 3767-7011

PANDUIT MEXICO/ LATIN  
 AMERICA & CARIBBEAN  
 Phone: (52) 3 666-2501

PANDUIT (AUST.) PTY.LTD  
 Phone: (61) 3-9794 9020

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

©Panduit Corp. 2000  
 ALL RIGHTS RESERVED

SA117N250A-OP  
 Printed in U.S.A.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.