

Storage Sensitive Material Technical Note and Soldering profile for components with Silver Leads/Pads

Abstract:

This technical note applies to components that require storage in Vacuum Sealed Bags due to Silver Platinum (AgPt) terminations or contacts.

Storage:

Silver Leaded components should not be exposed to moisture and air contaminants, such as sulfur and chlorine, which may adversely affect device solderability and electrical performance

The appearance of lead/pad tarnish can range from a slight discoloration of the leads to leads turning completely black.

Vacuum packaging is **mandatory** if device soldering will not occur within 168 hours after opening the Johanson Technology vacuum pack. If *cumulative* exposure outside a vacuum sealed container is 168 hours or longer, it may adversely affect the components' solderability and electrical performance; therefore, AgPt leaded parts require vacuum sealing during periods of storage. It is recommended that a control log of exposure to air be maintained.

As preventative measure, a desiccant is placed at the bottom corner of every vacuum sealed bag at time of shipment.

A Caution label (Figure 1) is placed on the outside of the vacuum bag and on the reel to make the user aware of the special handling and storage conditions.

The shelf life of the *packaged component* is 18 months



Figure 1

Soldering Profile:

Typical Soldering Profile for Solderable Silver (Ag) Terminated Components:

Solder Profile



Impacted parts are listed below:

| | | | |
|----------------|----------------|----------------|----------------|
| 0892FB15A0100E | 0200FA18A0200E | 0300LA15A0300E | 0400FA15A0400E |
| 0400FA18A0400E | 0433BM15A0001 | 0866BL15C200E | 0868BM15C0001 |
| 0869LD14A1810T | 0869LD14E1810 | 0870CF16A1810E | 0892DP15A1940E |
| 0892DP15B1850E | 0892DP15C1940E | 0892LP07A0136T | 0896BM15A0001E |
| 0898BM15A0002E | 0900BL15A100E | 0900BL15C050E | 0900LD14B2450T |
| 0915BM15A0001 | 0953BM15A0001E | 1000ED18A0001E | 1200BP44A575E |
| 1200LP41B0500E | 1200LP41C0500E | 1810BP07B200T | 1900HP41B0500E |
| 1900HP41C0500E | 1905BP18A0050E | 1906BP18C027E | 1906BP39B027E |
| 2345FB39A0050E | 2350FB39A0050E | 2450BL07A0100T | 2450BM14_0007 |
| 2450BM15A0015 | 2450BM15B0009E | 2450BP07A0100T | 2450BP14C0100T |
| 2450BP14D0100T | 2450BP14E0100T | 2450BP15E0100E | 2450BP15F0100E |
| 2450BP15G0100E | 2450BP15J0100E | 2450BP15K0100E | 2450BP15P0100E |
| 2450BP15Q0100E | 2450BP39D100CE | 2450BP39D100DE | 2450BP39D100E |
| 2450BP39F100AE | 2450FB15A0100E | 2450HP15A100E | 2500BP15M400E |
| 2500FB16A0400E | 2500FB39A0050E | 2595FB16A0100E | 2595FB39A0050E |
| 2600BP14M0200T | 3350BP39A0500E | 3500FB16A0100E | 3500FB39A0050E |
| 3550BP14A0500E | 3550FB39B0050E | 3600BP14M0600T | 3600BP14N0600E |
| 3600BP15M600E | 5375BP15A0950 | 5425BP15A1050 | 5525BP15B0750E |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.