




REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
C		REVISED PER ECO-14-002692	07MAY2014	CJV

- 1 MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
BRACKET- STAINLESS STEEL.
EMI GASKET- PLATED FILLED SILICONE.
HOUSING- BLACK LCP, UL 94V-0 RATED.
CHICKLET- BLACK LCP, UL 94V-0 RATED.
LIGHT PIPE- POLYCARBONATE, CLEAR.
INSERT - (FOR LIGHT PIPE PART NUMBERS ONLY) - PBT, BLACK, UL 94V-0
CONTACT- COPPER ALLOY.
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MINIMUM PCB THICKNESS OF 1.5.
- 4 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN-LEAD ON NEEDLE EYE.
- 5 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.
- 6 FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13219.
- 7 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.
- 8 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE WITH A HEIGHT OF 0.8mm.


5	NO LIGHT PIPES	2007399-8
	OUTER 2 LIGHT PIPES	2007399-7
	INNER 2 LIGHT PIPES	2007399-6
	4 LIGHT PIPES	2007399-5
4	NO LIGHT PIPES	2007399-4
	OUTER 2 LIGHT PIPES	2007399-3
	INNER 2 LIGHT PIPES	2007399-2
	4 LIGHT PIPES	2007399-1
FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. SHIRK	10OCT2007	 TE Connectivity	
DIMENSIONS:		CHK	D. SZCZESNY	10OCT2007		
mm		APVD	D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
0 PLC ±0.10		108-2331				
1 PLC ±0.10		APPLICATION SPEC				
2 PLC ±0.10		114-13219				
3 PLC ±0.10		WEIGHT				
4 PLC ±		CUSTOMER DRAWING				
ANGLES						
FINISH						


	SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
	A1	00779C	=	2007399	-

	SCALE		4:1	SHEET	1	OF	4	REV	C
---	-------	--	-----	-------	---	----	---	-----	---


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




2007399-1 AND 2007399-5
SCALE 3:1




2007399-2 AND 2007399-6
SCALE 3:1




2007399-3 AND 2007399-7
SCALE 3:1



2007399-4 AND 2007399-8
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK	10OCT2007	 TE Connectivity			
DIMENSIONS:		CHK D. SZCZESNY	10OCT2007				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. SZCZESNY	10OCT2007	NAME	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+		
	0 PLC	±0.10	PRODUCT SPEC	SIZE	CAGE CODE		
	1 PLC	±0.10	108-2331	DRAWING NO	DRAWING NO		
	2 PLC	±0.10	APPLICATION SPEC	114-13219	2007399		
	3 PLC	±0.10	WEIGHT	-	-		
MATERIAL	FINISH	CUSTOMER DRAWING		SCALE	4:1		
				SHEET	2 OF 4		
				REV	C		




REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. M. SHIRK 10OCT2007	TE Connectivity	
DIMENSIONS: mm		CHK. D. SZCZESNY 10OCT2007		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD. D. SZCZESNY 10OCT2007	NAME	
0 PLC ±0.10		PRODUCT SPEC	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
1 PLC ±0.10		108-2331		
2 PLC ±0.10		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO. RESTRICTED TO	
3 PLC ±0.10		114-13219	A100779C=2007399	
4 PLC ±		WEIGHT	-	
ANGLES FINISH		CUSTOMER DRAWING	SCALE 4:1 SHEET 3 OF 4 REV C	


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




DETAIL G
CONNECTOR HOUSING
KEEPOUT ZONE
4X INDIVIDUALLY
SCALE 10:1



RECOMMENDED PANEL CUTOFF
AND PC BOARD, PANEL POSITION
SCALE 2:1



SECTION U-U

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. M. SHIRK 10OCT2007	 TE Connectivity	
DIMENSIONS:		CHK. D. SZCZESNY 10OCT2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD. D. SZCZESNY 10OCT2007	NAME	
	0 PLC ±0.10	PRODUCT SPEC	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
	1 PLC ±0.10	108-2331		
	2 PLC ±0.10	APPLICATION SPEC		
	3 PLC ±0.10	114-13219		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
CUSTOMER DRAWING		-	A100779C=2007399	-
SCALE 4:1		SHEET 4 OF 4	REV C	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.