


LOC	DIST	REVISIONS						
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
LOY.			B	REVISED PER ECO-09-022874	200CT2009	CR	MS	
			C	RELEASED PER ECO-11-019224	09JAN2012	TX	AC	
			D	REVISED PER ECO-12-014021	28SEP2012	TD	AC	



- 1 MATERIAL: CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY.
EMI SPRINGS: COPPER ALLOY.
- 2 FINISH:
SPRINGS: MINIMUM OF 0.8µm TIN PLATE OVER A MINIMUM OF 0.8µm NICKEL UNDERPLATE.
NON-PLATED EDGES PERMISSIBLE.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4 PADS AND VIAS CHASSIS GROUND.
5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- 6 MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50
DOUBLE SIDED = 2.25
- 7 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 8 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 9 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 10 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
11. CERTAIN MATING TRANCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD BE DETERMINED BY THE CUSTOMER.
12. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.

CAGE ASSEMBLY




EMI SPRINGS

2007251-1
FINISHED ASSEMBLY
SCALE 4:1



2007251-1
CAGE ASSEMBLY

PC BOARD




2007251-1
CAGE ASSEMBLY

2007251-1
MOUNTED BELLY TO BELLY ON PCB
SCALE 4:1


2007251-1
PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M.REAM	17JUL2007	TE Connectivity	
		CHK M.R.SCHMITT	17JUL2007		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R.H.WERTZ	17JUL2007	NAME SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS	
		PRODUCT SPEC		SIZE A1	
	0 PLC ±0.1	APPLICATION SPEC		CAGE CODE 00779	
	1 PLC ±0.1	108-2364		DRAWING NO 2007251	
	2 PLC ±0.1	114-13120		RESTRICTED TO	
	3 PLC ±0.1	WEIGHT		Customer Drawing	
MATERIAL	4 PLC ±0.1	SCALE		2:1	
	ANGLES ±1°	SHEET		1 OF 4	
	FINISH	REV		D	


LOC		DIST		REVISIONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 5:2



2007251-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1




RECOMMENDED BEZEL CUT-OUT
BELLY TO BELLY APPLICATIONS
SCALE 4:1




2007251-1
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M. REAM 17JUL2007	 TE Connectivity	
DIMENSIONS: mm		CHK M.R. SCHMITT 17JUL2007		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R.H. WERTZ 17JUL2007	NAME SFP+ 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS	
0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1° FINISH		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120	SIZE A100779	
MATERIAL		WEIGHT	DRAWING NO. C=2007251	
		Customer Drawing	RESTRICTED TO	
			SCALE 2:1 SHEET 2 OF 4 REV D	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Z.M. REAM 17JUL2007	 TE Connectivity	
		CHK M.R. SCHMITT 17JUL2007		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SFP + 1X6 PRINTED CIRCUIT BOARD BELLY TO BELLY APPLICATIONS
mm	0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1	APVD R.H. WERTZ 17JUL2007 PRODUCT SPEC 108-2364		
		APPLICATION SPEC 114-13120		
MATERIAL		WEIGHT		
FINISH		SIZE		
		CAGE CODE		DRAWING NO
		A1		00779 ©=2007251
		SCALE		2:1
		SHEET		3 of 4
		REV		D





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.