




- NOTES:
1.DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2.PADS AND VIAS ARE CHASSIS GROUND.
3.THRU-HOLES, PLATING OPTIONAL.

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02, 11	JS
B		PROPOSAL	MAR 1' 12	JS
C		UPDATED	FEB23/15	JS

DETAIL E
SCALE 2 : 1

PATTERN REPEATS FOR EACH PORT
SPACING BETWEEN PORTS IS 14.25mm.
APPLIES TO ALL GANGED LAYOUTS

DETAIL D
SCALE 4 : 1

DETAIL C
SCALE 2 : 1

**RECOMMENDED PCB DESIGN
FOR SINGLE SIDE MOUNTING**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES ARE:

DECIMALS ANGLES
X.X ± 0.38 ± 1°
X.XX ± 0.25

MATERIAL AND FINISH

N/A

REF.

X

CODE IDENT. NO.

03554

APPROVALS

DRAWN Hisen.X

DESIGNED J.SI

CHECKED X

QA APPD X

IE APPD X

DWG APPD

DATE

JUN02,11

JUN02,11

X

X

X

X

Amphenol High Speed Interconnects

A Division of Amphenol Corp. www.amphenol-highspeed.com

TITLE

1X4 SFP+ CAGE, SPRING FINGER,
2.05mm LONG PRESS FIT PINS,
LOCK TABS ON BOTTOM COVER

SIZE

A4

DWG. NO.

P-U77-A461H-X081

SCALE

1:1

PROJECT

SHEET

4 OF 5


REV.

C

PROJECT

SHEET

4 OF 5



NOTES:
1.DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2.PADS AND VIAS ARE CHASSIS GROUND.
3.THROUGH-HOLES, PLATING OPTIONAL.

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02, 11	JS
B		PROPOSAL	MAR 1' 12	JS
C		UPDATED	FEB23/15	JS

THIS AREA DENOTES
COMPONENTS KEEP-OUT
(TRACES ALLOWED)

$\phi 0.95 \pm 0.05$ (28PLCS)
 $\phi 0.10$ (M) X Z (S)

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

RECOMMENDED PCB DESIGN
FOR BELLY TO BELLY MOUNTING

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED
TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM
AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE		Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com				
		DRAWN	Hisen.X	JUN02,11						
MATERIAL AND FINISH N/A		DESIGNED	J.SI	JUN02,11		TITLE 1X4 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER				
		CHECKED	X	X						
REF. X		QA APPD	X	X						
		IE APP'D	X	X						
CODE IDENT. NO. 03554		DWG APP'D			SIZE A4	DWG. NO.	P-U77-A461H-X081		REV.	C
					SCALE	1:1		PROJECT	SHEET	5 OF 5



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.