


# FUSED SINGLE-MODE WDM (980/1550nm)

## SWDM59 Series

### Product Description

Oplink's 980/1550nm fused single-mode wavelength division multiplexers are manufactured using the proven fused biconical taper technology and Oplink's stringent quality procedures. With low insertion loss and flat passband, this device is ideal for combining pump (980nm) and signal light at 1550nm in optical fiber amplifiers.

Oplink can provide customized designs to meet specialized feature applications. Also, Oplink offers modular assemblies that integrate other components to form a full function module or subsystem.



### Performance Specification

SWDM59 Series	Premium	Grade A	Grade B	Unit
Operating Wavelength	970 - 990nm / 1535 - 1565nm			
Insertion Loss (970 - 990nm / 1535 - 1565nm)	< 0.1	< 0.2	< 0.3	dB
Isolation		> 20		dB
Polarization Dependent Loss		< 0.1		dB
Directivity		> 55		dB
Maximum Power Handling		500		mW
Operating Temperature		- 10 to + 70		°C
Storage Temperature		- 40 to + 85		°C
Fiber Type	HI1060 FLEX & HI980			
Package Dimensions **	P1: 250µm bare fiber P2: 900µm loose tube		(Ø)3.0 x (L)54 (Ø)3.0 x (L)60	mm

Note:

\* Values are referenced without connector loss.

\*\* The mechanical tolerance should be +/-0.2 mm on all package dimensions unless otherwise custom specified.

### Features

- ◆ Ultra Low Insertion Loss
- ◆ Ultra High Isolation
- ◆ Low Polarization Sensitivity
- ◆ High Directivity
- ◆ High Stable & Reliable
- ◆ Bidirectional


### Applications

- ◆ Telecommunications
- ◆ CATV
- ◆ Subscriber Loop
- ◆ Local Area Networks
- ◆ Fiberoptic Sensors

**SWDM59 SERIES**

**Ordering Information**

Oplink can provide a remarkable range of customized optical solutions. For detail, please contact Oplink's OEM design team or account manager for your requirements and ordering information (510) 933-7200.



Notes :  
\* 1 meter is standard. The lead time for special fiber length will be longer.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[SWDM591SP001611](#)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.