








	LEFT INDICATOR DOWN	2227225-6
	LEFT INDICATOR UP	2227225-5
	NO LIGHTPIPE	2227225-4
	LEFT INDICATOR DOWN	2227225-3
	LEFT INDICATOR UP	2227225-2
	NO LIGHTPIPE	2227225-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWG. NO. 03AUG2012 M. SHIRK CHK. 03AUG2012 D. SZCZESNY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ SACKED	
MATERIAL		FINISH		SIZE CAGE CODE DRAWING NO	
SEE NOTE 1		SEE NOTE 2		A100779C-2227225	
		CUSTOMER DRAWING		RESTRICTED TO	
		WEIGHT		SCALE 4:1 SHEET 1 OF 4 REV A	


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-




2227225-1 / 2227225-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2227225-2 / 2227225-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2227225-3 / 2227225-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD



SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN M. SHIRK 03AUG2012	TE Connectivity		
DIMENSIONS: mm				CHK D. SZCZESNY 03AUG2012			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD	NAME		
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH				PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED		
MATERIAL SEE NOTE 1				WEIGHT -	SIZE A100779		
SEE NOTE 2				CUSTOMER DRAWING	CAGE CODE 2227225		
				SCALE 4:1	SHEET 2 OF 4		
					REV A		


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012	CHK D. SZCZESNY 03AUG2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	APPLICATION SPEC	SIZE	RESTRICTED TO
0 PLC ±0.25	1 PLC ±0.15	108-60102	114-60015	A100779	-
2 PLC ±0.15	3 PLC ±0.15	114-60015	114-60015	C=2227225	-
4 PLC ±0.15	ANGLES ±0.15	WEIGHT	CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 4
MATERIAL SEE NOTE 1	FINISH SEE NOTE 2				REV A



DETAIL H
SCALE 10:1



DETAIL L
SCALE 10:1



DETAIL K
SCALE 10:1

KEEP-OUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWG. 03AUG2012 M.SHIRK CHK. 03AUG2012 D.SZCZESNY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STAKED	
		APVD PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO A100779C2227225	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		RESTRICTED TO CUSTOMER DRAWING SCALE 4:1 SHEET 4 OF 4 REV A	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.