




POSITION GJII

UPPER HOUSING

SPACER



BASE HOUSING

POSITION DH20

HOUSING

ISOMETRIC VIEW
TYPICAL CONFIGURATION FOR 14mm THRU 42mm
28mm SHOWN
SCALE 2:1

ISOMETRIC VIEW
TYPICAL CONFIGURATION FOR 8mm THRU 13mm
8mm SHOWN
SCALE 2:1



- 1

MATERIAL:
BASE HOUSING, UPPER HOUSING, ORGANIZER,
AND SPACER: THERMOPLASTIC, FLAMMABILITY
RATING UL94-V0
CONTACT: COPPER ALLOY
- 2

CONTACT PLATING: 0.076µm MIN GOLD OVER 0.69µm
MIN PALLADIUM NICKEL, OVER 2.54-5.08µm NICKEL
ON MATING AREA. 0.50-2.54µm 93/7 TIN-LEAD,
OVER 1.27-5.08µm NICKEL ON TAIL AREA.
PORE BLOCKER APPLIED TO MATING AREA.
- 3

CONTACT PLATING: 0.076µm MIN GOLD OVER 0.69µm
MIN PALLADIUM NICKEL, OVER 2.54-5.08µm NICKEL
ON MATING AREA. 0.50-2.54µm MATTE TIN,
OVER 1.27-5.08µm NICKEL ON TAIL AREA.
PORE BLOCKER APPLIED TO MATING AREA.
- 4

ROWS GA THRU GJ (SHOWN DARKENED) ARE TYPICALLY
USED AS GROUNDS.
- 5

SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO
HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL
TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS
OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
- 6

AREA RESERVED FOR TE CONNECTIVITY LOGO.
- 7

AREA RESERVED FOR PART NUMBER (X-XXXXXX-X)
AND DATE CODE (YYWW).
- 8


USE CENTERLINES INDICATED ON PCB HOLE PATTERN
TO ESTABLISH ALIGNMENT BETWEEN HEADER AND
RECEPTACLE BOARDS.
- 9

PLATED THROUGH HOLE REQUIREMENTS:
HOLE SIZE PRIOR TO PLATING = $\varnothing 0.420 \pm 0.013$
COPPER PLATING THICKNESS = 0.038 ± 0.013
CALCULATED FINISHED HOLE SIZE = $\varnothing 0.344 \pm 0.039$
THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF
THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
SIDE.
- 10

CONTACT SALES FOR AVAILABILITY OF THIS STACK
HEIGHT.

SIZE 2 HOUSING *
80 DIFFERENTIAL PAIRS
259 TOTAL SIGNAL CONTACTS

* SIZE 1 AND SIZE 3 ARE ALSO AVAILABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN D. RINGLER 29AUG2008		 TE Connectivity								
		CHK D. TROUT 29AUG2008										
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME								
		APVD J. FEDDER 29AUG2008		HEADER ASSEMBLY								
		PRODUCT SPEC		80/259 SIGNAL								
		108-2375		STRADA MESA MEZZANINE CONNECTOR								
		APPLICATION SPEC										
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO					
- 		-		A1	100779	C=2057360	-					
		Customer Drawing		SCALE		6:1	SHEET	1	OF	4	REV	A

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

		41.8	42mm	MATTE Sn	9-2057360-2
		40.8	41mm	MATTE Sn	9-2057360-1
	YES	39.8	40mm	MATTE Sn	9-2057360-0
		38.8	39mm	MATTE Sn	8-2057360-9
		37.8	38mm	MATTE Sn	8-2057360-8
		36.8	37mm	MATTE Sn	8-2057360-7
		35.8	36mm	MATTE Sn	8-2057360-6
		34.8	35mm	MATTE Sn	8-2057360-5
		33.8	34mm	MATTE Sn	8-2057360-4
		32.8	33mm	MATTE Sn	8-2057360-3
		31.8	32mm	MATTE Sn	8-2057360-2
		30.8	31mm	MATTE Sn	8-2057360-1
		29.8	30mm	MATTE Sn	8-2057360-0
		28.8	29mm	MATTE Sn	7-2057360-9
	YES	27.8	28mm	MATTE Sn	7-2057360-8
		26.8	27mm	MATTE Sn	7-2057360-7
		25.8	26mm	MATTE Sn	7-2057360-6
		24.8	25mm	MATTE Sn	7-2057360-5
		23.8	24mm	MATTE Sn	7-2057360-4
	YES	22.8	23mm	MATTE Sn	7-2057360-3
		21.8	22mm	MATTE Sn	7-2057360-2
		20.8	21mm	MATTE Sn	7-2057360-1
		19.8	20mm	MATTE Sn	7-2057360-0
		18.8	19mm	MATTE Sn	6-2057360-9
		17.8	18mm	MATTE Sn	6-2057360-8
		16.8	17mm	MATTE Sn	6-2057360-7
		15.8	16mm	MATTE Sn	6-2057360-6
		14.8	15mm	MATTE Sn	6-2057360-5
		13.8	14mm	MATTE Sn	6-2057360-4
		12.8	13mm	MATTE Sn	6-2057360-3
		11.8	12mm	MATTE Sn	6-2057360-2
		10.8	11mm	MATTE Sn	6-2057360-1
		9.8	10mm	MATTE Sn	6-2057360-0
	YES	8.8	9mm	MATTE Sn	5-2057360-9
		7.8	8mm	MATTE Sn	5-2057360-8
FINISH	TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

		41.8	42mm	Sn/Pb	4-2057360-2
		40.8	41mm	Sn/Pb	4-2057360-1
	YES	39.8	40mm	Sn/Pb	4-2057360-0
		38.8	39mm	Sn/Pb	3-2057360-9
		37.8	38mm	Sn/Pb	3-2057360-8
		36.8	37mm	Sn/Pb	3-2057360-7
		35.8	36mm	Sn/Pb	3-2057360-6
		34.8	35mm	Sn/Pb	3-2057360-5
		33.8	34mm	Sn/Pb	3-2057360-4
		32.8	33mm	Sn/Pb	3-2057360-3
		31.8	32mm	Sn/Pb	3-2057360-2
		30.8	31mm	Sn/Pb	3-2057360-1
		29.8	30mm	Sn/Pb	3-2057360-0
		28.8	29mm	Sn/Pb	2-2057360-9
	YES	27.8	28mm	Sn/Pb	2-2057360-8
		26.8	27mm	Sn/Pb	2-2057360-7
		25.8	26mm	Sn/Pb	2-2057360-6
		24.8	25mm	Sn/Pb	2-2057360-5
		23.8	24mm	Sn/Pb	2-2057360-4
	YES	22.8	23mm	Sn/Pb	2-2057360-3
		21.8	22mm	Sn/Pb	2-2057360-2
		20.8	21mm	Sn/Pb	2-2057360-1
		19.8	20mm	Sn/Pb	2-2057360-0
		18.8	19mm	Sn/Pb	1-2057360-9
		17.8	18mm	Sn/Pb	1-2057360-8
		16.8	17mm	Sn/Pb	1-2057360-7
		15.8	16mm	Sn/Pb	1-2057360-6
		14.8	15mm	Sn/Pb	1-2057360-5
		13.8	14mm	Sn/Pb	1-2057360-4
		12.8	13mm	Sn/Pb	1-2057360-3
		11.8	12mm	Sn/Pb	1-2057360-2
		10.8	11mm	Sn/Pb	1-2057360-1
		9.8	10mm	Sn/Pb	1-2057360-0
	YES	8.8	9mm	Sn/Pb	2057360-9
		7.8	8mm	Sn/Pb	2057360-8
FINISH	TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

CHKD. RINGLER 29AUG2008

CHKD. TROUT 29AUG2008

APVD. FEDDER 29AUG2008

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.010

1 PLC ±.013

2 PLC ±.013

3 PLC ±.013

4 PLC ±.013

ANGLES ±.1

FINISH

MATERIAL

-

PRODUCT SPEC

108-2375

APPLICATION SPEC

114-13249

WEIGHT

-

Customer Drawing

SCALE 6:1

SHEET 2 OF 4

REV A

DWN

D. RINGLER

29AUG2008

NAME

HEADER ASSEMBLY

80/259 SIGNAL

STRADA MESA MEZZANINE CONNECTOR

SIZE

A1

CAGE CODE

00779

DRAWING NO

2057360


RESTRICTED TO

-


TE Connectivity

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION		DATE	DWN	APVD
		-	-	SEE SHEET 1		-	-	-

A1 CORNER INDICATORS.



PCB LAYOUT AND PIN IDENTIFICATION 
SHOWN FROM CONNECTOR SIDE
SCALE 12:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 29AUG2008	 TE Connectivity	
		CHK D. TROUT 29AUG2008		
DIMENSIONS:		APVD J. FEDDER 29AUG2008	NAME	
mm		PRODUCT SPEC	HEADER ASSEMBLY	
		108-2375	80/259 SIGNAL	
		APPLICATION SPEC	STRADA MESA MEZZANINE CONNECTOR	
		114-13249	SIZE CAGE CODE DRAWING NO	
		WEIGHT	A100779C=2057360	
MATERIAL		Customer Drawing	RESTRICTED TO	
		SCALE 6:1	SHEET 3 OF 4	
			REV A	

4805 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.