






LOC	DIST	REVISIONS					
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		REVISED PER ECO-12-018201	11OCT2012	KH	MH



ISOMETRIC VIEW
 TYPICAL CONFIGURATION FOR 14mm THRU 42mm
 28mm SHOWN
 SCALE 2:1



ISOMETRIC VIEW
 TYPICAL CONFIGURATION FOR 8mm THRU 13mm
 8mm SHOWN
 SCALE 2:1



- 1 MATERIAL:
 BASE HOUSING, UPPER HOUSING, ORGANIZER,
 AND SPACER: THERMOPLASTIC, FLAMMABILITY
 RATING UL94-V0
 CONTACT: COPPER ALLOY
- 2 CONTACT PLATING: 0.076µm MIN GOLD OVER 0.69µm
 MIN PALLADIUM NICKEL, OVER 2.54-5.08µm NICKEL
 ON MATING AREA. 0.50-2.54µm 93/7 TIN-LEAD,
 OVER 1.27-5.08µm NICKEL ON TAIL AREA.
 PORE BLOCKER APPLIED TO MATING AREA.
- 3 CONTACT PLATING: 0.076µm MIN GOLD OVER 0.69µm
 MIN PALLADIUM NICKEL, OVER 2.54-5.08µm NICKEL
 ON MATING AREA. 0.50-2.54µm MATTE TIN,
 OVER 1.27-5.08µm NICKEL ON TAIL AREA.
 PORE BLOCKER APPLIED TO MATING AREA.
- 4 ROWS GA THRU GJ (SHOWN DARKENED) ARE TYPICALLY
 USED AS GROUNDS.
- 5 SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO
 HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL
 TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS
 OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.
- 6 AREA RESERVED FOR TE CONNECTIVITY LOGO.
- 7 AREA RESERVED FOR PART NUMBER (X-XXXXXX-X)
 AND DATE CODE (YYWW).
- 8 USE CENTERLINES INDICATED ON PCB HOLE PATTERN
 TO ESTABLISH ALIGNMENT BETWEEN HEADER AND
 RECEPTACLE BOARDS.
- 9 PLATED THROUGH HOLE REQUIREMENTS:
 HOLE SIZE PRIOR TO PLATING = $\varnothing 0.420 \pm 0.013$
 COPPER PLATING THICKNESS = 0.038 ± 0.013
 CALCULATED FINISHED HOLE SIZE = $\varnothing 0.344 \pm 0.039$
 THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF
 THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
 SIDE.
- 10 CONTACT SALES FOR AVAILABILITY OF THIS STACK
 HEIGHT.

SIZE 2 HOUSING *
80 DIFFERENTIAL PAIRS
259 TOTAL SIGNAL CONTACTS

* SIZE 1 AND SIZE 3 ARE ALSO AVAILABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 29AUG2008	TE Connectivity
DIMENSIONS:		CHK D. TROUT 29AUG2008	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EDDER 29AUG2008	NAME HEADER ASSEMBLY 80/259 SIGNAL STRADA MESA MEZZANINE CONNECTOR
 0 PLC ± 2 PLC ±0.13 3 PLC ±0.013 4 PLC ± ANGLES ±1 FINISH	0 PLC ± 2 PLC ±0.13 3 PLC ±0.013 4 PLC ± ANGLES ±1 FINISH	PRODUCT SPEC 108-2375 APPLICATION SPEC 114-13249 WEIGHT Customer Drawing	SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=2057360 SCALE 6:1 SHEET 1 OF 4 REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GP	00	P	LYN	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1			

3	10	41.8	42mm	MATTE Sn	9-2057360-2
3	10	40.8	41mm	MATTE Sn	9-2057360-1
3	YES	39.8	40mm	MATTE Sn	9-2057360-0
3	10	38.8	39mm	MATTE Sn	8-2057360-9
3	10	37.8	38mm	MATTE Sn	8-2057360-8
3	10	36.8	37mm	MATTE Sn	8-2057360-7
3	10	35.8	36mm	MATTE Sn	8-2057360-6
3	10	34.8	35mm	MATTE Sn	8-2057360-5
3	10	33.8	34mm	MATTE Sn	8-2057360-4
3	10	32.8	33mm	MATTE Sn	8-2057360-3
3	10	31.8	32mm	MATTE Sn	8-2057360-2
3	10	30.8	31mm	MATTE Sn	8-2057360-1
3	10	29.8	30mm	MATTE Sn	8-2057360-0
3	10	28.8	29mm	MATTE Sn	7-2057360-9
3	YES	27.8	28mm	MATTE Sn	7-2057360-8
3	10	26.8	27mm	MATTE Sn	7-2057360-7
3	10	25.8	26mm	MATTE Sn	7-2057360-6
3	10	24.8	25mm	MATTE Sn	7-2057360-5
3	10	23.8	24mm	MATTE Sn	7-2057360-4
3	YES	22.8	23mm	MATTE Sn	7-2057360-3
3	10	21.8	22mm	MATTE Sn	7-2057360-2
3	10	20.8	21mm	MATTE Sn	7-2057360-1
3	10	19.8	20mm	MATTE Sn	7-2057360-0
3	10	18.8	19mm	MATTE Sn	6-2057360-9
3	10	17.8	18mm	MATTE Sn	6-2057360-8
3	10	16.8	17mm	MATTE Sn	6-2057360-7
3	10	15.8	16mm	MATTE Sn	6-2057360-6
3	10	14.8	15mm	MATTE Sn	6-2057360-5
3	10	13.8	14mm	MATTE Sn	6-2057360-4
3	10	12.8	13mm	MATTE Sn	6-2057360-3
3	10	11.8	12mm	MATTE Sn	6-2057360-2
3	10	10.8	11mm	MATTE Sn	6-2057360-1
3	10	9.8	10mm	MATTE Sn	6-2057360-0
3	YES	8.8	9mm	MATTE Sn	5-2057360-9
3	10	7.8	8mm	MATTE Sn	5-2057360-8
FINISH	TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

2	10	41.8	42mm	Sn/Pb	4-2057360-2
2	10	40.8	41mm	Sn/Pb	4-2057360-1
2	YES	39.8	40mm	Sn/Pb	4-2057360-0
2	10	38.8	39mm	Sn/Pb	3-2057360-9
2	10	37.8	38mm	Sn/Pb	3-2057360-8
2	10	36.8	37mm	Sn/Pb	3-2057360-7
2	10	35.8	36mm	Sn/Pb	3-2057360-6
2	10	34.8	35mm	Sn/Pb	3-2057360-5
2	10	33.8	34mm	Sn/Pb	3-2057360-4
2	10	32.8	33mm	Sn/Pb	3-2057360-3
2	10	31.8	32mm	Sn/Pb	3-2057360-2
2	10	30.8	31mm	Sn/Pb	3-2057360-1
2	10	29.8	30mm	Sn/Pb	3-2057360-0
2	10	28.8	29mm	Sn/Pb	2-2057360-9
2	YES	27.8	28mm	Sn/Pb	2-2057360-8
2	10	26.8	27mm	Sn/Pb	2-2057360-7
2	10	25.8	26mm	Sn/Pb	2-2057360-6
2	10	24.8	25mm	Sn/Pb	2-2057360-5
2	10	23.8	24mm	Sn/Pb	2-2057360-4
2	YES	22.8	23mm	Sn/Pb	2-2057360-3
2	10	21.8	22mm	Sn/Pb	2-2057360-2
2	10	20.8	21mm	Sn/Pb	2-2057360-1
2	10	19.8	20mm	Sn/Pb	2-2057360-0
2	10	18.8	19mm	Sn/Pb	1-2057360-9
2	10	17.8	18mm	Sn/Pb	1-2057360-8
2	10	16.8	17mm	Sn/Pb	1-2057360-7
2	10	15.8	16mm	Sn/Pb	1-2057360-6
2	10	14.8	15mm	Sn/Pb	1-2057360-5
2	10	13.8	14mm	Sn/Pb	1-2057360-4
2	10	12.8	13mm	Sn/Pb	1-2057360-3
2	10	11.8	12mm	Sn/Pb	1-2057360-2
2	10	10.8	11mm	Sn/Pb	1-2057360-1
2	10	9.8	10mm	Sn/Pb	1-2057360-0
2	YES	8.8	9mm	Sn/Pb	2057360-9
2	10	7.8	8mm	Sn/Pb	2057360-8
FINISH	TOOLED	DIM H	STACK HEIGHT	CONTACT TAIL PLATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

APVD: D. RINGLER 29AUG2008
CHK: D. TROUT 29AUG2008
J. FEDDER 29AUG2008

STE TE Connectivity

NAME: HEADER ASSEMBLY
80/259 SIGNAL
STRADA MESA MEZZANINE CONNECTOR

SIZE: A1 CAGE CODE: 114-13249 DRAWING NO: 100779 ©=2057360

Customer Drawing SCALE: 6:1 SHEET 2 OF 4 REV A


TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.01
1 PLC ±.013
2 PLC ±.013
3 PLC ±.013
4 PLC ±.013
ANGLES ±.1
FINISH

DIMENSIONS: mm

RESTRICTED TO



LOC	DIST	REVISIONS					
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1		-	-

A1 CORNER INDICATORS.




MATED CONNECTOR OUTLINE
SEE SHEET 4 FOR LOCATION TO HOLES

PCB LAYOUT AND PIN IDENTIFICATION 
SHOWN FROM CONNECTOR SIDE
SCALE 12:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 29AUG2008	 TE Connectivity
DIMENSIONS:		CHK D. TROUT 29AUG2008	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. FEDDER 29AUG2008	NAME HEADER ASSEMBLY 80/259 SIGNAL STRADA MESA MEZZANINE CONNECTOR
	0 PLC ± 1 PLC ±0.13 2 PLC ±0.13 3 PLC ±0.13 4 PLC ± ANGLES ±1	PRODUCT SPEC 108-2375 APPLICATION SPEC 114-13249	SIZE A100779
MATERIAL	FINISH	WEIGHT	RESTRICTED TO C=2057360
		Customer Drawing	SCALE 6:1 SHEET 3 OF 4 REV A

LOC		DIST		REVISIONS			
P	LYR	DATE	BY	APPV	DESCRIPTION	DATE	BY
-	-	-	-	-	SEE SHEET 1	-	-



PCB HOLE PATTERN
 SHOWN FROM CONNECTOR SIDE
 SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN D. RINGLER 29AUG2008	 TE Connectivity
DIMENSIONS:		CHK D. TROUT 29AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPV J. FEDDER 29AUG2008	
mm		NAME	
0 PLC	±	PRODUCT SPEC	HEADER ASSEMBLY
2 PLC	±0.13	APPLICATION SPEC	80/259 SIGNAL
3 PLC	±0.013	SIZE	STRADA MESA MEZZANINE CONNECTOR
4 PLC	±	WEIGHT	
ANGLES	±1	RESTRICTED TO	
MATERIAL		Customer Drawing	
SCALE 6:1		SHEET 4 OF 4	REV A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.