This document was generated on 06/01/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0008500189
Status: Active
Overview: kk
Description: Trifurcon™ Crimp Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn)



Series image - Reference only

Documents:
Drawing (PDF)
RoHS Certificate of Compliance (PDF)
Product Specification PS-40-02 (PDF)

General

Product Family	Crimp Terminals
Series	6838
Crimp Quality Equipment	Yes
Overview	kk
Product Name	Trifurcon™

Physical

Gender	Female
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Bag
Plating min: Mating (µin)	100
Plating min: Mating (µm)	2.50
Plating min: Termination (µin)	100
Plating min: Termination (µm)	2.50
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.79mm (.110") max.
Wire Size AWG	18, 20
Wire Size mm²	N/A

Material Info

Old Part Number	6838-(P909)L

Reference - Drawing Numbers

Packaging Specification	PK-2759-001
Product Specification	PS-40-02
Sales Drawing	SD-6838

EU RoHS
ELV and RoHS Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free Status
Halogen-Free

China RoHS

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
6838Series

Application Tooling | **FAQ**
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Global

Description	Product #
Hand Crimper	0638117500

This document was generated on 06/01/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



CARRIER STRIP DETAIL



SELECTIVE PLATING LOCATION



CUT OFF DIM.





NOTES:
1. MATERIAL: SEE LEGEND
2. FINISH:
   *909 - OVERALL HOT TIN DIP: .000100/(0.00254) MIN.
   102 - OVERALL TIN: .000200/(0.00508) MIN.
   OVERALL COPPER: .000100/(0.00254) MIN.
   132 - OVERALL TIN: .000200/(0.00508) MIN.
   OVERALL COPPER: .000200/(0.00508) MIN.
   503 - OVERALL HARD GOLD: .000030/(0.00076) MIN.
   OVERALL NICKEL: .000050/(0.00127) MIN.
   550 - SELECT HARD GOLD: .000015/(0.00038) MIN.
   OVERALL NICKEL: .000030/(0.00076) MIN.
   OVERALL HARD GOLD FLASH: .000002/(0.00005) MIN.
   555 - SELECT HARD GOLD: .000015/(0.00038) MIN.
   OVERALL NICKEL: .000030/(0.00076) MIN.
   558 - SELECT HARD GOLD: .000030/(0.00076) MIN.
   OVERALL NICKEL: .000050/(0.00127) MIN.
   OVERALL HARD GOLD FLASH: .000002/(0.00005) MIN.
   561 - SELECT HARD GOLD: .000030/(0.00076) MIN.
   OVERALL NICKEL: .000050/(0.00127) MIN.
   * THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD PLATING.
3. PRODUCT SPECIFICATION: PS-40-02
4. PACKAGING SPECIFICATION: CHAIN FORM SEE PK-6838-001
5. TERMINAL FOR USE IN HOUSING NO'S. 6442 AND 41695
6. THIS PART WITH CRIMP FOR 22-26 AWG. WIRE, SEE DWG. NO. 7258
7. CRIMP FOR 18 TO 20 GA. WIRE WITH MAX. INSULATION DIA. OF .100/(2.79). STRIP LENGTH OF .125/.100 / (3.18/2.54)
8. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
9. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



SECTION A-A



LEGEND: 6838-* (*) * *

MATERIAL:
(.127)/.0106 THK
BLANK=BRASS
A=PHOS BRONZE

WINDING
A= PER DETAIL A
BLANK= PER DETAIL B

FORM
BLANK= CHAIN
L= LOOSE

PLATING
SEE NOTE 2

WINDING DETAIL "A"



PAPER INTERLEAF

WINDING DETAIL "B"



PAPER INTERLEAF

REV	DESCRIPTION	APPR: FSM	CHK'D: JBELL	DRWN: ADERR	ECC NO: UCP2008-0005
AP2	ADD NOTE 9	2007/07/09	2007/07/09	2007/07/09	2007/07/03

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	±---
3 PLACES	± ---	±.010
2 PLACES	± 0.25	±.015
1 PLACE	± 0.36	±---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	IN/MM
SCALE	---
DESIGN UNITS	INCH
	THIRD ANGLE PROJECTION
DRAWN BY	GUZIK
DATE	11/15/89
CHECKED BY	PATEL
DATE	11/15/89
APPROVED BY	LENZ
DATE	11/15/89
MATERIAL NO.	SEE CHART
DOCUMENT NO.	SD-6838
SHEET NO.	1 OF 2
SIZE	D

TITLE: TRIFURCON TERMINAL CRIMP TYPE, .156 CENTERS 18 TO 20 AWG WIRE

MOLEX INCORPORATED

SHT	REV
2	AP2
1	AP2

6838-(*)*-*	
PART NO.	ENG. NO.
08-50-0187	6838-(P909)
08-50-0189	6838-(P909)L
08-50-0275	6838-(P909)-A
08-50-0026	6838-(P102)
	6838-(P102)L
08-50-0028	6838-(102)
08-50-0029	6838-(102)L

6838-A(*)*-*		
PART NO.		ENG. NO.
08-58-0187	*	6838-A(P558)
08-58-0189	*	6838-A(P558)L
08-60-0001		6838-A(132)
08-60-0002		6838-A(132)L
08-58-0102		6838-A(558)
		6838-A(558)L
08-58-0108		6838-A(503)
08-58-0109		6838-A(503)L
08-52-0112	*	6838-A(P909)
08-52-0113	*	6838-A(P909)L
08-50-0024		6838-A(102)
08-50-0251		6838-A(102)L
08-58-0105		6838-A(P555)
08-58-0106		6838-A(P555)L
08-58-0110	*	6838-A(P561)
08-58-0111	*	6838-A(P561)L
08-58-0118		6838-A(561)
08-58-0119		6838-A(561)L
08-58-0131		6838-A(550)
08-58-0132		6838-A(550)L

PART NO.	ENG. NO.

PART NO.	ENG. NO.

PART NO.	ENG. NO.

PART NO.	ENG. NO.

UPDATE TITLE BLOCK
ECC NO: UCP2008-0005 2007/07/03
DRWN:ADERR 2007/07/09
CHKD:JBELL
APPR:FSMITH 2007/07/09
DESCRIPTION
REV
AP2

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: ---
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY	GUZIK	DATE 11/15/89
CHECKED BY	PATEL	DATE 11/15/89
APPROVED BY	LENZ	DATE 11/15/89

TITLE
TRIFURCON TERMINAL CRIMP TYPE, .156 CENTERS 18 TO 20 AWG WIRE

MOLEX INCORPORATED

MATERIAL NO. SEE CHART
DOCUMENT NO. SD-6838
SHEET NO. 2 OF 2

SIZE D

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.