

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

©

COPYRIGHT

-

BY TYCO ELECTRONICS CORPORATION.

ALL INTERNATIONAL RIGHTS RESERVED.

LOC






DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	L	EH-1518-99	20-09-99	MVE	-
	M	ECR-06-013127	31-05-06	MO	-
	M1	ECR-08-012368	06-07-08	AEG	WRV

NOTES:

1. TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15
2. CONTACTS:
1.25 μ m MIN. GOLD OVER 1.25 μ m MIN. NICKEL
IN CONTACT AREA.
2.0 μ m MIN. TIN OVER 1.25 μ m MIN. NICKEL
ON SOLDER TINES.
3. HOUSING:
30% G.F. PA 4.6, COLOR BLACK, UL 94V-0
CONTACTS:
PHOSPHOR BRONZE
ADDITIONAL SOLDERJOINT:
TIN PLATED BRASS
4. MODULAR JACKS ARE DELIVERED TAPE MOUNTED
ON REEL. SEE SHEET 2.
5. PRODUCT SPECIFICATION: 108-19117.
APPLICATION SPECIFICATION: 114-19041.
6. SOLDER PASTE THICKNESS 0,15mm (=0.006") MIN.



SECTION A-A



DESCRIPTION	FINISH	MATERIAL	PARTNUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN 27JAN92 D.CAMPSCHROER	Tyco Electronics Corporation 's-Hertogenbosch, Nederland	
DIMENSIONS: mm	CHK W. BRUMMANS	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD L. VAN SOEST	MODULAR JACK, 6 POSITION BOTTOM ENTRY FOR SURFACE MOUNT APPLICATION	
0 PLC ± -	PRODUCT SPEC	SIZE	CAGE CODE
1 PLC ± -	APPLICATION SPEC	DRAWING NO	RESTRICTED TO
2 PLC ± -	—	A3	00779
3 PLC ± -	WEIGHT	C-100860	—
4 PLC ± -	—	CUSTOMER DRAWING	SCALE
ANGLES ± -	—	NTS	SHEET
FINISH	—	1 OF 4	REV
SEE TABLE	SEE TABLE	M1	


4

3

2

1

LOC	DIST	REVISIONS					
H	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



6 POS. / 6 CONTACTS		TAPE MOUNTED ON 60 cm. DIA. REEL (700 pcs/reel)		100860-1		
DESCRIPTION		PACKAGING		PARTNUMBER		
A CONTROLLED DOCUMENT.		DWN J. TUIN	06AUG93			
		CHK W. BRUMMANS	-			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD L. VAN SOEST	NAME			
		PRODUCT SPEC	MODULAR JACK, 6 POSITION BOTTOM ENTRY FOR SURFACE MOUNT APPLICATION			
		APPLICATION SPEC				
		WEIGHT				
		0 PLC	± -	SIZE	CAGE CODE	DRAWING NO
1 PLC	± -	A3	00779	C-100860	—	
2 PLC	± -					
3 PLC	± -					
4 PLC	± -					
ANGLES	± -	CUSTOMER DRAWING				
FINISH		SCALE		SHEET	REV	
		NTS		2 OF 4	M1	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

© COPYRIGHT — BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.



LOC
HDIST
—

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—	SEE SHEET 1	—	—	—




SECTION B-B

REEL OFF
DIRECTION

SECTION A-A

EMBOSSSED TAPE
(SHEET 3)

REEL-OFF DIRECTION

DETAIL A
SCALE 10:1

6 POS. / 6 CONTACTS

EMBOSSSED TAPE ACC. TD EIA 481-3
(36 cm. DIA. REEL)(300 pcs/reel)

2-100860-1

DESCRIPTION

PACKAGING

PARTNUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
E. V. EIJK

03DEC96

CHK
E. STELLINGAAPVD
R. SMEETS

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

—

—

—

—

—

Tyco Electronics Corporation
's-Hertogenbosch, NederlandMODULAR JACK 6 POS.
PACKAGING

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

—

—

CUSTOMER DRAWING

SCALE

NTS

SHEET

3 OF 4

REV

M1

4






3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
H	—	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—



OBSOLETE	6 POS. / 6 CONTACTS	EMBOSSSED TAPE ACC. TD EIA 481-3 (36 cm. DIA. REEL)(300 pcs/reel)	3-100860-1
DESCRIPTION		PACKAGING	PARTNUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. V. EIJK 03DEC96	Tyco Electronics Corporation 's-Hertogenbosch, Nederland
DIMENSIONS: mm		CHK E. STELLINGA	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. SMEETS	MODULAR JACK 6 POS. PACKAGING
0 PLC ± -		PRODUCT SPEC	
1 PLC ± -		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
2 PLC ± -		—	
3 PLC ± -		—	
4 PLC ± -		—	
ANGLES ± -		—	
FINISH		—	
MATERIAL		—	
—		—	
CUSTOMER DRAWING		SCALE NTS	SHEET 4 OF 4 REV M1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.