

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0783492024

Status:

Active

Overview:

Impact™ Backplane Connector and Cable Assembly System

Description:

Impact™ 4 Pair, Right Angle Power Header, 2 Modules with Right Hold-Down, Module 1: Blade P1 & P2, Length 5.70mm & 6.90mm; Module 2: Blade P1 & P2 Length 5.70mm;Press-Fit, LCP, Glass Filled UL94-V0, Black, Tray Packing

Documents:

3D Model

Drawing (PDF)

Product Specification PS-78213-001 (PDF)

Packaging Specification PK-78349-002 (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

UL

E29179

General

Product Family

Series

Application

Application Tooling Documents

Component Type

Overview

Backplane Connectors

78349

Conventional, Coplanar

TM-622018799

Power Header

Impact™ Backplane Connector and Cable Assembly System

Product Name

UPC

Impact™

883906542269

Physical

Circuits (Loaded)

Circuits (maximum)

Color - Resin

Durability (mating cycles max)

First Mate / Last Break

Flammability

Guide to Mating Part

Keying to Mating Part

Material - Metal

Material - Plating Mating

Material - Plating Termination

Material - Resin

Net Weight

Number of Columns

Number of Pairs

Number of Rows

Orientation

PC Tail Length

PCB Locator

PCB Retention

PCB Thickness - Recommended

Packaging Type

Pitch - Mating Interface

Pitch - Termination Interface

Plating min - Mating

Plating min - Termination

Polarized to PCB

Stackable

Surface Mount Compatible (SMC)

Temperature Range - Operating

8

8

Black

200

Yes

94V-0

No

None

Copper Alloy

Gold

Tin

High Temperature Thermoplastic

20.374/g

N/A

4

2

Right Angle

2.50mm

No

None

1.60mm

Tray

5.20mm

2.00mm, 3.20mm

0.762µm

2.540µm

No

No

No

-55°C to +85°C



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

China RoHS

Compliant

REACH SVHC

Not Contained Per

-ED/79/2015 (17

December 2015)

Halogen-Free

Status

Low-Halogen

Need more information on product environmental compliance?

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
Please visit the [Contact Us](#) section for any non-product compliance questions.

China ROHS

Green Image

ELV

Not Relevant

Search Parts in this Series

78349 Series

Mates With

78214 Impact™ Vertical Receptacle, 78350 Right Angle Receptacle

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Impact™ Power

Module Right Angle

Removal Tool

Right Angle Power

Module Installation

Press-In Tool

0622024500

0622018642

|                                    |                              |
|------------------------------------|------------------------------|
| Termination Interface: Style       | Through Hole - Compliant Pin |
| <b>Electrical</b>                  |                              |
| Current - Maximum per Contact      | 20.0A                        |
| Data Rate                          | N/A                          |
| Shield Type                        | N/A                          |
| Shielded                           | No                           |
| Voltage - Maximum                  | 250V                         |
| <b>Solder Process Data</b>         |                              |
| Lead-freeProcess Capability        | N/A                          |
| <b>Material Info</b>               |                              |
| <b>Reference - Drawing Numbers</b> |                              |
| Packaging Specification            | PK-78349-002                 |
| Product Specification              | PS-78213-001                 |
| Sales Drawing                      | SD-78349-001                 |
| Symbol/Footprint Data              | SYM-78349-2024               |

This document was generated on 06/07/2016

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.