



LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		D1	REVISED PER ECO-11-005027	10MAY2011	RK	HMR	
			E	REVISED PER ECO-14-000886	20FEB2014	JW	SH	
			E1	REVISED PER ECO-14-010419	11JUL2014	JW	SH	
			F	REVISED PER ECO-15-013594	25SEP2015	JW	SH	

- 1 MATERIAL: COPPER ALLOY.
- 2 FINISH: TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS
ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED
DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 7 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN.
- 8 MATERIAL:NICKEL SILVER ALLOY(NO PLATING)








1761014-1&3
1X2 CAGE ASSEMBLY
SCALE 4:1





SUPERSEDED BY:
1761014-3

NO	8	1 x 2 CAGE	1761014-3
2	1	1 x 2 CAGE	1761014-1
FINISH	MATERIAL	DESCRIPTION	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY 15MAR2004	 TE Connectivity	
DIMENSIONS:		CHK M.J. PHILLIPS 15MAR2004		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.J. PHILLIPS 15MAR2004	NAME	
		PRODUCT SPEC	ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP	



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



PT CONNECTOR
RECOMMENDED PCB
CONFIGURATION
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	W. VAN SCOY	5MAR2004	TE Connectivity			
		CHK	MJ. PHILLIPS	5MAR2004				
DIMENSIONS:		APVD	MJ. PHILLIPS	5MAR2004	NAME			
mm		PRODUCT SPEC			ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			SIZE			
		0 PLC $\pm$			CAGE CODE			
		1 PLC $\pm$			DRAWING NO			
		2 PLC ± 0.10			RESTRICTED TO			
		3 PLC $\pm$			A100779			
		4 PLC $\pm$			C=1761014			
		ANGLES $\pm$			SCALE			
		FINISH $\pm 2^\circ$			4:1			
MATERIAL		WEIGHT			SHEET			
-		-			2 OF 2			
		CUSTOMER DRAWING			REV			
					F			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.