

Qseven-i.MX537


Qseven® compliant i.MX53 Module



BLUETECHNIX
Embedding Ideas

The Qseven® compliant Module Qseven-i.MX537 is based on Freescale's next generation, high-performance, power-efficient, consumer multimedia applications processor i.MX537. This processor features OpenGL® ES 2.0 and OpenVG™ 1.1 hardware accelerators, a multi-format HD1080p video decoder and a HD720p video encoder hardware engine, a SATA controller and numerous serial interfaces. Further features are integrated security solutions, USB 2.0 controllers and an Ethernet controller.

The Qseven® module is available for the industrial temperature range (-40 to +85°C). It addresses 1GByte DDR2-SDRAM, has an on-board NAND-flash of 2GByte and an additional SPI NOR-flash of 4MByte.



70mm / 2.75 inch

Highlights

- » Qseven® Rev. 1.2 compliant
- » Designed for industrial applications
- » Powerful Cortex™-A8 core
- » 1 GByte DDR2-SDRAM
- » 2 GByte NAND Flash


The state of the art i.MX53 SoC in combination with the outstanding integration of several peripheral controllers, memory and voltage control, turn the Qseven-i.MX537 into a high-performance embedded platform for your future applications.

Applications

- » Industrial Applications
- » Human-Machine-Interface
- » Medical Devices
- » Home automation
- » Imaging and Consumer Multimedia
- » Set Top Boxes

Ordering Information

Order No.	Info
100-1500-1	Qseven-i.MX537 Module



Qseven®-i.MX537

Qseven® compliant i.MX53 Module



BLUETECHNIX
Embedding Ideas

Qseven® Facts


The Qseven concept is an off-the-shelf, multi vendor, Computer-On-Module that integrates all the core components of a common PC and is mounted onto an application specific carrier board. Qseven modules have a standardized form factor of 70mm x 70mm and have specified pinouts based on the high speed MXM system connector that has a standardized pinout regardless of the vendor.

Feature Overview

PROCESSOR	Freescale i.MX537 ARM® Cortex™-A8
CLOCK	800MHz
RAM	1GByte DDR2-800 SDRAM
FLASH DISK	4MByte NOR / 2GByte NAND
Qseven® INTERFACES	Serial ATA Channels 1
	USB 2.0 ports 7 Hosts + 1 OTG
	LVDS Channels* 2
	Display Port / TMDS / SDVO 0 / 1 / 0
	HDA 1
	Ethernet 10/100 Mbit 1
	I²C / SPI / CAN 2 / 1 / 1
	SDIO 1
	JTAG 1
	Power Button / Reset Button 1 / 1
	LID Button / Sleep Button 1 / 1
	Wake / Battery low alarm 1 / 1
	Thermal control 1
	FAN control 1
ADDITIONAL	Sleep modes Various sleep modes available
	Image sensor interface 1 x BLT-ISM-Connector for ISM
	Micro SD card slot 1 x on-board
	Debug Interfaces 1 x UART, 1 x SPI
VERSIONS	Industrial -40 to +85 °C
DIMENSIONS	70 x 70mm

* only one LVDS available when using TMDS

BLUETECHNIX Mechatronische Systeme GmbH
Waidhausenstraße 3/19 | 1140 Wien, Austria
+43 (1) 9142091 x 0 | +43 (1) 9142091 x 99
www.bluetchnix.com | office@bluetchnix.com





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помошь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помошь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.