



# Accessories

Carefully selected accessories complement the Altech/Spelsberg Enclosure family. A full line, including connectors for wire, cable, or conduit; ground/neutral busbars, mounting plates and hardware, locks, hinge kits, DIN rails, terminal block assemblies and more are available to enhance the overall design capabilities.

Altech/Spelsberg has the right accessories to make your job easier.

- Liquid Tight Strain Relief connectors and connector assemblies
- Mounting plates
- DIN rail support racks
- DIN rails
- Enclosure mounting screws
- Key lock sets
- Hinge kits
- Cover plates
- Combination kits, flange type
- Ground/neutral busbars



### Combination Kits


Used to combine series specific enclosures to make larger units. Connect horizontally or vertically.

#### Fitting Type Combination Kit

Threaded with locknut seal for connecting sidewalls. Fits standard Metric knockouts. Drilling template included to ensure enclosure ingress integrity.

#### Pin Type Combination Set

For combining AK and AKL Series Enclosures for 150mm and 300mm sides.



### Din Rails

DIN rails allow for mounting DIN Terminal Blocks and other control components. All required hardware included.

#### TS15x5 mm / for TK+Abox Series

#### TS15x5 mm / for TG Series

(mounting hardware comes with enclosure)



#### TS35x7.5 mm / for TK+Abox Series

#### TS35x7.5 mm / for TG Series

(mounting hardware comes with enclosure)

#### TS35x7.5 mm / Special Variants

#### TS35x7.5 mm / for AL Series



### Component Mounting Screws


For mounting DIN rails, mounting plates, etc. into molded base holes.

- Select appropriate length
- Self tapping

| Type    | Wall Thickness For Series | Cat. No. | Std. Pack |
|---------|---------------------------|----------|-----------|
| CK/M20  | 2x3 mm                    | 192-020  | 1         |
| CK/M25  | 2x3 mm                    | 192-025  | 1         |
| CK/M32  | 2x3.5 mm                  | 192-032  | 1         |
| CK/AKII | AK, AKL                   | 791-001  | 1         |

| Type       | For Series                      | Cat. No. | Std. Pack |
|------------|---------------------------------|----------|-----------|
| TS15/49.5  | TK77, 97                        | 197-049  | 1         |
| TS15/80    | TK97, 99                        | 197-080  | 1         |
| TS15/92    | TK1111                          | 197-092  | 1         |
| TS15/111   | TK1309, 1313                    | 197-111  | 1         |
| TS15/154   | TK1809                          | 197-154  | 1         |
| TS15/68    | TG88                            | 197-069  | 1         |
| TS15/106   | TG1208                          | 197-107  | 1         |
| TS15/110   | TG1212                          | 197-110  | 1         |
| TS15/146   | TG1608, 1612                    | 197-146  | 1         |
| TS15/186   | TG2012                          | 197-186  | 1         |
| TS15/170   | TG2015                          | 197-170  | 1         |
| TS15/222   | TG2516                          | 197-222  | 1         |
| TS15/285   | TG3023                          | 197-285  | 1         |
| TS35/81    | TK1111, Abox060                 | 198-081  | 1         |
| TS35/106   | TK1309, 1313, Abox100, HP150    | 198-106  | 1         |
| TS35/144   | TK1809, 1811, 1813, 1818, HP190 | 198-144  | 1         |
| TS35/144   | Abox160                         | 894-016  | 1         |
| TS35/216   | TK2518                          | 198-216  | 1         |
| TS35/216   | Abox350                         | 894-035  | 1         |
| TS35/336   | TK3625                          | 198-336  | 1         |
| TS35/68    | TG88                            | 198-068  | 1         |
| TS35/106   | TG1208                          | 198-107  | 1         |
| TS35/110   | TG1212                          | 198-110  | 1         |
| TS35/146   | TG1608, 1612                    | 198-146  | 1         |
| TS35/186   | TG2012                          | 198-186  | 1         |
| TS35/170   | TG2015                          | 198-170  | 1         |
| TS35/222   | TG2516                          | 198-222  | 1         |
| TS35/285   | TG3023                          | 198-285  | 1         |
| CITS35/250 | AKII, AKL                       | 562-735  | 1         |
| NS35/216-3 | AKII, AKL, EK12, 24             | 795-030  | 1         |
| TS35/110   | AL1212                          | 162-009  | 1         |
| TS35/208   | AL2212                          | 162-010  | 1         |
| TS35/145   | AL1616                          | 162-011  | 1         |
| TS35/245   | AL2616                          | 162-012  | 1         |
| TS35/345   | AL3616                          | 162-013  | 1         |
| TS35/186   | AL2023                          | 162-014  | 1         |
| TS35/266   | AL2823                          | 162-015  | 1         |
| TS35/316   | AL3323                          | 162-016  | 1         |

| Type         | For Series  | Cat. No. | Std. Pack |
|--------------|-------------|----------|-----------|
| ST/3.9x9 mm  | For         | D-409    | 100       |
| ST/3.9x13 mm | All Plastic | D-413    | 100       |
| ST/3.9x17 mm | Series      | D-417    | 100       |
| ST/3.9x28 mm |             | D-428    | 100       |



## Hinge Kits

Attach the enclosure cover and base together for easy opening and closing of the enclosure. All required hardware and instructions are included.

**Small Plastic**  
**Large Plastic**  
**TG Internal Plastic**  
**Metal**



## Enclosure Lid Screws

Replacements for existing screws.

**Short-Gray**  
**Long-Gray**  
**Short-Black**  
**Long-Black**

**Thumb Screw Caps**




## Locksets

Locksets prevent the unauthorized opening of enclosure lids or doors.

KL Locksets with two keys easily install into hinged transparent doors.

Enclosure Padlock and Hinge set with all mounting accessories.



## Mounting Tabs

Enables enclosure to be surface mounted. 1 set = 4 mounting tabs

**Plastic**

**Metal**

## Snap In and Threaded Entry Spouts and Vents

### Snap In Double Membrane Entry Seals

- Fits and seals removed Pg knockouts
- IP66
- Features two integral sealing membranes

### Universal Snap In Entry Seal

- IP55
- Polyethylene
- Cut steps to fit desired cable size

### Snap In Air Vents

- Allows moisture to escape from the enclosure
- Labyrinth seal to prevent water formation
- IPX4

### Threaded Vent - M12x1.5

- Provides pressure compensation
- Air permeable and water-tight membrane
- Reduces condensation formation
- IP68

| Type  | For Series                          | Cat. No. | Std. Pack |
|-------|-------------------------------------|----------|-----------|
| HK1   | TK77 - 1809, EK002                  | 190-002  | 1         |
| HK2   | TK1811 - 3625, EK004 - 024, AK, AKL | 190-005  | 1         |
| TGISS | TGxx12 and TG2015-TG3023            | 182-001  | 1         |
| HK-AL | AL1212 - AL3323                     | 154-210  | 1         |


| Type    | For Series                   | Cat. No. | Std. Pack |
|---------|------------------------------|----------|-----------|
| TKLS-SG | TK - low cover, gray         | 190-010  | 1         |
| TKLS-LG | TK - high cover, gray        | 190-011  | 1         |
| TKLS-SB | TK - low cover, transparent  | 190-012  | 1         |
| TKLS-LB | TK - high cover, transparent | 190-013  | 1         |
| TS      | TK, EK, AK, AKL              | 190-001  | 1         |

| Type | For Series           | Cat. No. | Std. Pack |
|------|----------------------|----------|-----------|
| KL2  | AK                   | 706-102  | 1         |
| PL   | AK, AKL, TK1811 & up | 190-100  | 1         |

| Type   | For Series            | Cat. No. | Std. Pack |
|--------|-----------------------|----------|-----------|
| MT1    | TK, EK                | 194-001  | 1         |
| TGABL  | TG                    | 182-002  | 1         |
| MT2    | AKL, AK14 and up      | 793-004  | 1         |
| MT-AL1 | AL66-3 to AL1010-8    | 154-004  | 1         |
| MT-AL2 | AL1212-8 to AL3323-11 | 154-006  | 1         |

| Mounting Hole Type | Cable Dia. mm (in.)    | Cat. No. | Std. Pack |
|--------------------|------------------------|----------|-----------|
| M16                | 5 - 9 (.20 - .35)      | 260-416  | 50        |
| M20                | 7 - 12 (.28 - .47)     | 260-420  | 50        |
| M25                | 9 - 16 (.35 - .63)     | 260-425  | 50        |
| M32                | 14 - 21 (.55 - .83)    | 260-432  | 25        |
| M20                | 5 - 16 (.20 - .63)     | 216-420  | 100       |
| M25                | 5 - 21 (.20 - .83)     | 216-425  | 50        |
| M32                | 13 - 26.5 (.51 - 1.04) | 216-432  | 25        |
| M20                | N/A                    | 262-420  | 100       |
| M12                | N/A                    | 262-412  | 5         |

## Mounting Plates

**TK Series**

Complete with screws.  
Hole patterns match mounting provisions in enclosure base.


**Plastic laminate** 2.5 mm (.10 in) thick.  
Color: Gray

**Steel** 2.0 mm (.08 in) thick.

**TG Series\***

**Plastic laminate** 2.5 mm (.10 in) thick.  
Color: Gray

**Steel** 2.0 mm (0.08 in) thick.

**Abox Series**

Plastic laminate  
Color: Gray

**Aluminum Series**

Steel plates for the mounting and installation of large / heavy devices and components.  
- For AL Series only

**AK Series**

**Plastic laminate** 4 mm (.16 in) thick  
Color: Gray

**Steel** 2.0 mm (0.08 in) thick.

\*Mounting hardware included with enclosure.

| Type       | Enclosure Series | Size mm (in.)        | Cat. No. | Std. Pack |
|------------|------------------|----------------------|----------|-----------|
| TKMPI-55   | TK55             | 46x44 (1.81x1.73)    | 195-055  | 5         |
| TKMPI-75   | TK75             | 59x44 (2.32x1.73)    | 195-075  | 5         |
| TKMPI-77   | TK77             | 45x45 (1.77x1.77)    | 195-001  | 1         |
| TKMPI-97   | TK97             | 74x45 (2.91x1.77)    | 195-002  | 1         |
| TKMPI-99   | TK99             | 74x74 (2.91x2.91)    | 195-003  | 1         |
| TKMPI-1111 | TK1111           | 90x90 (3.54x3.54)    | 195-004  | 1         |
| TKMPI-1309 | TK1309           | 110x74 (4.33x2.91)   | 195-009  | 1         |
| TKMPI-1313 | TK1313           | 110x110 (4.33x4.33)  | 195-005  | 1         |
| TKMPI-1809 | TK1809           | 160x74 (6.30x2.91)   | 195-010  | 1         |
| TKMPI-1811 | TK1811           | 150x90 (5.91x3.54)   | 195-006  | 1         |
| TKMPI-1813 | TK1813           | 146x100 (5.75x3.94)  | 195-011  | 1         |
| TKMPI-1818 | TK1818           | 150x150 (5.91x5.91)  | 195-007  | 1         |
| TKMPI-2518 | TK2518           | 220x150 (8.66x5.91)  | 195-008  | 1         |
| TKMPI-3625 | TK3625           | 331x220 (13.03x8.66) | 195-012  | 1         |
| TKMPS-77   | TK77             | 45x45 (1.77x1.77)    | 197-001  | 1         |
| TKMPS-97   | TK97             | 75x45 (2.95x1.77)    | 197-002  | 1         |
| TKMPS-99   | TK99             | 74x74 (2.91x2.91)    | 197-003  | 1         |
| TKMPS-1111 | TK1111           | 90x90 (3.54x3.54)    | 197-004  | 1         |
| TKMPS-1309 | TK1309           | 110x74 (4.33x2.91)   | 197-009  | 1         |
| TKMPS-1313 | TK1313           | 110x110 (4.33x4.33)  | 197-005  | 1         |
| TKMPS-1809 | TK1809           | 160x74 (6.30x2.91)   | 197-010  | 1         |
| TKMPS-1811 | TK1811           | 150x90 (5.91x3.54)   | 197-006  | 1         |
| TKMPS-1813 | TK1813           | 146x100 (5.75x3.94)  | 197-011  | 1         |
| TKMPS-1818 | TK1818           | 150x150 (5.91x5.91)  | 197-007  | 1         |
| TKMPS-2518 | TK2518           | 220x150 (8.66x5.91)  | 197-008  | 1         |
| TKMPS-3625 | TK3625           | 331x220 (13.03x8.66) | 197-012  | 1         |
| TGMPI-88   | TG88             | 73x73 (2.87x2.87)    | 186-003  | 1         |
| TGMPI-1208 | TG1208           | 91x73 (3.58x2.87)    | 186-004  | 1         |
| TGMPI-1212 | TG1212           | 113x93 (4.45x3.58)   | 186-005  | 1         |
| TGMPI-1608 | TG1608           | 131x73 (5.16x2.87)   | 186-006  | 1         |
| TGMPI-1612 | TG1612           | 131x113 (5.16x4.45)  | 186-007  | 1         |
| TGMPI-2012 | TG2012           | 171x113 (6.73x4.45)  | 186-008  | 1         |
| TGMPI-2015 | TG2015           | 171x143 (6.73x5.63)  | 186-009  | 1         |
| TGMPI-2516 | TG2516           | 220x152 (8.66x5.98)  | 186-012  | 1         |
| TGMPI-3023 | TG3023           | 270x220 (10.63x8.66) | 186-013  | 1         |
| TGMPS-88   | TG88             | 73x73 (2.87x2.87)    | 187-003  | 1         |
| TGMPS-1208 | TG1208           | 91x73 (3.58x2.87)    | 187-004  | 1         |
| TGMPS-1212 | TG1212           | 113x93 (4.45x3.58)   | 187-005  | 1         |
| TGMPS-1608 | TG1608           | 131x73 (5.16x2.87)   | 187-006  | 1         |
| TGMPS-1612 | TG1612           | 131x113 (5.16x4.45)  | 187-007  | 1         |
| TGMPS-2012 | TG2012           | 171x113 (6.73x4.45)  | 187-008  | 1         |
| TGMPS-2015 | TG2015           | 171x143 (6.73x5.63)  | 187-009  | 1         |
| TGMPS-2516 | TG2516           | 220x152 (8.66x5.98)  | 187-012  | 1         |
| TGMPS-3023 | TG3023           | 270x220 (10.63x8.66) | 187-013  | 1         |
| MP060      | Abox060          | 83x83 (3.27x3.27)    | 895-006  | 1         |
| MP100      | Abox100          | 109x109 (4.29x4.29)  | 895-010  | 1         |
| MP160      | Abox160          | 149x149 (5.87x5.87)  | 895-016  | 1         |
| MP350      | Abox350          | 217x217 (8.54x8.54)  | 895-035  | 1         |
| ALMPS-88   | AL88             | 68.8x64 (2.71x2.52)  | 155-005  | 1         |
| ALMPS-1308 | AL1308           | 114x68.8 (4.49x2.71) | 155-006  | 1         |
| ALMPS-1808 | AL1808           | 164x68.8 (6.46x2.71) | 155-007  | 1         |
| ALMPS-1010 | AL1010           | 88x88 (3.46x3.46)    | 155-008  | 1         |
| ALMPS-1212 | AL1212           | 109x107 (4.29x4.21)  | 155-009  | 1         |
| ALMPS-2212 | AL2212           | 207x107 (8.15x4.21)  | 155-010  | 1         |
| ALMPS-1616 | AL1616           | 145x143 (5.71x5.63)  | 155-011  | 1         |
| ALMPS-2616 | AL2616           | 245x143 (9.65x5.63)  | 155-012  | 1         |
| ALMPS-3616 | AL3616           | 345x143 (13.6x5.63)  | 155-013  | 1         |
| ALMPS-2023 | AL2023           | 214x184 (8.43x7.24)  | 155-014  | 1         |
| ALMPS-2823 | AL2823           | 264x214 (10.4x8.43)  | 155-015  | 1         |
| ALMPS-3323 | AL3323           | 314x214 (12.4x8.43)  | 155-016  | 1         |
| AKMPI 1    | AK, AKL          | 240x112 (9.45x4.41)  | 795-001  | 1         |
| AKMPI 2    | AK, AKL          | 240x240 (9.45x9.45)  | 795-002  | 1         |
| AKMPI 3    | AK, AKL          | 240x390 (9.45x15.35) | 795-003  | 1         |
| AKMPI 4    | AK, AKL          | 240x540 (9.45x21.26) | 795-004  | 1         |
| AKMPS 2    | AK, AKL          | 240x240 (9.45x9.45)  | 795-012  | 1         |
| AKMPS 3    | AK, AKL          | 240x390 (9.45x15.35) | 795-013  | 1         |
| AKMPS 4    | AK, AKL          | 240x540 (9.45x21.26) | 795-014  | 1         |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.