





.213
(5.40) SO.



.264
(6.71) TYP.



RECEPTACLE

DIMENSIONS SHOWN (METRIC) INCH		REVISIONS ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .005° TO		TITLE	
INCH METRIC		FILE NAME	
3 PLACE ± .010 ---	9 CKT., .264/(6.70) CTRS.	SD-3191-9•	
2 PLACE ± .014 ± 0.25	MOLEX INCORPORATED	SEE CHART	
1 PLACE --- ± 0.35	LITSEJLL. 60532 U.S.A.	DATE 8/ 2/ 89	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWG. NO.	
DRWG. BY CEP	CHKD. BY RW	DIV. CP	
APP'D. BY RAS	SCALE 2 : 1	SIZE	

13	12	11	10	9	8	7	6	3191	4	3	2	1
----	----	----	----	---	---	---	---	------	---	---	---	---

PLUG		RECEPTACLE	
PART NO.	ENG. NO.	PART NO.	ENG. NO.
19-09-2098	3191-9P	19-09-1099	3191-9R1
19-09-2099	3191-9P1	19-09-1096	3191-9R1-201
19-09-2097	3191-9P-201		
19-09-2096	3191-9P1-201		

LEGEND:

3191-9****-*

CIRCUIT SIZE

P = PLUG

R = RECEPTACLE

EARS: BLANK = WITH PREBENT EARS (PLUG ONLY)

I = WITHOUT EARS

COLOR: BLANK = NATURAL COLOR

AM=AMBER BK=BLACK BU=BLUE



BN=BROWN GY=GRAY GN=GREEN

OR=ORANGE RD=RED YW=YELLOW

COLORS AVAILABLE ONLY IN 94V-2 MATERIAL

MATERIAL: BLANK=NYLON TYPE 6/6, 94V-2

201=NYLON TYPE 6/6, 94V-0



NOTES:

1. THESE HOUSINGS FOR USE WITH MOLEX .093/(2.36) DIAMETER SERIES TERMINALS.

				DIMENSIONS SHOWN (METRIC) INCH				▽ =				REVISE ONLY ON CAD SYSTEM			
				UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .04°				TITLE				.093/(2.36) HOUSINGS			
				INCH METRIC				PLUG AND RECEPTACLE							
				3 PLACE ± .010 ---				9 CKT. .264/(6.70) CTRS.							
				2 PLACE ± .014 ± 0.25				MOLEX INCORPORATED				SHEET NO. 3			
				1 PLACE --- ± 0.35				LISLE, ILL. 60532 U.S.A.				DATE 8/ 2/89			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PART NO.				DRAWG. NO.			
				J SEE SHT. 1				GEP				SD-3191-9*			
				CHKD. BY				CHKD. BY				FILE NAME			
				RAS				SCALE ---:---				S3191X3			
				APP'D. BY				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				DIV. CP			
LTR. REVISIONS				LTR. REVISIONS				SIZE C							



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.