




LOC		DIST		REVISIONS					
AG		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					A	REVISED PER ECO-14-018497	17DEC2014	AP	DG
					B	REVISED PER ECO-15-013728	23SEP2015	JY	SH
					C	REVISED PER ECO-15-013876	16MAY2016	JY	SH

1. MATERIALS
- RECEPTACLE HOUSING, LCP, BLACK, UL94V-0 RATED
 - SHIELD ASSY: NICKEL-SILVER COPPER ALLOY
 - CONTACTS: COPPER ALLOY
 - EMI SPRING: COPPER ALLOY
 - THREADED NUT: BRASS
 - CHICKLETS: LCP, BLACK, UL 94V-0 RATED
 - LIGHTPIPE CLIP: STAINLESS STEEL
 - LIGHTPIPE: POLYCARBONATE

2. FINISH
- EMI SPRING: TIN PLATE OVER NICKEL PLATE
 - NON-PLATED EDGES PERMISSABLE
 - THREADED NUT: NICKEL PLATE

3. CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION, 108-2399. BASED ON EIA/ECA-364-1000.01A. (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING END. TIN PLATED ON PCB TAIL

4. THREAD LENGTH OF FASTENER = PCB THICKNESS+1.45 MAX


5. RECOMMENDED TRACE KEEP OUT ZONE

2198484-1 AS SHOWN


LOWER HEIGHT	14.53	2198484-2
STANDARD HEIGHT	15.54	2198484-1
LIGHT PIPE	H HOLE HIGHT OF LP	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SECHRIST CHK J. SECHRIST APVD	15NOV2011 15NOV2011 -
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
		0 PLC $\pm$ 1 PLC ± 0.25 2 PLC ± 0.13 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH	
MATERIAL		PRODUCT SPEC 108-2462 APPLICATION SPEC 114-13316 WEIGHT	
		Customer Drawing	
		NAME RECEPTACLE ASSEMBLY, MINI-SAS HD, 1X W/ LIGHT PIPES	
		SIZE A1	CAGE CODE 00779
		DRAWING NO C=2198484	RESTRICTED TO -
		SCALE 6:1	SHEET 1 OF 4
		REV C	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00		A	REVISED PER ECO-14-018497	11DEC2014	AP	DG



2198484-1 AS SHOWN
SCALE 6:1



2198484-2 AS SHOWN
UNSPECIFIED DIMENSIONS ARE SAME AS 2198484-1
SCALE 6:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

J. SECHRIST

15NOV2011

CHK

J. SECHRIST

15NOV2011

APVD

-

-

DIMENSIONS:

mm

0 PLC

±

1 PLC

±0.25

2 PLC

±0.13

3 PLC

±

4 PLC

±

ANGLES

±

FINISH

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-2462

APPLICATION SPEC

114-13316

WEIGHT

-

Customer Drawing

TE Connectivity

NAME

RECEPTACLE ASSEMBLY,
MINI-SAS HD, 1X
W/ LIGHT PIPES

SIZE

A1

CAGE CODE

00779

DRAWING NO

©=2198484

RESTRICTED TO

-

SCALE

6:1

SHEET

2



OF

4




REV

C

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00	-	-	SEE SHEET 1	-	-	-



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00	-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. SECHRIST	15NOV2011	 TE Connectivity	
		CHK	J. SECHRIST	15NOV2011		
DIMENSIONS:		APVD	J. SECHRIST	-	NAME	
mm						
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			RECEPTACLE ASSEMBLY, MINI-SAS HD, 1X W/ LIGHT PIPES	
		0 PLC ±				
		1 PLC ±0.25				
		2 PLC ±0.13				
		3 PLC ±				
		4 PLC ±			PRODUCT SPEC	
		ANGLES ±				
		FINISH ±			APPLICATION SPEC	
					SIZE	
					CAGE CODE	
					DRAWING NO	
					RESTRICTED TO	
MATERIAL		WEIGHT			A100779C=2198484	
-		-			-	
		Customer Drawing			SCALE 6:1	
					SHEET 4 OF 4	
					REV C	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.