






LOC		DIST		REVISIONS			
AD	00	P	LYR	DESCRIPTION	DATE	OWN	APVD
		1		DRAWING CREATED BY AUTOMATION PROGRAM	22MAR2011	JKS	JE
		2		REVISED	25MAR2011	JKS	JE



- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A. SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.
- 7 OPTIONAL DEPENDING ON PART NUMBER.



RIGHT GUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)













DESIGN APPROVED THIS PRINT IS
PRELIMINARY
TO FIRST PIECE APPROVAL
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	J. K. SHOBER	22MAR2011
DIMENSIONS:		CHK	J. EARY	22MAR2011
mm		APVD	J. EARY	22MAR2011
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	IMPACT, 6 PAIR, 14 COLUMN, HEADER	
9 PLC ±		PRODUCT SPEC	RT GUIDED, OPEN END WALL, SELECT LD	
1 PLC ±0.25		APPLICATION SPEC	SIGNAL MODULE, 0.39 PTH	
3 PLC ±0.13		SIZE	CAGE CODE	DRAWING NO
5 PLC ±		WEIGHT	A100779	C=2180382
4 PLC ±		CUSTOMER DRAWING	SCALE	5:1
ANGLES ±		SHEET	1	OF 2
FINISH SEE TABLE		REV	2	

LOC		DIST		REVISIONS					
AD		00		P	LTR	DESCRIPTION	DATE	OWN	APVD
				-	-	SEE SHEET 1	-	-	-

2180382-1						2									
PART NUMBER						FINISH									
CONTACT LAYOUT															
A = 4.5mm (DIM M)															
B = 4.9mm (DIM M)															
C = 5.5mm (DIM M)															
COLUMNS															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
A	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
C	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
D	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
E	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
F	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
G	B	B	B	B	B	B	B	B	B	B	B	B	B	A	
H	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
J	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
K	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
L	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
M	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
N	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
O	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
P	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
Q	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
R	B	B	B	B	B	B	B	B	B	B	B	B	B	A	
S	B	B	B	B	B	B	B	B	B	B	B	B	B	B	
T	B	B	B	B	B	B	B	B	B	B	B	B	B	B	




KEY POSITION CHART	
 NONE	
 A	 E
 B	 F
 C	 G
 D	 H

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

DESIGN APPROVED THIS PRINT IS

PRELIMINARY

TO FIRST PIECE APPROVAL
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN J. K. SHOBER 22MAR2011		 TE Connectivity	
				CHK J. EABY 22MAR2011	NAME		
DIMENSIONS:				APVD J. EABY 22MAR2011	PRODUCT SPEC	IMPACT, 6 PAIR, 14 COLUMN, HEADER RT GUIDED, OPEN END WALL, SELECT LD SIGNAL MODULE, 0.39 PTH	
mm					APPLICATION SPEC		
				9 PLC ±		SIZE CAGE CODE DRAWING NO	
				3 PLC ±0.25		A100779C=2180382	
				5 PLC ±0.13			
				4 PLC ±		RESTRICTED TO	
				ANGLES ±			
FINISH				SEE TABLE	WEIGHT -		
MATERIAL -					CUSTOMER DRAWING	SCALE 5:1	
						SHEET 2 OF 2	
						REV 2	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.