





LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					B	REVISED PER ECO-15-017919	06APR2016	AP	RP


YES 		NO LIGHT PIPES	1-2132403-8
		OUTER 2 LIGHT PIPES	1-2132403-7
		INNER 2 LIGHT PIPES	1-2132403-6
		4 LIGHT PIPES	1-2132403-5
NO		NO LIGHT PIPES	2132403-8
		OUTER 2 LIGHT PIPES	2132403-7
		INNER 2 LIGHT PIPES	2132403-6
		4 LIGHT PIPES	2132403-5
NO		NO LIGHT PIPES	2132403-4
		OUTER 2 LIGHT PIPES	2132403-3
		INNER 2 LIGHT PIPES	2132403-2
		4 LIGHT PIPES	2132403-1
ENHANCED EMI	FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN C. VALENTINE 06JAN2010	TE Connectivity	
DIMENSIONS: mm		CHK J. PETERSON 06JAN2010		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ± 4 PLC ± ANGLES FINISH		APVD J. PETERSON 06JAN2010	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI SPRINGS, PRESS FIT, 2X5, STACKED SFP+	
MATERIAL		PRODUCT SPEC 108-2331	SIZE A1	
		APPLICATION SPEC 114-13219	CAGE CODE 00779	
		WEIGHT -	DRAWING NO 2132403	
		CUSTOMER DRAWING		RESTRICTED TO REV B


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	




2132403-5 AND 1-2132403-5
SCALE 3:1




2132403-6 AND 1-2132403-6
SCALE 3:1




2132403-7 AND 1-2132403-7
SCALE 3:1




2132403-8 AND 1-2132403-8
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTI	06JAN2010	 TE Connectivity	
		CHK J. PETERSON	06JAN2010		
DIMENSIONS:		APVD J. PETERSON	06JAN2010	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI SPRINGS PRESS FIT, 2X5, STACKED SFP+	
mm		PRODUCT SPEC			
		108-2331		SIZE A1	
		APPLICATION SPEC			
MATERIAL		114-13219		CAGE CODE 00779	
		WEIGHT			
		CUSTOMER DRAWING		SCALE 4:1	
				SHEET 2 OF 4	
				REV B	




LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION		DATE	DWN	APVD
-	-	SEE SHEET 1		-	-	-



DETAIL G
CONNECTOR HOUSING
KEEPOUT ZONE
SCALE 10:1



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 2:1



SECTION U-U

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTINE 06JAN2010	TE Connectivity	
		CHK J. PETERSON 06JAN2010		
DIMENSIONS:		APVD J. PETERSON 06JAN2010	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI SPRINGS, PRESS FIT, 2X5, STACKED SFP+	
mm		PRODUCT SPEC 108-2331		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-13219	SIZE CAGE CODE DRAWING NO 2132403	
0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ± 4 PLC ± ANGLES ± FINISH		WEIGHT -		
MATERIAL		CUSTOMER DRAWING	RESTRICTED TO -	
		SCALE 4:1	SHEET 4 OF 4	
			REV B	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.