








1-1438299-1	B	0.50/0.75	FIG. 1	SILVER
1-1438299-0	A	0.22/0.35	FIG. 1	SILVER
1438299-8	B	0.50/0.75	FIG. 2	SILVER
1438299-7	A	0.22/0.35	FIG. 2	SILVER
1438299-4	B	0.50/0.75	FIG. 1	TIN
1438299-3	B	0.50/0.75	FIG. 1	GOLD
1438299-2	A	0.22/0.35	FIG. 1	TIN
1438299-1	A	0.22/0.35	FIG. 1	GOLD
2-1419158-5	B	0.50/0.75	FIG. 2	TIN
2-1419158-3	B	0.50/0.75	FIG. 2	GOLD
1-1419158-6	A	0.22/0.35	FIG. 2	TIN
3-1419158-1	A	0.22/0.35	FIG. 2	GOLD
PART NO	WIRE CRIMP CODING	CONDUCTOR WIRE SIZE	REELING	PLATING SPEC.



REVISONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
F1		REVISED PER ECO-11-005030	11MAR2011	RK	HMR
F2		REVISED PER ECO-15-010152	09JUL2015	DLD	WTW
F3		REVISED PER ECO-15-017989	16DEC2015	DLD	WTW

1. MATERIAL:

CRIMP: COPPER ALLOY, MATERIAL THICKNESS = 0.25±0.01

PIN: COPPER ALLOY, MATERIAL THICKNESS = 0.64±0.01

MATERIAL WIDTH = 1.00±0.01

2. MUST BE FREE OF CRACKS AND BURRS THAT AFFECT FUNCTION.

3. WHEN A TIN/GOLD PLATED TERMINAL IS USED ON THE MALE SIDE THEN THE CORRESPONDING PLATING (TIN OR GOLD) MUST BE USED ON THE FEMALE TERMINAL.

4. 0.2 MM MAX RADIUS PERMISSIBLE ON EDGES AND FILLETS SHOWN AS SHARP FOR STAMPING PARTS.

5. GENERAL TOLERANCES:

.X = ±0.3

.XX = ±0.1

ANGLES = ±3°

6. CRIMP SPECIFICATION : 114-13060.

PLATE: >= 0.8µm Au IN CONTACT AREA OVER NICKEL.

PLATE 2-4µm SILVER IN CONTACT AREA OVER NICKEL.

9. FOR SILVER PLATING: ELECTRICAL PERFORMANCE IS NOT AFFECTED BY GRAY, BROWN OR BLACK TARNISH ON THE SILVER PLATING SURFACES. ACCEPTABLE SILVER SURFACES CAN INCLUDE GRAY, BROWN OR BLACK TARNISH.

3-1419158-1

PART NUMBER

TE Connectivity

NAME

0.64mm GET MALE IN-LINE TERMINAL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

DL DRUMMOND

22JAN2004

CHK

WT WELLINSKY

23JAN2004

APVD

WT WELLINSKY

23JAN2004

PRODUCT SPEC

APPLICATION SPEC

SEE NOTES

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

5 PLC

6 PLC

7 PLC

8 PLC

9 PLC

10 PLC

11 PLC

12 PLC

13 PLC

14 PLC

15 PLC

16 PLC

17 PLC

18 PLC

19 PLC

20 PLC

21 PLC

22 PLC

23 PLC

24 PLC

25 PLC

26 PLC

27 PLC

28 PLC

29 PLC

30 PLC

31 PLC

32 PLC

33 PLC

34 PLC

35 PLC

36 PLC

37 PLC

38 PLC

39 PLC

40 PLC

41 PLC

42 PLC

43 PLC

44 PLC

45 PLC

46 PLC

47 PLC

48 PLC

49 PLC

50 PLC

51 PLC

52 PLC

53 PLC

54 PLC

55 PLC

56 PLC

57 PLC

58 PLC

59 PLC

60 PLC

61 PLC

62 PLC

63 PLC

64 PLC

65 PLC

66 PLC

67 PLC

68 PLC

69 PLC

70 PLC

71 PLC

72 PLC

73 PLC

74 PLC

75 PLC

76 PLC

77 PLC

78 PLC

79 PLC

80 PLC

81 PLC

82 PLC

83 PLC

84 PLC

85 PLC

86 PLC

87 PLC

88 PLC

89 PLC

90 PLC

91 PLC

92 PLC

93 PLC

94 PLC

95 PLC

96 PLC

97 PLC

98 PLC

99 PLC

100 PLC

101 PLC

102 PLC

103 PLC

104 PLC

105 PLC

106 PLC

107 PLC

108 PLC

109 PLC

110 PLC

111 PLC

112 PLC

113 PLC

114 PLC

115 PLC

116 PLC

117 PLC

118 PLC

119 PLC

120 PLC

121 PLC

122 PLC

123 PLC

124 PLC

125 PLC

126 PLC

127 PLC

128 PLC

129 PLC

130 PLC

131 PLC

132 PLC

133 PLC

134 PLC

135 PLC

136 PLC

137 PLC

138 PLC

139 PLC

140 PLC

141 PLC

142 PLC

143 PLC

144 PLC

145 PLC

146 PLC

147 PLC

148 PLC

149 PLC

150 PLC

151 PLC

152 PLC

153 PLC

154 PLC

155 PLC

156 PLC

157 PLC

158 PLC

159 PLC

160 PLC

161 PLC

162 PLC

163 PLC

164 PLC

165 PLC

166 PLC

167 PLC

168 PLC

169 PLC

170 PLC

171 PLC

172 PLC

173 PLC

174 PLC

175 PLC

176 PLC

177 PLC

178 PLC

179 PLC

180 PLC

181 PLC

182 PLC

183 PLC

184 PLC

185 PLC

186 PLC

187 PLC

188 PLC

189 PLC

190 PLC

191 PLC

192 PLC

193 PLC

194 PLC

195 PLC

196 PLC

197 PLC

198 PLC

199 PLC

200 PLC

201 PLC

202 PLC

203 PLC

204 PLC

205 PLC

206 PLC

207 PLC

208 PLC

209 PLC

210 PLC

211 PLC

212 PLC

213 PLC

214 PLC

215 PLC

216 PLC

217 PLC

218 PLC

219 PLC

220 PLC

221 PLC

222 PLC

223 PLC

224 PLC

225 PLC

226 PLC

227 PLC

228 PLC

229 PLC

230 PLC

231 PLC

232 PLC

233 PLC

234 PLC

235 PLC

236 PLC

237 PLC

238 PLC

239 PLC

240 PLC

241 PLC

242 PLC

243 PLC

244 PLC

245 PLC

246 PLC

247 PLC

248 PLC

249 PLC

250 PLC

251 PLC

252 PLC

253 PLC

254 PLC

255 PLC

256 PLC

257 PLC

258 PLC

259 PLC

260 PLC

261 PLC

262 PLC

263 PLC

264 PLC

265 PLC

266 PLC

267 PLC

268 PLC

269 PLC

270 PLC

271 PLC

272 PLC

273 PLC

274 PLC

275 PLC

276 PLC

277 PLC

278 PLC

279 PLC

280 PLC

281 PLC

282 PLC

283 PLC

284 PLC

285 PLC

286 PLC

287 PLC

288 PLC

289 PLC

290 PLC

291 PLC

292 PLC

293 PLC

294 PLC

295 PLC

296 PLC

297 PLC

298 PLC

299 PLC

300 PLC

301 PLC

302 PLC

303 PLC

304 PLC

305 PLC

306 PLC

307 PLC

308 PLC

309 PLC

310 PLC

311 PLC

312 PLC

313 PLC

314 PLC

315 PLC

316 PLC

317 PLC

318 PLC

319 PLC

320 PLC

321 PLC

322 PLC

323 PLC

324 PLC

325 PLC

326 PLC

327 PLC

328 PLC

329 PLC

330 PLC

331 PLC

332 PLC

333 PLC

334 PLC

335 PLC

336 PLC

337 PLC

338 PLC

339 PLC

340 PLC

341 PLC

342 PLC

343 PLC

344 PLC

345 PLC

346 PLC

347 PLC

348 PLC

349 PLC

350 PLC

351 PLC

352 PLC

353 PLC

354 PLC

355 PLC

356 PLC

357 PLC

358 PLC

359 PLC

360 PLC

361 PLC

362 PLC

363 PLC

364 PLC

365 PLC

366 PLC

367 PLC

368 PLC

369 PLC

370 PLC

371 PLC

372 PLC

373 PLC

374 PLC

375 PLC

376 PLC

377 PLC

378 PLC

379 PLC

380 PLC

381 PLC

382 PLC

383 PLC

384 PLC

385 PLC

386 PLC

387 PLC

388 PLC

389 PLC

390 PLC

391 PLC

392 PLC

393 PLC

394 PLC

395 PLC

396 PLC

397 PLC

398 PLC

399 PLC

400 PLC

401 PLC

402 PLC

403 PLC

404 PLC

405 PLC

406 PLC

407 PLC

408 PLC

409 PLC

410 PLC

411 PLC

412 PLC

413 PLC

414 PLC

415 PLC

416 PLC

417 PLC

418 PLC

419 PLC

420 PLC

421 PLC

422 PLC

423 PLC

424 PLC

425 PLC

426 PLC

427 PLC

428 PLC

429 PLC

430 PLC

431 PLC

432 PLC

433 PLC

434 PLC

435 PLC

436 PLC

437 PLC

438 PLC

439 PLC

440 PLC

441 PLC

442 PLC

443 PLC

444 PLC

445 PLC

446 PLC

447 PLC

448 PLC

449 PLC

450 PLC

451 PLC

452 PLC

453 PLC

454 PLC

455 PLC

456 PLC

457 PLC

458 PLC

459 PLC

460 PLC

461 PLC

462 PLC

463 PLC

464 PLC

465 PLC

466 PLC

467 PLC

468 PLC

469 PLC

470 PLC

471 PLC

472 PLC

473 PLC

474 PLC

475 PLC

476 PLC

477 PLC

478 PLC

479 PLC

480 PLC

481 PLC

482 PLC

483 PLC

484 PLC

485 PLC

486 PLC

487 PLC

488 PLC

489 PLC

490 PLC

491 PLC

492 PLC

493 PLC

494 PLC

495 PLC

496 PLC

497 PLC

498 PLC

499 PLC

500 PLC

501 PLC

502 PLC

503 PLC

504 PLC

505 PLC

506 PLC

507 PLC

508 PLC

509 PLC

510 PLC

511 PLC

512 PLC

513 PLC

514 PLC

515 PLC

516 PLC

517 PLC

518 PLC

519 PLC

520 PLC

521 PLC

522 PLC

523 PLC

524 PLC

525 PLC

526 PLC

527 PLC

528 PLC

529 PLC

530 PLC

531 PLC

532 PLC

533 PLC

534 PLC

535 PLC

536 PLC

537 PLC

538 PLC

539 PLC

540 PLC

541 PLC

542 PLC

543 PLC

544 PLC

545 PLC

546 PLC

547 PLC

548 PLC

549 PLC

550 PLC

551 PLC

552 PLC

553 PLC

554 PLC

555 PLC

556 PLC

557 PLC

558 PLC

559 PLC

560 PLC

561 PLC

562 PLC

563 PLC

564 PLC

565 PLC

566 PLC

567 PLC

568 PLC

569 PLC

570 PLC

571 PLC

572 PLC

573 PLC

574 PLC

575 PLC

576 PLC

577 PLC

578 PLC

579 PLC

580 PLC

581 PLC

582 PLC

583 PLC

584 PLC

585 PLC

586 PLC

587 PLC

588 PLC

589 PLC

590 PLC

591 PLC

592 PLC

593 PLC

594 PLC

595 PLC

596 PLC

597 PLC

598 PLC

599 PLC

600 PLC

601 PLC

602 PLC

603 PLC

604 PLC

605 PLC

606 PLC

607 PLC

608 PLC

609 PLC

610 PLC

611 PLC

612 PLC

613 PLC

614 PLC

615 PLC

616 PLC

617 PLC

618 PLC

619 PLC

620 PLC

621 PLC

622 PLC

623 PLC

624 PLC

625 PLC

626 PLC

627 PLC

628 PLC

629 PLC

630 PLC

631 PLC

632 PLC

633 PLC

634 PLC

635 PLC

636 PLC

637 PLC

638 PLC

639 PLC

640 PLC

641 PLC

642 PLC

643 PLC

644 PLC

645 PLC

646 PLC

647 PLC

648 PLC

649 PLC

650 PLC

651 PLC

652 PLC

653 PLC

654 PLC

655 PLC

656 PLC

657 PLC

658 PLC

659 PLC

660 PLC

661 PLC

662 PLC

663 PLC

664 PLC

665 PLC

666 PLC

667 PLC

668 PLC

669 PLC

670 PLC

671 PLC

672 PLC

673 PLC

674 PLC

675 PLC

676 PLC

677 PLC

678 PLC

679 PLC

680 PLC

681 PLC

682 PLC

683 PLC

684 PLC

685 PLC

686 PLC

687 PLC

688 PLC

689 PLC

690 PLC

691 PLC

692 PLC

693 PLC

694 PLC

695 PLC

696 PLC

697 PLC

698 PLC

699 PLC

700 PLC

701 PLC

702 PLC

703 PLC

704 PLC

705 PLC

706 PLC

707 PLC

708 PLC

709 PLC

710 PLC

711 PLC

712 PLC

713 PLC

714 PLC

715 PLC

716 PLC

717 PLC

718 PLC

719 PLC

720 PLC

721 PLC

722 PLC

723 PLC

724 PLC

725 PLC

726 PLC

727 PLC

728 PLC

729 PLC

730 PLC

731 PLC

732 PLC

733 PLC

734 PLC

735 PLC

736 PLC

737 PLC

738 PLC

739 PLC

740 PLC

741 PLC

742 PLC

743 PLC

744 PLC

745 PLC

746 PLC

747 PLC

748 PLC

749 PLC

750 PLC

751 PLC

752 PLC

753 PLC

754 PLC

755 PLC

756 PLC

757 PLC

758 PLC

759 PLC

760 PLC

761 PLC

762 PLC

763 PLC

764 PLC

765 PLC

766 PLC

767 PLC

768 PLC

769 PLC

770 PLC

771 PLC

772 PLC

773 PLC

774 PLC

775 PLC

776 PLC

777 PLC

778 PLC

779 PLC

780 PLC

781 PLC

782 PLC

783 PLC

784 PLC

785 PLC

786 PLC

787 PLC

788 PLC

789 PLC

790 PLC

791 PLC

792 PLC

793 PLC

794 PLC

795 PLC

796 PLC

797 PLC

798 PLC

799 PLC

800 PLC

801 PLC

802 PLC

803 PLC

804 PLC

805 PLC

806 PLC

807 PLC

808 PLC

809 PLC

810 PLC

811 PLC

812 PLC

813 PLC

814 PLC

815 PLC

816 PLC

817 PLC

818 PLC

819 PLC

820 PLC

821 PLC

822 PLC

823 PLC

824 PLC

825 PLC

826 PLC

827 PLC

828 PLC

829 PLC

830 PLC

831 PLC

832 PLC

833 PLC

834 PLC

835 PLC

836 PLC

837 PLC

838 PLC

839 PLC

840 PLC

841 PLC

842 PLC

843 PLC

844 PLC

845 PLC

846 PLC

847 PLC

848 PLC

849 PLC

850 PLC

851 PLC

852 PLC

853 PLC

854 PLC

855 PLC

856 PLC

857 PLC

858 PLC

859 PLC

860 PLC

861 PLC

862 PLC

863 PLC

864 PLC

865 PLC

866 PLC

867 PLC

868 PLC

869 PLC

870 PLC

871 PLC

872 PLC

873 PLC

874 PLC

875 PLC

876 PLC

877 PLC

878 PLC

879 PLC

880 PLC

881 PLC

882 PLC

883 PLC

884 PLC

885 PLC

886 PLC

887 PLC

888 PLC

889 PLC

890 PLC

891 PLC

892 PLC

893 PLC

894 PLC

895 PLC

896 PLC

897 PLC

898 PLC

899 PLC

900 PLC

901 PLC

902 PLC

903 PLC

904 PLC

905 PLC

906 PLC

907 PLC

908 PLC

909 PLC

910 PLC

911 PLC

912 PLC

913 PLC

914 PLC

915 PLC

916 PLC

917 PLC

918 PLC

919 PLC

920 PLC

921 PLC

922 PLC

923 PLC

924 PLC

925 PLC

926 PLC

927 PLC

928 PLC

929 PLC

930 PLC

931 PLC

932 PLC

933 PLC

934 PLC

935 PLC

936 PLC

937 PLC

938 PLC

939 PLC

940 PLC

941 PLC

942 PLC

943 PLC

944 PLC

945 PLC

946 PLC

947 PLC

948 PLC

949 PLC

950 PLC

951 PLC

952 PLC

953 PLC

954 PLC

955 PLC

956 PLC

957 PLC

958 PLC

959 PLC

960 PLC

961 PLC

962 PLC

963 PLC

964 PLC

965 PLC

966 PLC

967 PLC

968 PLC

969 PLC

970 PLC

971 PLC

972 PLC

973 PLC

974 PLC

975 PLC

976 PLC

977 PLC

978 PLC

979 PLC

980 PLC

981 PLC

982 PLC

983 PLC

984 PLC

985 PLC

986 PLC

987 PLC

988 PLC

989 PLC

990 PLC

991 PLC

992 PLC

993 PLC

994 PLC

995 PLC

996 PLC

997 PLC

998 PLC

999 PLC

1000 PLC



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.