BELDEN

Product Bulletin

PB500

Fiber*Express*® Ultra HD System

Elegantly simple yet uncompromisingly flexible. Ultra high-density rack-mount fiber connectivity system, crafted for effortless installation and maintenance.



The Fiber*Express* Ultra HD System is the Next Evolution in Convenient, Easy-to-use, High-density Fiber Connectivity

One Enterprise.
One Infrastructure.
One Partner.

Key Features

- 1U, 2U, and 4U configurations
- Feature rich housings and entry-level fixed shelves
- Cost effective pre-terminated cable support and flexible field termination options
- Ultra high cabling density: up to 72 LC Duplex or 72 MPO adapters per rack unit
- Clean, convenient cable management
- Efficient one-person installation
- Adaptable for present and future needs
- Easy access for fast, efficient MACs

Fiber*Express* Ultra HD System

The Belden Fiber*Express* Ultra HD system provides designers complete flexibility to architect a fiber connectivity solution to adapt to the varying port count needs in Data Centers and LANs:

- Top-of-rack configurations with low-to-medium port counts
- End-of-row configurations with medium-to-high port counts

Common intuitive components and modular design means that installers and end-users do not have to learn different systems to support different needs. In addition, fewer components must be stocked for different configurations. The result, easier to manage moves, additions, and changes (MACs).

Maximize revenue with the highest density connectivity

The trend toward high-density computing and storage requires connectivity that scales to facilitate the evolution of both Data Center and LAN applications. Fiber*Express* Ultra HD system allows the highest density connectivity available—doubling the density over comparable units. With Fiber*Express* Ultra HD, each rack unit can accommodate up to:

FX UHD Housing (1U, 2U and 4U Density)

- 72 LC Duplex Connections (144 fibers) per rack-unit or,
- 72 MPO Connectors per rack-unit

FX UHD Fixed Shelf (1U)

- 72 LC Duplex Connections (144 fibers)
- 72 MPO Connections

FX UHD Fixed Shelf (4U)

- 180 LC Duplex Connections (360 fibers)
- 180 MPO Connections

This 50% reduction in required rack unit space means more active equipment per rack—and increased revenue per square foot for Data Center operators. Alternatively it reduces the space required for LAN equipment, reducing OPEX for end-users.

Choose Between a Fiber*Express* Ultra HD System with a Feature-Rich FX UHD Housing or Entry-Level FX UHD Fixed Shelf

Fiber*Express* Ultra HD System

Crafted out of highest quality materials using innovative design and assembly techniques, even the largest 4U FX Ultra HD housing weighs only 2.4 kg (5.4 lb) as installed. Tool-less removable module trays on the housing mean that a single installer can safely maneuver the lightweight panel housing and secure the system into the rack.

With the high value of data on fiber-optic networks, accidental interruption while performing MACs can have significant financial consequences for network operators. A sleek unencumbered front faceplate provides plenty of space for shelf identification labeling. Clear, always-visible port labeling ensures the right fiber is found every time. The sliding module tray of the Fiber*Express* UHD housing provides access and visibility to individual cassettes and frames, further reducing the maintenance effort.

Protect your investment while accommodating legacy connectivity today

Meet the challenges of balancing future needs against the need to maintain a legacy infrastructure. The Fiber*Express* Ultra HD System provides a cost-effective upgrade path from current 1G and 10G to 40G and 100G networks. Its flexible modular approach supports legacy applications using ST and SC up to modern applications using LC and MPO. The system can be upgraded as needed with a simple cassette or adapter frame change. With no need to replace the entire system, it provides a cost-effective entry point today with scalability to meet the needs of tomorrow.

Optimize space in mixed media environments with KeyConnect support

Combining copper and fiber connectivity, one patch panel is ideal for some environments when port counts may be low. Using a standard Belden KeyConnect frame with modular inserts makes it possible to combine fiber, copper and multimedia connectivity all in the same rack unit of space.

Feature-Rich FX UHD Housing

Current trends have reduced the need for splices and splice trays. Fiber*Express* Ultra HD System supports a field-upgradable, 144 splice tray housing kit which can be easily added to any or all of the system's 1U module trays.

Without the splice tray, the standard Fiber*Express* Ultra HD housing significantly reduces the depth of the system by over 25 cm (>10") versus competitive products. The additional space allows easier, clean cable management. It also provides additional space for opposite-rail-mounted equipment, to effectively increase the total rack unit space available.

Removable front and rear cable trays add to system flexibility. The reduced physical footprint of the system enables additional mounting options—including shallow racks and cabinets, vertical mounting configurations and even floor and ceiling boxes.

Speed up the install process and eliminate errors with the installer-friendly sliding and tilting module tray

A standard sliding module tray brings the work platform out of the rack and at a 23 degree tilt down toward the installer to improve accessibility during installation. A quickly installed lid and front patch cord tray provides unprecedented visibility to the work at hand. Improved accessibility and visibility leads to fast, clean, error-free installation.

A single installer can install the system.

Slide-in trays tilt outward to improve accessibility.

Shelf identification labeling is clearly visible.

One Enterprise.
One Infrastructure.
One Partner.

Termination Type	Feature-Rich FX UHD Housing	Entry-Level FX UHD Shelf
Pre-Term Assemblies		
MPO Trunks	✔	✔
Jacketed Fan-Out	✔	✔
900 µm Fan-Out	✔	X
Field Termination		
Pig-Tail w/Splicing	✔	X
900 µm Connectorization (ie. FX Brilliance)	✔	X
Jacketed Connectorization	✔	✔

With the same look and feel, the cost effective FX UHD Shelf and the feature-rich FX UHD Housing can be mixed and matched to create unique Half Pre-Term systems that provide field termination benefits like exact cable length, the ability to fit in smaller conduits, and rapid cost-effective installation of pre-term solutions.

Entry-Level FX UHD Shelf

As the push toward higher density in the Data Center continues, racks and cabinets are beginning to shrink in depth causing other active equipment, such as PDUs, to encroach on the space traditionally reserved for patch panels. To address this unique challenge, the FX UHD shelf is available in both standard and recessed versions. With only 65 mm (2.56") from the rack ear to the front of the patch cord tray the recessed version requires little clearance. This enables it to fit behind even the largest of PDUs. A removable door provides both protection and labeling without requiring any additional space to fully open for maximum flexibility.

To Learn More...

For more information call **1.800.BELDEN.1** (1.800.235.3361) or visit our web site at **www.belden.com** for more information on Belden Fiber*Express* Ultra HD Systems.

Fiber*Express* Ultra HD Patch Panel Dimensions



Fiber*Express* Ultra HD 1U Housing



Fiber*Express* Ultra HD 1U Standard Shelf



Fiber*Express* Ultra HD 1U Recessed Shelf



Fiber*Express* Ultra HD 1U Housing with mounted Splice Housing Kit



Fiber*Express* Ultra HD 4U Standard Shelf



Fiber*Express* Ultra HD 4U Recessed Shelf

Fiber*Express* UHD Housing

Description	Belden Part Number
1U Housing with Front and Rear Cable Tray, Titanium Finish	AX104681
2U Housing with Front and Rear Cable Tray, Titanium Finish	AX104682
4U Housing with Front and Rear Cable Tray, Titanium Finish	AX104683
Optional 1U Splice Housing Kit, 72 Splices, Titanium Finish (add up to 4 on the 4U Housing)	AX105174
Optional 1U Splice Housing Kit, 144 splices, Titanium Finish (add up to 4 on the 4U Housing)	AX104684

Fiber*Express* UHD Fixed Shelf

Description	Belden Part Number
1U Standard Fixed Shelf, Titanium Finish	AX105164
1U Recessed Fixed Shelf, Titanium Finish	AX105165
4U Standard Fixed Shelf, Titanium Finish	AX105166
4U Recessed Shelf, Titanium Finish	AX105167

Fiber*Express* Ultra and Ultra HD Pre-Terminated Cassettes

	Description	Belden Part Number				
		Multimode, OM1, 62.5 µm, Beige	Multimode, OM2 50 µm, Black	Multimode,OM3, 50 µm, Aqua	Multimode, OM4 50 µm, Aqua, Low Loss	Single-mode, OS2, Blue
Fiber*Express* Ultra HD Pre-Terminated Cassettes						
LC	18 x LC Duplex to 3 x MPO (m), 36 fibers	Call for Availability	Call for Availability	AX104617	AX104658	AX104616
LC	18 x LC Duplex to 3 x MPO (f), 36 fibers - 40G/100G	—	—	—	AX105172	—
Fiber*Express* Ultra Pre-Terminated Cassettes						
LC	12 x LC Duplex to 2 x MPO (m), 24 fibers	AX103657	AX103687	AX103729	AX103783	AX103837
LC	6 x LC Duplex to 1 x MPO (m), 12 fibers	AX103641	AX103683	AX103713	AX103767	AX103821
LC	6 x LC Duplex w/ Shutters to 1 x MPO (m), 12 fibers	AX103642	AX103684	AX103714	—	AX103822
SC	6 x SC Duplex to 1 x MPO (m), 12 fibers	AX103639	AX103681	AX103711	Call for Availability	AX103819
SC	3 x SC Duplex w/ shutters to 1 x MPO (m), 6 fibers	AX103621	AX103675	AX103693	Call for Availability	AX103801
ST	12 x ST Simplex to 1 x MPO (m), 12 fibers	AX103638	AX103680	AX103710	—	AX103818

Fiber*Express* Ultra and Ultra HD Field-Terminated Frames



	Description	Belden Part Number				
		Multimode, OM1, 62.5 µm, Beige	Multimode, OM2, 50 µm, Black	Multimode, OM3, 50 µm, Aqua	Multimode, OM4, 50 µm, Aqua	Single-mode, OS2, LC - Blue MPO - Black
Fiber*Express* Ultra HD Frames						
MPO	18 x MPO to MPO Adapters	Call for Availability	Call for Availability	← AX104620 →		AX104621
LC	18 x LC Duplex to LC Duplex Adapters, 36 fibers	Call for Availability	Call for Availability	← AX104619 →		AX104618
Fiber*Express* Ultra Frames						
MPO	12 x MPO to MPO Adapters, up to 144/288 fibers	← AX103902 (Black Only) →				
	6 x MPO to MPO Adapters, up to 72/144 fibers	← AX103901 (Black Only) →				
LC	12 x LC Duplex to LC Duplex Adapters, 24 fibers	AX103424	AX103451	← AX103465 →		AX103519
	6 x LC Duplex to LC Duplex Adapters, 12 fibers	AX103408	AX103449	← AX103463 →		AX103502
	6 x LC Duplex to LC Duplex w/ shutter Adapters, 12 fibers	AX103409	AX103450	← AX103464 →		AX103503
SC	6 x SC Duplex to SC Duplex Adapters, 12 fibers	AX103406	AX103447	← AX103461 →		AX103496
	3 x SC Duplex to SC Duplex w/shutter Adapters, 6 fibers	AX103386	AX103442	← AX103456 →		AX103471
	12 x SC Simplex to SC Simplex Adapters, 12 fibers	AX103404	AX103445	← AX103459 →		AX103494

Fiber*Express* Ultra KeyConnect Frames



Description	Belden Part Number						
	Multimode, OM1, Beige	Multimode, OM2, Black	Multimode, OM3, Aqua	Multimode, OM4, Aqua	Single-mode, OS2, Blue	CAT 6A Blue	CAT 6A Black
Fiber*Express* Ultra KeyConnect Frame, 6-Port	← AX105160 →					—	—
1 x LC Duplex KeyConnect Adapter	AX102417	Call for Availability	← AX104939 →		AX102421	—	—
COPPER, 1 x 10GX KeyConnect Modular Jack, CAT 6A	—	—	—	—	—	AX104156	AX102283

Fiber*Express* Accessories

Description	Belden Part Number
Fiber*Express* Ultra Blank Plate	AX105159
144-Splice Accessory Kit (Shrink Tubes and Wire Markers)	AX104705
FX Ultra Color-Coded Icon Kit	AX104572
Fiber*Express* Ultra HD Patch Cord Release Tool	AX104685

Refer to the Belden Fiber*Express* Optical Fiber Systems Catalog for information on compatible components.
Refer to the Belden IBDN Copper Systems Catalog for information on compatible components.

©Copyright 2012, Belden Inc.

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.