




RECOMMENDED PC BOARD HOLE PATTERN

PC BOARD THICKNESS 1.57 [.062]

- 1

HOUSING: GLASS FILLED FLAME RETARDANT POLYSTER, COLOR BLACK, CONTACTS: PHOSPHOR BRONZE.
- 2

CONTACTS: DUPLEX PLATED 0.76 MICROMETERS [.000030] GOLD IN CONTACT AREA 3.81-7.62 MICROMETERS [.000150-.000300] BRIGHT TIN-LEAD ON SOLDER LEADS. ALL OVER 1.27 [.000050] MIN NICKEL.
- 3

TE CONNECTIVITY, CSA LOGO MOLDED INTO HOUSING.
- 4

POINT OF MEASUREMENT FOR PLATING THICKNESS, MEASURED INSIDE CONTACT BEAMS
- 5

POINT OF CONTACT DIMENSION.
- 6

CONTACTS: DUPLEX PLATED 0.76 MICROMETERS (.000030) GOLD IN CONTACT AREA 3.81-7.62 MICROMETERS (.000150-.000300) MATTE TIN ON SOLDER LEADS. ALL OVER 1.27 (.000050) MIN NICKEL.
- 7

ROHS 2002 /95/EC COMPLIANT.
- 8

PART NUMBER AND DATE CODE MARKED IN APPROXIMATE LOCATION SHOWN.
- 9

NO PART NUMBER MARKING REQUIRED FOR THIS PART.
- 10

FOR 2 POS, DATE CODES MARKED OPPOSITE SIDE OF TE CONNECTIVITY LOGO.
- 11

OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	2	5.08 [.200]	2.54 [.100]	2	910	3-87879-9
	2	12.70 [.500]	10.16 [.400]	5	9	3-87879-8
	2	7.62 [.300]	5.08 [.200]	3	9	3-87879-7
	2	10.16 [.400]	7.62 [.300]	4	9	3-87879-6
11 OBSOLETE	2	101.60 [4.000]	99.06 [3.900]	40		3-87879-5
	2	99.06 [3.900]	96.52 [3.800]	39		3-87879-4
	2	96.52 [3.800]	93.98 [3.700]	38		3-87879-3
	2	93.98 [3.700]	91.44 [3.600]	37		3-87879-2
	2	91.44 [3.600]	88.90 [3.500]	36		3-87879-1
	2	88.90 [3.500]	86.36 [3.400]	35		3-87879-0
11 OBSOLETE	2	86.36 [3.400]	83.82 [3.300]	34		2-87879-9
	2	83.82 [3.300]	81.28 [3.200]	33		2-87879-8
	2	81.28 [3.200]	78.74 [3.100]	32		2-87879-7
	2	78.74 [3.100]	76.20 [3.000]	31		2-87879-6
	2	76.20 [3.000]	73.66 [2.900]	30		2-87879-5
	2	73.66 [2.900]	71.12 [2.800]	29		2-87879-4
	2	71.12 [2.800]	68.58 [2.700]	28		2-87879-3
	2	68.58 [2.700]	66.04 [2.600]	27		2-87879-2
	2	66.04 [2.600]	63.50 [2.500]	26		2-87879-1
	2	63.50 [2.500]	60.96 [2.400]	25		2-87879-0
	2	60.96 [2.400]	58.42 [2.300]	24		1-87879-9
	2	58.42 [2.300]	55.88 [2.200]	23		1-87879-8
11 OBSOLETE	2	55.88 [2.200]	53.34 [2.100]	22		1-87879-7
	2	53.34 [2.100]	50.80 [2.000]	21		1-87879-6
	2	50.80 [2.000]	48.26 [1.900]	20		1-87879-5
	2	48.26 [1.900]	45.72 [1.800]	19		1-87879-4
	2	45.72 [1.800]	43.18 [1.700]	18		1-87879-3
	2	43.18 [1.700]	40.64 [1.600]	17		1-87879-2
11 OBSOLETE	2	40.64 [1.600]	38.10 [1.500]	16		1-87879-1
	2	38.10 [1.500]	35.56 [1.400]	15		1-87879-0
	2	35.56 [1.400]	33.02 [1.300]	14		87879-9
	2	33.02 [1.300]	30.48 [1.200]	13		87879-8
	2	30.48 [1.200]	27.94 [1.100]	12		87879-7
	2	27.94 [1.100]	25.40 [1.000]	11		87879-6
	2	22.86 [.900]	20.32 [.800]	9		87879-5
	2	17.78 [.700]	15.24 [.600]	7		87879-4
	2	15.24 [.600]	12.70 [.500]	6		87879-3
	2	25.40 [1.00]	22.86 [.900]	10		87879-2
	2	20.32 [.800]	17.78 [.700]	8		87879-1
FINISH	A	B	NO OF POSN	PART NUMBER		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

J KNAUB

12-20-93

CHK

A GABANY

6-28-94

APVD

-

-

DIMENSIONS:

mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

± -

1 PLC

± -

2 PLC

± -

3 PLC

± .127 [.005]

4 PLC

± -

ANGLES

± -

FINISH

2

6

MATERIAL

1

DWN

J KNAUB

12-20-93

CHK

A GABANY

6-28-94

APVD

-

-

PRODUCT SPEC

108-25022

APPLICATION SPEC

114-25018

WEIGHT

-

CUSTOMER DRAWING

NAME

CONNECTOR ASSEMBLY, MOD IV, SINGLE ROW .100CL, DUAL ENTRY

SIZE

A2

CAGE CODE

00779

DRAWING NO

C=87879

RESTRICTED TO

-

SCALE

4:1

SHEET

1 of 2

REV

AA3

TE Connectivity

CONNECTOR ASSEMBLY, MOD IV, SINGLE ROW .100CL, DUAL ENTRY



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.