

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.






The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.



ORIGINAL



REVISIONS			
SYM	ECN No.	DESCRIPTION	DATE
A	NE-16107	RELEASE TO PRODUCTION	05/10/2016
		APPROVED	Arron Lin




P/N: GSB241 X X X X EU

CONTACT FINISH
1: FLASH GOLD
2: 30u" GOLD

COLOR OF HOUSING
0: IVORY
1: BLACK

PACKING OPTIONS
R: T&R

SHELL FINISH
BLANK: MATTE TIN 100u"
1: NICKEL 50u"




SUGGESTED PCB LAYOUT
TOP VIEW

TOLERANCE		APPROVALS		DATE	TITLE		Amphenol®	
X.		DRAWN		Debby Hung	05/10/2016	USB 2.0 B TYPE RECEPTACLE RIGHT-ANGLE, SMT TYPE	Amphenol Corporation	
X.X		CHECKED		Roger Tsai	05/10/2016		Amphenol Taiwan Corporation	
X.XX		APPROVED		Arron Lin	05/10/2016		PART No. GSB241XXXXEU	
X.XXX		DWG TYPE		CUST DWG	OTHER		DWG No. GSB241XXXXEU	
ANGULAR		UNLESS OTHERWISE SPECIFIED		±1°			REV. A	




This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-16107	RELEASE TO PRODUCTION	05/10/2016	Arron Lin



NOTES:
1. SHIPPING CARTON DIMENSION: 690 X 360 X 325mm.



PACKAGING BY TAPE&REEL	14.7	7.5	150	16	2400	GSB241XXXXEU
	G/W KG	N/W KG	PCS/ REEL	REELS/ CARTON	QUANTITY (PCS)	PART NUMBER

TOLERANCE		APPROVALS		DATE	TITLE			Amphenol® Amphenol Corporation Amphenol Taiwan Corporation		
X.		DRAWN	Debby Hung	05/10/2016						
X.X	±0.30	CHECKED	Roger Tsai	05/10/2016	USB 2.0 B TYPE RECEPTACLE RIGHT-ANGLE, SMT TYPE			PART No. GSB241XXXXEU		
X.XX	±0.20									
X.XXX	±0.10									
ANGULAR	±1°	APPROVED		Arron Lin	05/10/2016		UNIT	mm	SIZE	A3
UNLESS OTHERWISE SPECIFIED		DWG TYPE		PROJECT CODE			SCALE	NA	SHEET	2 OF 2
		CUST DWG		OTHER					DWG No.	GSB241XXXXEU
									REV.	A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.