









8		7		6		5		4		3		2		1			
CINCH PART NUMBER MATRIX														DRAWING REVISIONS			
P/N: 581 01 30 041 ENCLOSURE WITH TWO HEAT SINKS  P/N: 581 01 30 042 ENCLOSURE WITH ONE HEAT SINK  P/N: 581 01 30 043 ENCLOSURE WITHOUT HEAT SINKS  P/N: 581 01 30 057 ENCLOSURE WITH TWO HEAT SINKS & MEMBRANE VENT  P/N: 581 01 30 058 ENCLOSURE WITH ONE HEAT SINK & MEMBRANE VENT  P/N: 581 01 30 059 ENCLOSURE WITHOUT HEAT SINKS & MEMBRANE VENT  NOTE: 1. ALL DIMENSIONS ARE IN INCHES; DIMENSIONS IN [.XX] ARE IN mm AS REF. ONLY. 2. MATERIALS: ENCLOSURE: 30 % GLASS FILLED POLYMER, COLOR BLACK; PERIPHERAL SEAL: SILICONE RUBBER, COLOR BLUE. HEAT SINK: ANODIZED ALUMINUM ALLOY. 3. HEADERS ARE SOLD SEPARATELY (CONSULT FACTORY FOR P/N); FOR PCB SIZE AND REQUIREMENTS REFER TO HEADER DRAWINGS. 4. STANDARD PACKAGE SIZE: 21 PARTS / CARTON BOX. RoHS COMPLIANT UNITS ENGLISH DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES FILLET/RADII .02 MAX TOLERANCES AND LIMITS APPLY OVER ADDITIVE FINISH TOLERANCES .X ± .1 .XX ± .01 .XXX ± .005 ANGULAR ± .5° THIS DOCUMENT IS THE PROPERTY OF CINCH. NEITHER THIS DOCUMENT NOR ANY OF THE INFORMATION CONTAINED IN IT MAY BE DUPLICATED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF CINCH. PRO/E DRAWN BY B. KOSTIC DATE 09/14/04 DESIGN ENGINEER B. KOSTIC DESIGN ENGINEERING MGR. A. CAINES MFG. ENGINEERING R. GARZA QUALITY ASSURANCE R. QUIROZ Cinch ENCLOSURE ASSEMBLY MODICE SE MATERIAL SEE NOTE 2. MATERIAL SPEC NUMBER CAD FILE NUMBER 5810130041S_ICE30 CAGE IDENT NO. 71785 SIZE B DRAWING NUMBER 581 01 30 041S SCALE 3:10 SHEET 1 OF 2 MODELED BY: B.K. 1700 FINLEY RD LOMBARD, IL. 60148 PROJECT NUMBER A 14562																	



SCALE 7:10





MOUNTING BRACKET LAY-OUT

MOUNTING HOLES. HOLE SIZING AND / OR TAPPING AS NECESSARY FOR CUSTOMER MOUNTING HARDWARE

Ø.005 [.12] A

FASTENERS SHOULD BE TIGHTENED BY HAND AT EACH LOCATION, APPLYING EQUAL PRESSURE AGAINST MOUNTING SURFACE IN ALL LOCATIONS, THEN TORQUE TO 10-12 IN. LB. [1.13-1.36 Nm] FOLLOWING THE PATTERN SHOWN. TORQUE PATTERN: 1, 2, 3, 4



CINCH P/N: 581 01 30 041 SHOWN

UNITS		ENGLISH		Cinch		1700 FINLEY RD. LOMBARD, IL. 60148	
DO NOT SCALE DRAWING							
UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES				TITLE		ENCLOSURE ASSEMBLY MODICE SE	
FILLET/RADIUS .02 MAX		TOLERANCES .X ± .1 .XX ± .01 .XXX ± .005 ANGULAR ± .5°				PRO/E DRAWING	
THIS DOCUMENT IS THE PROPERTY OF CINCH. NEITHER THIS DOCUMENT NOR ANY OF THE INFORMATION CONTAINED IN IT MAY BE DUPLICATED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF CINCH.		CAD FILE NUMBER 5810130041S_ICE30		DRAWING NUMBER 581 01 30 041S		REV D	
		CAGE IDENT NO. SIZE 71785 B		SCALE 1:2		SHEET 2 OF 2	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.