

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** [0191930266](#)  
**Status:** **Active**  
**Overview:** [VersaKrimp™ Terminals and Splices](#)  
**Description:** [VersaKrimp™ Ring Tongue Terminal for 4 AWG Wire](#)

**Documents:**

|                                                          |                                                          |
|----------------------------------------------------------|----------------------------------------------------------|
| <a href="#">Drawing (PDF)</a>                            | <a href="#">Product Specification PS-19902-015 (PDF)</a> |
| <a href="#">Product Specification PS-19902-011 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>     |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR18689 |
| UL  | E32244  |

**General**

|                         |                                                   |
|-------------------------|---------------------------------------------------|
| Product Family          | Ring and Spade Terminals                          |
| Series                  | <a href="#">19193</a>                             |
| Comments                | Type I Non-insulated; Class 2                     |
| Crimp Quality Equipment | Yes                                               |
| Mil-Spec                | AS20659-112, MS20659-112                          |
| Overview                | <a href="#">VersaKrimp™ Terminals and Splices</a> |
| Product Name            | VersaKrimp™                                       |
| Type                    | Ring                                              |
| UPC                     | 800753040595                                      |

**Physical**


|                              |                      |
|------------------------------|----------------------|
| Barrel Type                  | Closed - Brazed      |
| Insulation                   | None                 |
| Material - Plating Mating    | Tin                  |
| Net Weight                   | 9.415/g              |
| Packaging Type               | Bag                  |
| Plating min - Mating         | 2.540µm              |
| Plating min - Termination    | 2.540µm              |
| Stud Size                    | 3/8" (M9)            |
| Termination Interface: Style | Crimp or Compression |
| Wire Size AWG                | 4                    |

**Material Info**

|                 |           |
|-----------------|-----------|
| Old Part Number | F-366-38T |
|-----------------|-----------|

**Reference - Drawing Numbers**

|                       |                            |
|-----------------------|----------------------------|
| Product Specification | PS-19902-011, PS-19902-015 |
| Sales Drawing         | SD-19193-006               |



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**China RoHS**

**Compliant**

**REACH SVHC**

Contains SVHC(2014  
December 17): No

**Halogen-Free**

**Status**

**Low-Halogen**

**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
Please visit the [Contact Us](#) section for any  
non-product compliance questions.

|            |              |
|------------|--------------|
| China ROHS | Not Relevant |
| ELV        | Not Relevant |

**Search Parts in this Series**

[19193](#) Series

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are  
found by selecting the products below.  
Crimp Height Specifications are then  
contained in the Application Tooling  
Specification document.*

**Global**

| Description                                                               | Product #                  |
|---------------------------------------------------------------------------|----------------------------|
| ATP Crimp Dies<br>for the Tape Crimp<br>Module and ATP-101<br>& 301 Press | <a href="#">0190270172</a> |
| ATP Crimp Dies<br>for the Tape Crimp<br>Module and ATP-101<br>& 301 Press | <a href="#">0190270175</a> |
| Crimp Dies for 4<br>AWG Versakrimp<br>Mylar Tape, use                     | <a href="#">0190472220</a> |

with the 64016-2000  
Tape Crimp Module  
and 63801-7600  
TM-4000 Crimp  
Press

This document was generated on 06/25/2015

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.