





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50		M7	REVISED PER ECR-13-011067	16JUL13	KH	PD

- 1 ALL DIMENSIONS APPLY TO A MOISTURIZED HOUSING.
- 2 PRELIMINARY – NOT FOR PRODUCTION
- 3 OFFERED FOR CONSIDERATION IN "NON-DRIP" HOUSING MATERIAL APPLICATIONS.
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING I PER D.RENAUD/D.SINIS
- 5 PREPRODUCTION-FASR REQUIRED

SUGGESTED MATING TAB



- 1 – MATL: ½ H BRASS OR NICKEL PL STEEL.
- 2 – NO BURRS PERMISSIBLE AT HOLE.
- 3 – MUST BE FLAT WITHIN 0.076 [.003] OVER THIS LENGTH.
- 4 – TIN PLATING IS REQUIRED ON BRASS WHEN TERMINAL TEMP. IS OVER 225° F
- 5 – HOLE MUST BE SYMMETRICAL ABOUT TAB Q WITHIN 0.076 [.003]
- * TO BE USED ONLY WHEN SHOULDER IS ELIMINATED.



3D VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	7/3/96	 TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK	MS FEHER	7/3/96				
		APVD	J GILLISPIE	7/3/96	NAME HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES —			
		PRODUCT SPEC —						
		APPLICATION SPEC —			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL SEE TABLE		WEIGHT —			A2	00779	C-521120	—
		CUSTOMER DRAWING			SCALE	SHEET	REV	
					5:1	1 of 2	M7	

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , - .
© COPYRIGHT - By -	ALL RIGHTS RESERVED.	

LOC	DIST	REVISIONS					
AF	50	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

	BROWN	66/6 NYLON, V0		2-521120-5
	YELLOW	66/6 NYLON, V0		2-521120-4
	GREEN	66/6 NYLON, V0		2-521120-3
	RED	66/6 NYLON, V0		2-521120-2
	BLUE	66/6 NYLON, V0		2-521120-1
	BROWN	6/6 NYLON, V2		2-521120-0
	YELLOW	6/6 NYLON, V2		1-521120-9
	GREEN	6/6 NYLON, V2		1-521120-8
	NATURAL	6/6 NYLON, V2		1-521120-7
	BLACK	66/6 NYLON, V0		1-521120-6
	NATURAL	 66/6 OR 66 NYLON, V0		1-521120-5
	NATURAL	6/6 NYLON, V0		1-521120-4
	NATURAL	66/6 OR 66 NYLON, V0		1-521120-3
	 OBSOLETE	YELLOW	6/6 NYLON	
BLUE		6/6 NYLON		1-521120-1
GREEN		6/6 NYLON		1-521120-0
RED		6/6 NYLON		-521120-9-
BLACK		6/6 NYLON		521120-8
NATURAL		6/6 NYLON		521120-7
BLACK		4/6 NYLON		521120-6
RED		6/6 NYLON		521120-5
BLUE		6/6 NYLON		521120-4
 OBSOLETE	PUTTY	6/6 NYLON		-521120-2-
	NATURAL	6/6 NYLON		521120-1
	COLOR	MATERIAL		PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG JR RUTH 7/3/96		 TE Connectivity	
		CHK MS FEHER 7/3/96			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES —	
		APVD J GILLISPIE 7/3/96			
		PRODUCT SPEC			
		APPLICATION SPEC			
MATERIAL SEE TABLE		FINISH SEE TABLE		SIZE A2	
		WEIGHT —		GAGE CODE 00779	
		CUSTOMER DRAWING		DRAWING NO C-521120	
				RESTRICTED TO —	
				SCALE 5:1	
				SHEET 2 of 2	
				REV M7	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.