



PRODUCT NUMBER
SEE TABLE

EVEN COLUMN CONTACT ROW ID

ODD COLUMN CONTACT ROW ID
ODD & EVEN COLUMNS ARE OFFSET



10123159-101LF
STANDARD MATE RECEPTACLE
SCALE 6:1

Amphenol FCI

© 2016 AFCI

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	6:1										
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released										
ASME Y14.5M		chr	Justin Chen	2017/11/29																
		appr	Heaven Cen	2017/11/30																
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3		0.XX	±.10		0.XXX	±.050	angular	0°	±°			Amphenol FCI title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm		product family ExaMAX	dwg no 10123159	rev B
linear	0.X	±.3																		
	0.XX	±.10																		
	0.XXX	±.050																		
angular	0°	±°																		
		cat. no.	SEE TABLE	Product - Customer Drw	sheet 1 of 11															

PDS: Rev :B

STATUS:Released

Printed: Dec 01, 2017

1 2 3 4 5 6 7 8

A

B

C

D

E

F

A


B

C

D

E

F



ADVANCED MATE
POSITION A11
SEE NOTE 13

ADVANCED MATE
POSITION A1
SEE NOTE 13

10123159-201LF
ADVANCED MATE RECEPTACLE
 ADVANCED MATE POSITIONS ARE A1 AND A11 ONLY
 FOR ALL DIMENSIONS SEE 10123159-101LF ON SHEET 1
 SCALE 7:1

**Amphenol
FCi**

© 2016 AFci

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	7:1																	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1																			
ASME Y14.5M		chr	Justin Chen	2017/11/29			rel level	Released																			
surface	<table border="1"> <tr> <td rowspan="3">-</td> <td rowspan="3">linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td></td> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	-	linear	0.X	±.3	0.XX	±.10	0.XXX	±.050		angular	0°	±°		<table border="1"> <tr> <td>title</td> <td>ExaMAX R.A. RECEPTACLE ASSY</td> <td>dwg no</td> <td>10123159</td> <td>rev</td> <td>B</td> </tr> <tr> <td>cat. no.</td> <td>SEE TABLE</td> <td>Product - Customer Drw</td> <td>sheet 2 of 11</td> <td colspan="2"></td> </tr> </table>	title	ExaMAX R.A. RECEPTACLE ASSY	dwg no	10123159	rev	B	cat. no.	SEE TABLE	Product - Customer Drw	sheet 2 of 11		
-	linear			0.X	±.3																						
				0.XX	±.10																						
		0.XXX	±.050																								
	angular	0°	±°																								
title	ExaMAX R.A. RECEPTACLE ASSY	dwg no	10123159	rev	B																						
cat. no.	SEE TABLE	Product - Customer Drw	sheet 2 of 11																								

PDS: Rev :B

STATUS:Released

Printed: Dec 01, 2017

1 2 3 4 5 6 7 8

A

B

C

D

E

F

A

B


C

D

E

F

SHORT DETECT
POSITION T2
SEE NOTE 14



12 11 10 9 8 7 6 5 4 3 2 1

10123159-301LF
SHORT DETECT RECEPTACLE
SHORT DETECT POSITION IS T2
FOR ALL DIMENSIONS SEE 10123159-101LF ON SHEET 1
SCALE 7:1

**Amphenol
FCi**

© 2016 AFci

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	7:1										
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1												
ASME Y14.5M		chr	Justin Chen	2017/11/29			rel level	Released												
surface	<table border="1"> <tr> <td rowspan="3">linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3	0.XX	±.10	0.XXX	±.050	angular	0°	±°	appr	Heaven Cen	2017/11/30	product family	ExaMAX		rel level	Released	
linear	0.X		±.3																	
	0.XX		±.10																	
	0.XXX	±.050																		
angular	0°	±°																		
					title	ExaMAX R.A. RECEPTACLE ASSY			dwg no	10123159	rev	B								
					cat. no.	SEE TABLE	Product - Customer Drw		sheet 3 of 11											

A

B

C

D

E

F

A


B

C

D

E

F



SHORT DETECT
POSITION T2
SEE NOTE 15

ADVANCED MATE
POSITION A11
SEE NOTE 15

ADVANCED MATE
POSITION A1
SEE NOTE 15

10123159-401LF
ADVANCED MATE/SHORT DETECT RECEPTACLE
ADVANCED MATE POSITIONS ARE POSITIONS A1 AND A11 ONLY
SHORT DETECT POSITION IS T2
FOR ALL DIMENSIONS SEE 10123159-101LF ON SHEET 1
SCALE 7:1

**Amphenol
FCi**


© 2016 AFci

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	7:1												
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1														
ASME Y14.5M		chr	Justin Chen	2017/11/29			rel level	Released														
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3		0.XX	±.10		0.XXX	±.050	angular	0°	±°	appr	Heaven Cen	2017/11/30	product family	ExaMAX		rel level	Released	
linear	0.X	±.3																				
	0.XX	±.10																				
	0.XXX	±.050																				
angular	0°	±°																				
		Amphenol FCi	title			ExaMAX R.A. RECEPTACLE ASSY		dwg no	10123159													
			6 PR, 12 IMLA, 240 POS, 24mm			cat. no.	SEE TABLE		Product - Customer Drw	sheet 4 of 11												

PDS: Rev :B



STATUS:Released

Printed: Dec 01, 2017



10123159-X01
 RECOMMENDED PCB LAYOUT
 COMPONENT SIDE
 NOTES 7, 8, 9, & 11
 SCALE 8:1



spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	8:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released		
ASME Y14.5M		chr	Justin Chen	2017/11/29								
		appr	Heaven Cen	2017/11/30								
surface	linear	0.X	±.3		title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm	product family -	drwg no 10123159	rev B	angular 0° ±°	cat. no. -	Product - Customer Drw	sheet 5 of 11
		0.XX	±.10									
		0.XXX	±.050									



TOP SURFACE
OF DAUGHTER CARD

10123159-X1ALF THRU 10123159-X1JLF
RIGHT GUIDANCE (SEE NOTE 17)
FOR ALL OTHER DIMENSIONS SEE 10123159-101LF ON SHEET 1
SCALE 6:1

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	6:1										
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released										
ASME Y14.5M		chr	Justin Chen	2017/11/29																
		appr	Heaven Cen	2017/11/30																
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3		0.XX	±.10		0.XXX	±.050	angular	0°	±°			title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm		product family ExaMAX	rel level Released	sheet 6 of 11
linear	0.X	±.3																		
	0.XX	±.10																		
	0.XXX	±.050																		
angular	0°	±°																		
		cat. no.	SEE TABLE	Product - Customer Drw	title 10123159	rev B														





**10123159-X1ALF THRU -X1JLF
RECOMMENDED PCB LAYOUT
COMPONENT SIDE
NOTES 7, 8, 9, 11 & 16
SCALE 8:1**

0.00 mm BETWEEN
COLUMNS 1 OF THE
RAR AND COLUMN 1
OF THE VH

SEE DETAIL B



spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released
ASME Y14.5M		chr	Justin Chen	2017/11/29						
		appr	Heaven Cen	2017/11/30						
surface	linear	0.X	±.3		product family		title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm	dwg no 10123159	rev B	
		0.XX	±.10		-					
		0.XXX	±.050		-					
	angular	0°	±°	cat. no.	-		Product - Customer Drw		sheet 7 of 11	



TOP SURFACE OF DAUGHTER CARD

10123159-X2ALF THRU 10123159-X2JLF
LEFT GUIDANCE (SEE NOTE 17)
FOR ALL OTHER DIMENSIONS SEE 10123159-101LF ON SHEET 1
SCALE 6:1

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	6:1												
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released												
ASME Y14.5M		chr	Justin Chen	2017/11/29			product family	ExaMAX														
		appr	Heaven Cen	2017/11/30			dwg no	10123159		rev	B											
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3		0.XX	±.10		0.XXX	±.050	angular	0°	±°			title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm		cat. no. SEE TABLE		Product - Customer Drw		sheet 8 of 11
linear	0.X	±.3																				
	0.XX	±.10																				
	0.XXX	±.050																				
angular	0°	±°																				



10123159-X2ALF THRU -X2JLF
RECOMMENDED PCB LAYOUT
COMPONENT SIDE
NOTES 7, 8, 9, 11 & 16
SCALE 8:1

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	8:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released
ASME Y14.5M		chr	Justin Chen	2017/11/29						
		appr	Heaven Cen	2017/11/30						
surface	linear	0.X	±.3		title ExaMAX R.A. RECEPTACLE ASSY 6 PR, 12 IMLA, 240 POS, 24mm cat. no.	product family -	product no 10123159	rev B	sheet 9 of 11	
		0.XX	±.10							
		0.XXX	±.050							
	angular	0°	±°							

1 0 | 2 3 | 5 9 - Y Y Y L F

ASSEMBLY PART NUMBER	DESCRIPTION
10123159-1YYLF	STANDARD MATE
10123159-2YYLF	ADVANCED MATE
10123159-3YYLF	SHORT DETECT
10123159-4YYLF	ADVANCED MATE & SHORT DETECT

MODULE DESCRIPTION	DESIGNATION REPRESENTED IN DASH NUMBER									BASE MODEL
	1A	1B	1C	1D	1E	1F	1G	1H	1J (NO KEY)	
WITHOUT END GUIDES MODULE (SEE SHEET 1)	01									
RIGHT GUIDANCE MODULE (SEE SHEET 6)										
LEFT GUIDANCE MODULE (SEE SHEET 8)										

Amphenol FCI


spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31		←→	ecn no	ELX-DG-28235-1	rel level	Released
ASME Y14.5M		chr	Justin Chen	2017/11/29						
		appr	Heaven Cen	2017/11/30						
surface	linear	0.X	±.3	Amphenol FCI	title	EXaMAX R.A. RECEPTACLE ASSY	dwg no	10123159	rev	B
		0.XX	±.10							
		0.XXX	±.050							
	angular	0°	±°	cat. no.		Product - Customer Drw	sheet 10 of 11			

© 2016 APCI

NOTES:

- ① - CONNECTOR MATERIALS:
HOUSING: HIGH TEMP THERMOPLASTIC, BLACK, UL94-V0
IMLA PLASTIC: HIGH TEMP THERMOPLASTIC, BLACK, UL94-V0
CONTACT: COPPER ALLOY
ORGANIZER: HIGH-TEMP THERMOPLASTIC, UL94-V0
- 2 - CONTACT PLATING:
SEPARABLE INTERFACE:
PERFORMANCE-BASED PLATING, QUALIFIED TO MEET THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-1096 INCLUDING TELCORDIA GR-1217-CORE (NOVEMBER 1995) CENTRAL OFFICE TEST SEQUENCE

PRESS-FIT TAILS: TIN OVER NICKEL (LEAD FREE)
- 3 - PRODUCT SPECIFICATION: GS-12-1096
- 4 - APPLICATION SPECIFICATION GS-20-0361.
- 5 - PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.
- ⑥ - PRODUCT MARKING, (PART NUMBER & LOT CODE), ON THIS SURFACE.
- ⑦ - THE MINIMUM VIA SPACING BETWEEN STACKED CONNECTORS IS 2.0 mm FOR THIS RAR AND THE MATING HEADER. REFER TO THE APPLICATION SPECIFICATION FOR DETAILS.
- ⑧ - CONNECTOR OUTLINE MAY BE SCREEN PRINTED ONTO CUSTOMER PCB TO BE USED AS A GUIDE FOR MANUAL CONNECTOR PLACEMENT.
- ⑨ - REFER TO CUSTOMER DRAWING 10119933 FOR INFORMATION ON PCB HOLE DIAMETERS AND PLATING OPTIONS
- 10 - THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES & OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- ⑪ - REFER TO ROUTING GUIDE GS-20-0511 FOR RECOMMENDATIONS ON OPTIMIZATION OF FOOTPRINT AND TRACE ROUTING LAYOUT.
- 12 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 10-30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑬ - THE ADVANCED MATE RECEPTACLE, 10123159-2XXLF, WHEN MATED WITH AN ADVANCED MATE VERTICAL HEADER OR AN ADVANCED MATE RIGHT-ANGLE HEADER WILL PROVIDE 2 PAIRS OF MATING CONTACTS THAT MATE 0.75mm BEFORE THE REMAINDER OF THE SIGNAL AND GROUND CONTACTS.
- ⑭ - THE SHORT DETECT RECEPTACLE, 10123159-3XXLF, WHEN MATED WITH A STANDARD MATE VERTICAL HEADER OR A STANDARD MATE RIGHT-ANGLE HEADER WILL PROVIDE 1 PAIR OF MATING CONTACTS THAT MATE 1.00mm AFTER THE REMAINDER OF THE SIGNAL AND GROUND CONTACTS.
- ⑮ - THE ADVANCE MATE/SHORT DETECT RECEPTACLE, 10123159-4XXLF, WHEN MATED WITH AN ADVANCED MATE VERTICAL HEADER OR AN ADVANCED MATE RIGHT-ANGLE HEADER WILL PROVIDE 2 PAIRS OF MATING CONTACTS THAT MATE 0.75 mm BEFORE THE REMAINDER OF THE SIGNAL AND GROUND CONTACTS AND 1 PAIR OF MATING CONTACTS THAT MATE 1.00mm AFTER THE REMAINDER OF THE SIGNAL AND GROUND CONTACTS.
- ⑯ - FOR CONNECTORS WITH EITHER A RIGHT OR LEFT GUIDE MODULE, TWO PHILLIPS PAN HEAD M2 HOLD DOWN SCREWS MUST BE USED TO SECURE THE CONNECTOR TO THE PCB. THE SCREW LENGTH SHALL BE 2.0-6.0mm PLUS THE THICKNESS OF THE BOARD. SCREWS ARE NOT PROVIDED WITH CONNECTOR.
- ⑰ - LEFT / RIGHT INTEGRATED GUIDE ORIENTATION IS DETERMINED BY THE LOCATION OF THE GUIDE FEATURES WHEN LOOKING AT THE MATING FACE OF THE RIGHT ANGLE RECEPTACLE. THE LEFT / RIGHT DESIGNATION OF THE MATING HEADER IS DEFINED BY THE RIGHT ANGLE RECEPTACLE THAT IT MATES WITH (i.e. A RIGHT GUIDE VERTICAL HEADER MATES WITH A RIGHT GUIDE RIGHT ANGLE RECEPTACLE.)
- ⑱ - ALL GROUND CONTACTS WITHIN A COLUMN ARE COMMONED.



LEFT GUIDE

RIGHT GUIDE

**ExaMAX INTEGRATED GUIDE ORIENTATION
4 PAIR 10 IMLA CONNECTORS SHOWN FOR REFERENCE ONLY
SEE NOTE 17**

Amphenol FCI

© 2016 AFCI

spec ref	SEE NOTES	dr	Stu Stoner	2012/11/10	projection	MM	size	A2	scale	6:1												
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2017/10/31			ecn no	ELX-DG-28235-1	rel level	Released												
ASME Y14.5M		chr	Justin Chen	2017/11/29							product family	ExaMAX										
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±.3</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±.10</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±.050</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±°</td> </tr> </table>	linear	0.X	±.3		0.XX	±.10		0.XXX	±.050	angular	0°	±°	appr	Heaven Cen	2017/11/30	title	ExaMAX R.A. RECEPTACLE ASSY	dwg no	10123159	rev	B
linear	0.X	±.3																				
	0.XX	±.10																				
	0.XXX	±.050																				
angular	0°	±°																				
		Amphenol FCI			cat. no.	SEE TABLE	Product - Customer Drw	sheet 11 of 11														



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.