






→ | | ← .2 [5.1] TYP FINGER WIDTH



FOR 25 X 25 & 50 X 50
SLOTS CENTERED




 FL50X50LG-A
2 STRIPS OF TAPE



FL12X12LG-A & FL25X25LG-A
TAPE CENTERED

- NOTES:
1. DIMENSIONS IN PARENTHESES ARE IN METRIC.
 2. COLOR: LIGHT GREY
 3. "T" DIMENSION IS REFERENCE ONLY.
 4. MOUNTING HOLE SLOT DIMENSIONS:
 .16 (4.0) X .31 (8.0) - TYP.
 5. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE BY PANDUIT WITH THE RESPECT TO ADHESIVE BOND PERFORMANCE. AMONG OTHER THINGS, THE CONDITIONS UNDER WHICH THESE DUCTS MAY BE APPLIED AND/OR THE SURFACE TO WHICH THEY MAY BE APPLIED ARE BEYOND PANDUIT'S CONTROL.
 6. ONE COMPLETE MOUNTING HOLE ON BOTH ENDS OF DUCT WILL NOT BE COVERED BY TAPE.



2 STRIPS OF TAPE										TAPES CENTERED		CAD FILENAME/LAYERS		D38086BC_DC_FL50X50_00G.prt			
--	-----	---	---	K. ADDED NOTE ABOUT TAPE LOCATION			-----	---	---			PANDUIT CORP. TINLEY PARK, ILLINOIS FLEXIBLE DUCT SIZES: 12.5mm, 25mm, 50mm CUSTOMER DRAWING					
6	4-4-06	UCST	JKG	J. ADDED DIMENSION I. CHANGED VIEW: ADDED TAPE			38086-03	JKG	JKG								
5	4-13-05	UCST	JKG	H. CHANGED PART # (COLOR CHANGE-WAS GR-GRAY/GREEN) G. CHANGED MATERIAL			38086-03	HIW	HIW								
4	7-26-04	UCST	JKG	F. CHANGED MATERIAL AND TITLE			38086-03	HIW	HIW								
3	3-29-04	UCST	JKG	E. REMOVED PARTS FROM CHART			38086-03	HIW	HIW			UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± .04(1.0) (.XXX) ± (.XX) ± .03(1.8) ANGLES ±		UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.			
2	2-27-02	UCST	JKG	D. CHANGED VIEWS AND DIMENSIONS C. ADDED SHEET 2			38086-03	RTF	RTF			DRAWN BY JCST		MAT'L:		SCALE NONE	
1	8-10-01	UCST	JKG	B. CHANGED TAPE DIMENSION FOR 12X12 DUCT A. ADDED BOTTOM VIEWS AND NOTE 4 & 5			38086-03	RTF	RTF			DATE 4-10-01		POLYPROPYLENE		DRAWING NO. 38086-03	DWG A
R	4-10-01	UCST	JKG	RELEASED TO PRODUCTION			38086-03	HIW	HIW			CHK'D JKG		△G △F		SHT. 1 OF 2	SIZE
REV	DATE	BY	CHK	DESCRIPTION			ECN	-	R	CUST	SUP						

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.





PANDUIT P/N	B × H	Bi × Hi	C	D	E	TAPE QTY. W × T	WEIGHT	PKG. QTY.
FL12X12LG-A	$\begin{matrix} .5 & \times & .5 \\ (12.5 & \times & 12.5) \end{matrix}$	$\begin{matrix} .4 & \times & .4 \\ (10.3 & \times & 10.6) \end{matrix}$	$\begin{matrix} .04 \\ (1.1) \end{matrix}$	$\begin{matrix} .04 \\ (1.0) \end{matrix}$	$\begin{matrix} .04 \\ (0.9) \end{matrix}$	$\begin{matrix} 1 \\ .24 (6) \times .04 (1) \end{matrix}$	$\begin{matrix} 0.03\text{LB/ea} \\ 12.3\text{g/ea} \end{matrix}$	112
FL25X25LG-A	$\begin{matrix} 1.0 & \times & 1.0 \\ (25 & \times & 25) \end{matrix}$	$\begin{matrix} .9 & \times & .9 \\ (21.8 & \times & 22.3) \end{matrix}$	$\begin{matrix} .06 \\ (1.6) \end{matrix}$	$\begin{matrix} .06 \\ (1.5) \end{matrix}$	$\begin{matrix} .05 \\ (1.2) \end{matrix}$	$\begin{matrix} 1 \\ .58 (15) \times .04 (1) \end{matrix}$	$\begin{matrix} 0.07\text{LB/ea} \\ 33.3\text{g/ea} \end{matrix}$	70
FL50X50LG-A	$\begin{matrix} 2.0 & \times & 2.0 \\ (50 & \times & 50) \end{matrix}$	$\begin{matrix} 1.8 & \times & 1.8 \\ (45.0 & \times & 46.1) \end{matrix}$	$\begin{matrix} .10 \\ (2.5) \end{matrix}$	$\begin{matrix} .09 \\ (2.2) \end{matrix}$	$\begin{matrix} .07 \\ (1.7) \end{matrix}$	$\begin{matrix} 2 \\ .58 (15) \times .04 (1) \end{matrix}$	$\begin{matrix} 0.23\text{LB/ea} \\ 103.3\text{g/ea} \end{matrix}$	32



CAD FILENAME/LAYERS		D38086BC_DC_FL50X50_00G.PRT	
PANDUIT		CORP. TINLEY PARK, ILLINOIS	
FLEXIBLE DUCT		SIZES: 12.5mm, 25mm, 50mm 	
CUSTOMER DRAWING			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± .04 (1.0) (XXX) ± (.XX) ± .03 (.8) ANGLES ±		UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.	
DRAWN BY JCST	MAT'L:		SCALE NONE
DATE 4-10-01	POLYPROPYLENE		DRAWING NO. 38086-03
CHK'D JKG	 		DWG A
		SHT. 2 OF 2	

REV	DATE	BY	CHK	DESCRIPTION	ECN	CHK	CUST	SUP
6	4-4-06	JCST	JKG	SEE SHEET # 1	38086-03	JKG	JKG	
5	4-13-05	JCST	JKG	SEE SHEET # 1	38086-03	HIW	HIW	
4	7-26-04	JCST	JKG	SEE SHEET # 1	38086-03	HIW	HIW	
3	3-29-04	JCST	JKG	SEE SHEET # 1	38086-03	HIW	HIW	
2	2-27-02	JCST	JKG	SEE SHEET # 1	38086-03	RTF	RTF	
1	8-10-01	JCST	--	SEE SHEET # 1	38086-03	--	--	
R	4-10-01	JCST	--	SEE SHEET # 1	38086-03	--	--	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.