CALIFIA LIGHTING

# COASTLINE SERIES
## C5400 Standard (S)

## FEATURES:

- HB LEDs
- Low Profile
- Narrow Beam
- Built-in Dimmer
- Instant On
- Mercury Free
- Lead Free
- No UV



The Coastline delivers high brightness performance in a very low-profile aluminum housing, making concealed placement a breeze. Suitable for all commercial and industrial applications, specifically banks, restaurants, retail, enclosures and medical test labs.


## SPECIFICATIONS

| Color Temperature | Lumen Output | Efficacy (lm/W) | Color Rendering Index (CRI) |
|---|---|---|---|
| Cool (C) - 6500K | 390 | 70 | 75 |
| Neutral (N) - 4750K | 365 | 55 | 83 |
| Warm (W) - 3100K | 320 | 69 | 86 |

| | |
|---|---|
| Rated Life | 50,000 hours |
| Beam Angle | 35° |
| Power Consumption | 5 Watts |
| Operating Temperature | 0°C ~+40°C |
| Voltage Input | 24VDC, Constant Voltage |
| Controls | Built-in On/Off, Dimming |
| Housing | Extruded Aluminum, Black<br>Polycarbonate Reflector, Black |
| Weight (g) | 125 |
| Dimensions | W .83" (21mm)<br>H .47" (12mm)<br>L 12" (304.8mm) **<br>**not including mounts |
| Compliance | UL CE RoHS |

Restriction of Hazardous Substances Directive (RoHS) implements EU Directive 2002/95 which bans placing electrical and hazardous equipment that contains more than agreed levels of hazardous substances on the EU market. For a list of these substances, visit www.rohs.gov.uk.

## DIMENSIONS



# Coastline Series
## C5400 Standard (S)

## Ordering Information – Choose the option that best suits your needs and write its corresponding code on the appropriate line to form the product code.

| MODEL | COLOR | TYPE | EXAMPLE |
|---|---|---|---|
| C5400 | C – 6500K<br>N – 4750K<br>W – 3100K | S – Standard (individual) | C5400-C-S |

All luminaires are easily customizable. Please contact us to inquire on customizing a luminaire to fill your needs.

Order power accessories as separate catalog numbers from the Accessories section below. (Note: 2 mounting screws and double sided tape included for mounting of Standard luminaire.)


## Accessories

| | |
|---|---|
| Universal Regulated Quick Connect Power Supply (North American Plug) | Califia Lighting Part # WA-UL-001 |
| Universal Regulated Quick Connect Power Supply (Euro Plug) | Califia Lighting Part # WA-VDE-001 |
| In-line On/Off Switch | Califia Lighting Part # SW-1001 |

## Photometry Characteristics


COOL

Polar Candela Distribution





NEUTRAL

Polar Candela Distribution




WARM

Polar Candela Distribution




Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.




**Как с нами связаться**

**Телефон:** 8 (812) 309 58 32 (многоканальный)
**Факс:** 8 (812) 320-02-42
**Электронная почта:** org@eplast1.ru
**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.