

### FEATURES:

- HB LEDs
- Low Profile
- Narrow Beam
- Built-in Dimmer
- Instant On
- Mercury Free
- Lead Free
- No UV

The Coastline delivers high brightness performance in a very low-profile aluminum housing, making concealed placement a breeze. Suitable for all commercial and industrial applications, specifically banks, restaurants, retail, enclosures and medical test labs.

### SPECIFICATIONS

| Color Temperature   | Lumen Output | Efficacy (lm/W) | Color Rendering Index (CRI) |
|---------------------|--------------|-----------------|-----------------------------|
| Cool (C) - 6500K    | 390          | 70              | 75                          |
| Neutral (N) - 4750K | 365          | 55              | 83                          |
| Warm (W) - 3100K    | 320          | 69              | 86                          |

Rated Life 50,000 hours

Beam Angle 35°

Power Consumption 5 Watts

Operating Temperature 0°C ~+40°C

Voltage Input 24VDC, Constant Voltage

Controls Built-in On/Off, Dimming

Housing Extruded Aluminum, Black  
Polycarbonate Reflector, Black

Weight (g) 125

Dimensions  
W .83" (21mm)  
H .47" (12mm)  
L 12" (304.8mm) \*\*


\*\*not including mounts

Compliance



Restriction of Hazardous Substances Directive (RoHS) implements EU Directive 2002/95 which bans placing electrical and hazardous equipment that contains more than agreed levels of hazardous substances on the EU market. For a list of these substances, visit [www.rohs.gov.uk](http://www.rohs.gov.uk).

### DIMENSIONS



# COASTLINE SERIES

## C5400 Standard (S)

**ORDERING INFORMATION** – Choose the option that best suits your needs and write its corresponding code on the appropriate line to form the product code.

| MODEL | COLOR                               | TYPE                      | EXAMPLE   |
|-------|-------------------------------------|---------------------------|-----------|
| C5400 | C – 6500K<br>N – 4750K<br>W – 3100K | S – Standard (individual) | C5400-C-S |


All luminaires are easily customizable. Please contact us to inquire on customizing a luminaire to fill your needs.

Order power accessories as separate catalog numbers from the Accessories section below. (Note: 2 mounting screws and double sided tape included for mounting of Standard luminaire.)

## ACCESSORIES

|                                                                      |                                    |
|----------------------------------------------------------------------|------------------------------------|
| Universal Regulated Quick Connect Power Supply (North American Plug) | Califia Lighting Part # WA-UL-001  |
| Universal Regulated Quick Connect Power Supply (Euro Plug)           | Califia Lighting Part # WA-VDE-001 |
| In-line On/Off Switch                                                | Califia Lighting Part # SW-1001    |

## PHOTOMETRY CHARACTERISTICS





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.