









DETAIL D
SCALE 10:1




- NOTES:
- △ 0,2 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
△ 0,8 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
△ 0-338966-9 SUITABLE FOR PCB THICKNESS 0,9 +/- 0,1 mm.
1-338966-2 SUITABLE FOR PCB THICKNESS 1,2 +/- 0,1 mm.
- 4 APPLICABLE PERFORMANCE REQUIREMENTS:
SEE AMP PRODUCT-SPECIFICATION 108-19184
- 5 APPLICATION REQUIREMENTS:
SEE AMP APPLICATION-SPECIFICATION 114-19060.
- 6 PRODUCTS ARE PACKAGED AS FOLLOWS:
250 PCS. IN A PLASTIC BAG. (BULK)
1 PLASTIC BAG IN AN INTERNAL BOX.
10 INTERNAL BOXES IN A SHIPPING BOX.
(OUTSIDE DIMENSIONS: 356 X 305 X 152 mm).

ORDER NUMBER X-338966-X $\triangle_3$

2	IN-PHONE CONTACT		COPPER ALLOY		GOLD PLATED		1	2
1	SYSTEM CONN. HOUSING		LCP, 30% GF, UL 94 V-0		BLACK			
ITEM NO.		DESCRIPTION		MATERIAL		FINISH		
DWN J.V.D.HEIJDEN. 10 APR 99		AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS						
CHK CvTILBURG. 10 APR 99								
APVD								
PRODUCT SPEC -		I/O CONNECTOR 12 POSITION WITH KEYING.						
APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO		RESTR TO		
WEIGHT -		A2	00779	C-338966		-		
CUSTOMER DRAWING				SCALE	5:1	SHEET	1 OF 2	REV C

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TICO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 APR 99	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
		0 PLC ± 0,2 1 PLC ± 0,15 2 PLC ± 0,10 3 PLC ± - 4 PLC ± - ANGLES ± 1°	
		CHK CvTILBURG, 10 APR 99	
		APVD	
		PRODUCT SPEC	
		APPLICATION SPEC	
MATERIAL		FINISH	
-		-	
		WEIGHT	
		-	
CUSTOMER DRAW			

LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	-	SEE SHEET 1	-	-
		-	-	-	-
		-	-	-	-



- NOTES:
- 1 PLATING OF CONTACT AREA:
MIN. 0,2µm GOLD OVER MIN. 1,3 µm NICKEL.
 - 2 NO SOLDERMASK PERMITTED IN MOUNTING AREA OF
CONNECTOR. (BOTH SIDES OF THE BOARD)

RECOMMENDED PCB-LAYOUT
FOR I/O CONNECTOR

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 MRT 99		AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
	0 PLC ± 0,2		APVD				
	1 PLC ± 0,15		-				
	2 PLC ± 0,10		PRODUCT SPEC				
	3 PLC ± -		-				
	4 PLC ± 1°		APPLICATION SPEC				
MATERIAL	FINISH	WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTR TO
-	-	-		A2	00779	C-338966	-
CUSTOMER DRAWING				SCALE	SHEET	REV	
				5:1	2 OF 2	C	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.