





NOTES:

1. MATERIAL= BACKSHELLS - ZINC DIECAST
PULL - MOLDED PLASTIC - GRAY
2. LENGTH= SEE TABLE
3. ELECTRICAL PERFORMANCE PER SERIAL ATTACH SCSI 1.1
4. PLUG MATES TO RECEPTACLE 75586 SERIES, AND EMI HOUSING ASSY, 74548-0100
5. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

IPASS™ IS A TRADEMARK OF MOLEX

ENTER DESCRIPTION EC NO: USY2007-0468 DRAWN: SNAVARRO CHKD: DDOYE APPR: DDOYE	REV	DESCRIPTION 2007/06/22 2007/06/25	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE I-PASS 26 CKT EXTERNAL CABLE ASSEMBLY, CX4	
						MM ONLY		1:1	METRIC			
				mm	INCH	DRAWN BY	DATE	TITLE				
				4 PLACES	± ---	± ---	KPHILLIPS	2005/28/07				
				3 PLACES	± ---	± ---	CHECKED BY	DATE				
				2 PLACES	± 0.13	± ---	BREED	2005/28/07				
				1 PLACE	± 0.25	± ---	APPROVED BY	DATE				
				ANGULAR ±1/2°		DDOYE	2005/28/07	MOLEX MOLEX INCORPORATED				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
				SEE TABLE		SD-74547-600		1 OF 3				
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

KEYING IDENTIFIER CX4




2,7
CX4
KEY

MATERIAL NUMBER	DESCRIPTION		GAUGE	LENGTH	KEY	IDENTIFIER
745476005	X4	CX4 CABLE ASSEMBLY	28 AWG	0.5M	2,7	CX4
745476010	X4	CX4 CABLE ASSEMBLY	28 AWG	1M	2,7	CX4
745476020	X4	CX4 CABLE ASSEMBLY	28 AWG	2M	2,7	CX4
745476030	X4	CX4 CABLE ASSEMBLY	28 AWG	3M	2,7	CX4
745476040	X4	CX4 CABLE ASSEMBLY	28 AWG	4M	2,7	CX4
745476050	X4	CX4 CABLE ASSEMBLY	28 AWG	5M	2,7	CX4
745476060	X4	CX4 CABLE ASSEMBLY	28 AWG	6M	2,7	CX4
745476070	X4	CX4 CABLE ASSEMBLY	28 AWG	7M	2,7	CX4
745476080	X4	CX4 CABLE ASSEMBLY	28 AWG	8M	2,7	CX4
745476090	X4	CX4 CABLE ASSEMBLY	28 AWG	9M	2,7	CX4
745476100	X4	CX4 CABLE ASSEMBLY	26 AWG	10M	2,7	CX4
745476110	X4	CX4 CABLE ASSEMBLY	26 AWG	11M	2,7	CX4
745476120	X4	CX4 CABLE ASSEMBLY	26 AWG	12M	2,7	CX4
745476130	X4	CX4 CABLE ASSEMBLY	26 AWG	13M	2,7	CX4
745476140	X4	CX4 CABLE ASSEMBLY	26 AWG	14M	2,7	CX4
745476150	X4	CX4 CABLE ASSEMBLY	24 AWG	15M	2,7	CX4

IPASS™ IS A TRADEMARK OF MOLEX

ENTER DESCRIPTION EC NO: USY2007-0468 DRWN: SNAVARRO 2007/06/22 CHKD: DDOYE 2007/06/22 APPR: DDOYE 2007/06/25	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				DRAWN BY DATE KPHILL IPS 2005/28/07		TITLE I-PASS 26 CKT EXTERNAL CABLE ASSEMBLY, CX4			
				CHECKED BY DATE BREED 2005/28/07					
				1 PLACE ±0.25 ±--- ANGULAR ±1/2°		APPROVED BY DATE DDOYE 2005/28/07		MOLEX MOLEX INCORPORATED	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74547-600			
				SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			



CABLE	A	B
24AWG	46.9	10.40
26AWG	41.7	9.30
28AWG	37.7	8.40

P1	GND	A1		B1	GND	P2
	Rx 0+	A2	◀	B2	Tx 0+	
	Rx 0-	A3	◀	B3	Tx 0-	
	GND	A4		B4	GND	
	Rx 1+	A5	◀	B5	Tx 1+	
	Rx 1-	A6	◀	B6	Tx 1-	
	GND	A7		B7	GND	
	Rx 2+	A8	◀	B8	Tx 2+	
	Rx 2-	A9	◀	B9	Tx 2-	
	GND	A10		B10	GND	
	Rx 3+	A11	◀	B11	Tx 3+	
	Rx 3-	A12	◀	B12	Tx 3-	
	GND	A13		B13	GND	
	GND	B1		A1	GND	
	Tx 0+	B2	▶	A2	Rx 0+	
	Tx 0-	B3	▶	A3	Rx 0-	
	GND	B4		A4	GND	
	Tx 1+	B5	▶	A5	Rx 1+	
	Tx 1-	B6	▶	A6	Rx 1-	
	GND	B7		A7	GND	
	Tx 2+	B8	▶	A8	Rx 2+	
	Tx 2-	B9	▶	A9	Rx 2-	
	GND	B10		A10	GND	
	Tx 3+	B11	▶	A11	Rx 3+	
	Tx 3-	B12	▶	A12	Rx 3-	
	GND	B13		A13	GND	

IPASS™ IS A TRADEMARK OF MOLEX

ENTER DESCRIPTION EC NO: USY2007-0468 DRWN: SNAVARRO CHKD: DDOYE APPR: DDOYE	DESCRIPTION	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION ⊙ □		
				mm	INCH	DRAWN BY KPHILL IPS	DATE 2005/28/07	I-PASS 26 CKT EXTERNAL CABLE ASSEMBLY, CX4			
			4 PLACES	± ---	± ---	CHECKED BY	DATE				
			3 PLACES	± ---	± ---	BREED	2005/28/07	MOLEX INCORPORATED			
			2 PLACES	± 0.13	± ---	APPROVED BY	DATE				
1 PLACE	± 0.25	± ---	DDOYE	2005/28/07	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74547-600	SHEET NO. 3 OF 3			
B	REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.