






spec ref				dr Jeffrey Lim2014/08/22		projection		MM		size A3		scale 4.000			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Jeffrey Lim2015/11/24						ecn no ELX-S-22597-1			
ASME Y14.5						chr -									
						appr Koon-Poh Tay2015/11/25		product family				rel level Released			
surface ✓ ASME Y14.5		linear		0.X ±0.25				title 12G SAS PLUG VERTICAL SMT ASSY				dwg no 10129880		rev B	
				0.XX ±0.13											
				0.XXX ±0.050											
		angular		0° ±2°		www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 3	



Copyright FCI.






PRODUCT NO.
SEE TABLE


A

B


C

D




spec ref				dr	Jeffrey Lim	2014/08/22	projection		MM		size	A3	scale	4.000
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jeffrey Lim	2015/11/24					ecn no	ELX-S-22597-1		
				chr	-	-								
				appr	Koon-Poh Tay	2015/11/25					product family			rel level
surface  ASME Y14.5	linear	0.X	±0.25		title	12G SAS PLUG VERTICAL SMT ASSY			dwg no	10129880		rev	B	
		0.XX	±0.13											
		0.XXX	±0.050											
		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw			sheet 2 of 3				


PRODUCT NO.	WITH PICK-UP CAP	PACKAGING
10129880-001C-TRLF	YES	TAPE & REEL



NOTES:

1. MATERIAL:
HOUSING & PICK-UP CAP: HIGH TEMPERATURE THERMOPLASTIC, BLACK, UL94V-0
CONTACT & HOLD DOWN: COPPER ALLOY
2. FINISH:
CONTACT: 1.27um MIN. Ni UNDERPLATE OVERALL,
1.91um MIN. 100% MATTE Sn(LEAD-FREE) ON SOLDER TAIL,
0.38um MIN. Au ON CONTACT AREA
HOLD DOWN: 1.91um MIN. 100% MATTE Sn(LEAD-FREE) OVER 1.27um MIN. Ni UNDERPLATE OVERALL
3. PRODUCT SPEC.: GS-12-1120
4. PACKAGING SPEC.: GS-14-1038
5. THIS PRODUCT IS COMPLY WITH SFF-8680 SPECIFICATION
6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-47-0004
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS
IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN
8. A SYMBOL  WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN
MODIFIED WITH THE CURRENT DRAWING REVISION



spec ref				dr Jeffrey Lim 2014/08/22		projection 		MM 		size A3		scale 1.000	
tolerance std				eng Jeffrey Lim 2015/11/24				ecn no ELX-S-22597-1					
ASME Y14.5				chr -									
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr Koon-Poh Tay 2015/11/25		product family -		rel level Released					
surface  ASME Y14.5		linear		0.X ±0.25				title 12G SAS PLUG VERTICAL SMT ASSY		dwg no 10129880		rev B	
		0.XX ±0.13											
		0.XXX ±0.050											
ASME Y14.5		angular 0° ±2°		www.fci.com		cat. no. -		Product - Customer Drw				sheet 3 of 3	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.