

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0753416766

Status:

Active

Overview:

gbx\_backplane\_connector\_system

Description:

1.85mm by 1.85mm (.073 by .073") Pitch 4-Pair GbX® Backplane Connector System, Power Module, 12 Circuits, 1.27µm (50µ") Gold (Au)


Documents:

Drawing (PDF)

Product Specification PS-75221-999 (PDF)

RoHS Certificate of Compliance (PDF)

|                                |                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------|
| Agency Certification           |                                                                                 |
| UL                             | E29179                                                                          |
| General                        |                                                                                 |
| Product Family                 | Backplane Connectors                                                            |
| Series                         | 75341                                                                           |
| Application                    | Backplane                                                                       |
| Application Tooling Documents  | <a href="http://www.molex.com/pdm_docs/ats/TM-622022099.pdf">Tooling Manual</a> |
| Comments                       | Blade Length A 6.00mm, B 7.50mm, C 6.00mm, D 6.00mm                             |
| Component Type                 | Power Header                                                                    |
| Overview                       | gbx_backplane_connector_system                                                  |
| Product Name                   | GbX®                                                                            |
| Style                          | N/A                                                                             |
| Physical                       |                                                                                 |
| Circuits (Loaded)              | 8                                                                               |
| Circuits (maximum)             | 8                                                                               |
| Circuits Detail                | Rows A, B, C, & D                                                               |
| Color - Resin                  | Gray                                                                            |
| Durability (mating cycles max) | 200                                                                             |
| First Mate / Last Break        | Yes                                                                             |
| Flammability                   | 94V-0                                                                           |
| Guide to Mating Part           | No                                                                              |
| Keying to Mating Part          | None                                                                            |
| Material - Plating Mating      | Gold                                                                            |
| Material - Plating Termination | Tin-Lead                                                                        |
| Material - Resin               | High Temperature Thermoplastic                                                  |
| Number of Columns              | N/A                                                                             |
| Number of Pairs                | 4                                                                               |
| Number of Rows                 | 4                                                                               |
| Orientation                    | Vertical                                                                        |
| PC Tail Length (in)            | 0.089 In                                                                        |
| PC Tail Length (mm)            | 2.28 mm                                                                         |
| PCB Locator                    | Yes                                                                             |
| PCB Retention                  | Yes                                                                             |
| PCB Thickness Recommended (in) | 0.063 In                                                                        |
| PCB Thickness Recommended (mm) | 1.60 mm                                                                         |
| Packaging Type                 | Tube                                                                            |
| Pitch - Mating Interface (in)  | 0.073 In                                                                        |
| Pitch - Mating Interface (mm)  | 1.85 mm                                                                         |
| Pitch - Term. Interface (in)   | 0.102 In                                                                        |
| Pitch - Term. Interface (mm)   | 2.60 mm                                                                         |
| Plating min: Mating (µin)      | 50                                                                              |
| Plating min: Mating (µm)       | 1.25                                                                            |



EU RoHS

RoHS Compliant by Exemption

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Pb

Need more information on product environmental compliance?

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

75341Series

Mates With

75292 GbX® Daughtercard

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

| Description                                      | Product #  |
|--------------------------------------------------|------------|
| Insertion Module, GbX® 4 pair 1- Up Power Module | 0622022005 |
| GbX® Single Pin Repair Tool                      | 0622022090 |
| GbX® Shield Removal Tool                         | 0622022100 |

|                                |                              |
|--------------------------------|------------------------------|
| Plating min: Termination (μin) | 30                           |
| Plating min: Termination (μm)  | 0.75                         |
| Polarized to PCB               | Yes                          |
| Stackable                      | No                           |
| Surface Mount Compatible (SMC) | Yes                          |
| Temperature Range - Operating  | -55°C to +105°C              |
| Termination Interface: Style   | Through Hole - Compliant Pin |

**Electrical**

|                               |                  |
|-------------------------------|------------------|
| Current - Maximum per Contact | 6A               |
| Data Rate                     | 8.0 Gbps         |
| Real Signals (per 25mm)       | 0                |
| Shielded                      | No               |
| Voltage - Maximum             | 120V AC (RMS)/DC |

**Material Info**


**Reference - Drawing Numbers**

|                       |              |
|-----------------------|--------------|
| Product Specification | PS-75221-999 |
| Sales Drawing         | SD-75341-001 |

GbX is a registered trademark of Amphenol Corporation.


This document was generated on 05/14/2010  
**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

10 9 8 7 6 5 4 3 2 1



NOTES:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP), UL 94V-0, GRAY; CONTACT - COPPER ALLOY.
2. FINISH: SELECT GOLD IN CONTACT AREA, 50  $\mu$  " THICK; TIN/LEAD OR MATTE TIN IN COMPLIANT AREA.
3. PACKAGING PER PK-70873-562.
4. CONTACTS IN EACH ROW HAVE THE SAME WIPE LENGTH.
5. BACKPLANE ASSEMBLY MATES WITH DAUGHTERCARD POWER MODULE 75292-4\*\*\*.
6. PART SHOWN IS 75343-4467 (SHEET 4).
7. SEE OTHER SHEETS FOR ADDITIONAL NOTES.
8. WHEN INSERTING OPEN SIGNAL MODULES NEXT TO COLUMN 1 SIDE OF POWER MODULES, SIGNAL MODULES MUST BE INSERTED BEFORE THE POWERS TO AVOID INTERFERENCE BETWEEN THE TWO CONNECTOR HOUSINGS.
9. THESE PARTS CONFORM TO MOLEX PRODUCT SPECIFICATION PS-75221-999.
10. THESE PARTS CONFORM TO MOLEX COSMETIC SPECIFICATION PS-45499-002 CLASS B.



1-UP ASSEMBLY PART NUMBER

7 5 3 4 1 - A B C D  
- TIN/LEAD PLATED PRODUCT -  
FOR EACH ROW LOCATION A, B, C, D:  
0 = VOID  
4 = 4.5 mm WIPE  
6 = 6.0 mm WIPE  
7 = 7.5 mm WIPE  
- LEAD-FREE PLATED PRODUCT -  
FOR EACH ROW LOCATION A, B, C, D:  
0 = VOID  
2 = 4.5 mm WIPE  
3 = 6.0 mm WIPE  
5 = 7.5 mm WIPE

|                                                                                                                            |                                   |                                                            |                                       |  |                                                                                                                                  |                    |                                                          |                        |                           |  |  |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------|---------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------|------------------------|---------------------------|--|--|
| ADDED NOTES 9 & 10<br>EC NO: UCP2008-0426<br>DRAWN: STEWART 2007/08/29<br>CHKD: 2007/08/30<br>APPR: J.B. INGHAM 2007/08/31 | QUALITY SYMBOLS<br><br>▽=0<br>▽=0 | DESCRIPTION                                                | GENERAL TOLERANCES (UNLESS SPECIFIED) |  | DIMENSION STYLE<br>MM ONLY                                                                                                       |                    | SCALE<br>4:1                                             | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                            |                                   |                                                            |                                       |  | DRAWN BY<br>ELO                                                                                                                  | DATE<br>2006/04/06 | TITLE<br>GBX 4 PAIR<br>BACKPLANE POWER<br>SALES ASSEMBLY |                        |                           |  |  |
|                                                                                                                            |                                   |                                                            |                                       |  | CHECKED BY<br>ELO                                                                                                                | DATE<br>2005/02/22 |                                                          |                        |                           |  |  |
|                                                                                                                            |                                   |                                                            |                                       |  | APPROVED BY<br>CUNNINGHAM                                                                                                        | DATE<br>2005/02/23 | MOLEX MOLEX INCORPORATED                                 |                        |                           |  |  |
|                                                                                                                            |                                   |                                                            |                                       |  | ANGULAR ±---°                                                                                                                    |                    |                                                          |                        |                           |  |  |
|                                                                                                                            |                                   | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS | SEE CHART                             |  | SD-75341-001                                                                                                                     |                    |                                                          |                        |                           |  |  |
|                                                                                                                            |                                   |                                                            | SIZE<br>B                             |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                    |                                                          |                        |                           |  |  |

10 9 8 7 6 5 4 3 2 1



### 2-UP ASSEMBLY PART NUMBER

7 5 3 4 2 - A B C D

- TIN/LEAD PLATED PRODUCT -  
FOR EACH ROW LOCATION A, B, C, D:

0 = VOID  
4 = 4.5 mm WIPE  
6 = 6.0 mm WIPE  
7 = 7.5 mm WIPE

- LEAD-FREE PLATED PRODUCT -  
FOR EACH ROW LOCATION A, B, C, D:

0 = VOID  
2 = 4.5 mm WIPE  
3 = 6.0 mm WIPE  
5 = 7.5 mm WIPE



SEE SHEET 1 FOR ADDITIONAL INFORMATION  
CHECK WITH PRODUCT MANAGER FOR AVAILABILITY

|                                                                                                                                     |                                   |             |                                                            |       |       |             |                            |                                                                                                                                  |                                                                           |                        |                        |           |  |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|------------------------------------------------------------|-------|-------|-------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------|------------------------|-----------|--|
| SEE SHEET ONE<br>EC NO: UCP2008-0426<br>DRAWN: STEWART 2007/08/29<br>CHKD: J. B. INGHAM 2007/08/30<br>APPR: J. B. INGHAM 2007/08/31 | QUALITY SYMBOLS<br><br>▽=0<br>▽=0 | DESCRIPTION | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |       |       |             | DIMENSION STYLE<br>MM ONLY |                                                                                                                                  | SCALE<br>4:1                                                              | DESIGN UNITS<br>METRIC | THIRD ANGLE PROJECTION |           |  |
|                                                                                                                                     |                                   |             |                                                            |       | mm    | INCH        | DRAWN BY<br>ELO            | DATE<br>2006/04/06                                                                                                               | GBX 4 PAIR<br>BACKPLANE POWER<br>SALES ASSEMBLY<br><br>MOLEX INCORPORATED |                        |                        |           |  |
|                                                                                                                                     |                                   |             | 4 PLACES                                                   | ± --- | ± --- | CHECKED BY  | DATE                       |                                                                                                                                  |                                                                           |                        |                        |           |  |
|                                                                                                                                     |                                   |             | 3 PLACES                                                   | ± --- | ± --- | ELO         | 2005/02/22                 |                                                                                                                                  |                                                                           |                        |                        |           |  |
|                                                                                                                                     |                                   |             | 2 PLACES                                                   | ± --- | ± --- | APPROVED BY | DATE                       |                                                                                                                                  |                                                                           |                        |                        |           |  |
|                                                                                                                                     |                                   |             | 1 PLACE                                                    | ± --- | ± --- | CUNNINGHAM  | 2005/02/23                 |                                                                                                                                  |                                                                           |                        |                        |           |  |
|                                                                                                                                     |                                   |             | ANGULAR ± ---°                                             |       |       |             | MATERIAL NO.               |                                                                                                                                  | DOCUMENT NO.                                                              |                        |                        | SHEET NO. |  |
|                                                                                                                                     |                                   |             | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |       |       |             | SEE CHART                  |                                                                                                                                  | SD-75341-001                                                              |                        |                        | 2 OF 4    |  |
|                                                                                                                                     |                                   |             |                                                            |       |       |             | SIZE<br>B                  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                           |                        |                        |           |  |
|                                                                                                                                     |                                   |             |                                                            |       |       |             |                            |                                                                                                                                  |                                                                           |                        |                        |           |  |

9 8 7 6 5 4 3 2 1



SEE NOTE 4.



14.80

### 3-UP ASSEMBLY PART NUMBER

7 5 3 4 3 - A B C D

- TIN/LEAD PLATED PRODUCT -

FOR EACH ROW LOCATION A, B, C, D:

0 = VOID

4 = 4.5 mm WIPE

6 = 6.0 mm WIPE

7 = 7.5 mm WIPE

- LEAD-FREE PLATED PRODUCT -

FOR EACH ROW LOCATION A, B, C, D:

0 = VOID

2 = 4.5 mm WIPE

3 = 6.0 mm WIPE

5 = 7.5 mm WIPE




SEE SHEET 1 FOR ADDITIONAL INFORMATION  
CHECK WITH PRODUCT MANAGER FOR AVAILABILITY

|                                                                                                                                 |                                   |                                                                                                                               |                                       |              |                            |                 |                    |                                                                                        |                        |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------|----------------------------|-----------------|--------------------|----------------------------------------------------------------------------------------|------------------------|
| SEE SHEET ONE<br>EC NO: UCP2008-0426<br>DRW: J. STEWART 2007/08/29<br>CHKD: J. STEWART 2007/08/30<br>APPR: J. INGHAM 2007/08/31 | QUALITY SYMBOLS<br><br>▽=0<br>▽=0 | DESCRIPTION                                                                                                                   | GENERAL TOLERANCES (UNLESS SPECIFIED) |              | DIMENSION STYLE<br>MM ONLY |                 | SCALE<br>4:1       | DESIGN UNITS<br>METRIC                                                                 | THIRD ANGLE PROJECTION |
|                                                                                                                                 |                                   |                                                                                                                               |                                       | mm           | INCH                       | DRAWN BY<br>ELO | DATE<br>2006/04/06 | TITLE<br><br>GBX 4 PAIR<br>BACKPLANE POWER<br>SALES ASSEMBLY<br><br>MOLEX INCORPORATED |                        |
|                                                                                                                                 |                                   |                                                                                                                               | 4 PLACES                              | ± ---        | ± ---                      | CHECKED BY      | DATE               |                                                                                        |                        |
|                                                                                                                                 |                                   |                                                                                                                               | 3 PLACES                              | ± ---        | ± ---                      | ELO             | 2005/02/22         |                                                                                        |                        |
|                                                                                                                                 |                                   |                                                                                                                               | 2 PLACES                              | ± ---        | ± ---                      | APPROVED BY     | DATE               |                                                                                        |                        |
|                                                                                                                                 |                                   |                                                                                                                               | 1 PLACE                               | ± ---        | ± ---                      | CUNNINGHAM      | 2005/02/23         |                                                                                        |                        |
| ANGULAR ± ---°                                                                                                                  |                                   | MATERIAL NO.                                                                                                                  |                                       | DOCUMENT NO. |                            | SHEET NO.       |                    |                                                                                        |                        |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                      |                                   | SIZE<br>B                                                                                                                     |                                       | SEE CHART    |                            | SD-75341-001    |                    | 3 OF 4                                                                                 |                        |
|                                                                                                                                 |                                   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                       |              |                            |                 |                    |                                                                                        |                        |



HOLE PATTERN FOR 1-UP ASSEMBLY

- 1.) ADD 7.40 FROM CENTERLINES OF PEGS FOR MULTIPLE UP ASSEMBLIES.  
2.) ADD 5.55 FROM CENTERLINE TO CENTERLINE OF PEG  
FOR INDIVIDUAL POWER MODULES STACKED NEXT  
TO EACH OTHER.



|                                                                                                                      |                                   |                                                            |  |                              |  |                                                                                                                                  |                                                                                    |                           |  |  |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------|--|------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------|--|--|
| ADDED $\varnothing 0.74 \pm 0.06$<br>EC NO: UCP2008-0426<br>DRAWN: STEWART<br>CHKD: J.B. INGHAM<br>APPR: J.B. INGHAM | QUALITY SYMBOLS<br><br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |  | DIMENSION STYLE<br>MM ONLY   |  | SCALE<br>4:1                                                                                                                     | DESIGN UNITS<br>METRIC                                                             | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                      |                                   |                                                            |  | DRAWN BY<br>ELO              |  | DATE<br>2006/04/06                                                                                                               | TITLE<br>GBX 4 PAIR<br>BACKPLANE POWER<br>SALES ASSEMBLY<br><br>MOLEX INCORPORATED |                           |  |  |
|                                                                                                                      |                                   |                                                            |  | CHECKED BY<br>ELO            |  | DATE<br>2005/02/22                                                                                                               |                                                                                    |                           |  |  |
|                                                                                                                      |                                   |                                                            |  | APPROVED BY<br>CUNNINGHAM    |  | DATE<br>2005/02/23                                                                                                               |                                                                                    |                           |  |  |
|                                                                                                                      |                                   |                                                            |  | MATERIAL NO.<br>SEE PREVIOUS |  | DOCUMENT NO.<br>SD-75341-001                                                                                                     |                                                                                    |                           |  |  |
| REV                                                                                                                  |                                   | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |  | SIZE<br>B                    |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                                    |                           |  |  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.