

10

9

8

7

6



5

4

3

2

1



NOTES:

1.MATERIAL:

HOUSING: THERMAL PLASTIC, GLASS FILLED, UL94V-0, COLOR: BLACK;
COVER: THERMAL PLASTIC, COLOR: BLACK;
TERMINAL: COPPER ALLOY.

2.TERMINAL:





CONTACT AREA: GOLD PLATED;
SOLDER TAIL: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.

3.PACKAGING: TRAY. REFER TO PK-67489-001.

4.PRODUCT SPECIFICATION REFER TO PS-67490-00*.

5.MATING PART 67490,67491,67811,47080 SERIES.

6.PRODUCT COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC.



P/N	COMMENTS
67489-1001	GOLD FLASH
67489-1002	GOLD PLATED 0.76 MICRONS
67489-1005	GOLD PLATED 0.38 MICRONS
67489-1081	GOLD FLASH & HALOGEN FREE

NO CHANGE	EC NO: SH2009-0563	2009/02/25	2009/02/25	2009/04/08
DRWN:XQZHANG	CHKD:XJ SONG	APPR:HMWANG	REV	DESCRIPTION
D				

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
4 PLACES	± ---
3 PLACES	± ---
2 PLACES	± 0.2
1 PLACE	± 0.3
ANGULAR ± 1 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
GRATE MA	2004/03/25
CHECKED BY	DATE
YAJUN	2004/03/25
APPROVED BY	DATE
SAM	2004/03/25
MATERIAL NO.	
SEE TABLE	
SIZE	A3

SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
TITLE			
SERIAL ATA RECEPTACLE SIGNAL CABLE CONNECTOR WITHOUT METAL LATCH			
MOLEX INCORPORATED			
DOCUMENT NO.		SHEET NO.	
SD-67489-003		1 OF 2	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9

8

7

6

5

4

3

2

1

10 9 8 7 6 5 4 3 2 1

F







E

D

C

B

A



THESE ARE ONLY FOR 67489-80**, OTHERS
INFORMATION ARE REFERED TO 67489-1001.

P/N	PLATING TYPE	REMARK
67489-8001	GOLD FLASH	WITH HALOGEN
67489-8002	GOLD PLATED 0.76 MICRONS	
67489-8005	GOLD PLATED 0.38 MICRONS	
67489-8081	GOLD FLASH	HALOGEN FREE
67489-8082	GOLD PLATED 0.76 MICRONS	
67489-8085	GOLD PLATED 0.38 MICRONS	

ADD PART NUMBER EC NO: SH2009-0563 DRWN:XQZHANG 2009/02/25 CHKD:XJ SONG 2009/02/25 APPR:HWANG 2009/04/08 D	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY GRATE MA	DATE 2004/03/25	TITLE SERIAL ATA RECEPTACLE SIGNAL CABLE CONNECTOR WITHOUT METAL LATCH MOLEX INCORPORATED	SHEET NO. 2 OF 2		
			4 PLACES	± ---	± ---	CHECKED BY	DATE				
			3 PLACES	± ---	± ---	YAJUN	2004/03/25				
			2 PLACES	± 0.2	± ---	APPROVED BY	DATE				
			1 PLACE	± 0.3	± ---	SAM	2004/03/25	DOCUMENT NO.			
			ANGULAR ± 1 °			MATERIAL NO.		SEE TABLE			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9 8 7 6 5 4 3 2 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.