Trade name: edding 8160 universal öl marker Version: 1.0.0 / GB



Status: 17.08.2007

1.)	Identification of the substance/preparation and of the			
	company/undertaking			
	Identification of the substance or preparation			
	Trade name edding 8160 universal öl marker			
	Use of the substance/preparation multi functional oil Company/undertaking identification Address edding Aktiengesellschaft Bookkoppel 7 D-22926 Ahrensburg Telephone no. +49 (0) 41 02 / 80 8-0 Information provided by / telephone +49 (0)4102 - 808-0 Emergency telephone +49 (0)30 192 40 (Toxic Substance Emergency Call Centre Berlin)			
	Advice on Safety Data Sheet sdb_info@umco.de			
2.)	Hazards identification			
	Hazard symbols	ΟΝΕ		
	R phrases			
	-	ONE		
	The product does not re	ertaining specific risk for human / environment equire a hazard warning label in accordance with Directive 1999/45/EC. No be mentioned. But please observe the information given in this safety data		
3.)	Composition / inform	nation on ingredients		
,	Chemical characterization			
	Concentration > Classification - Hazard symbols -	52-104-2 Index no CAS no. 34590-94-8 1 < 5 %-b.w. R phrases -		
	Other information (chapt The product is an article contained in this product	e. The data subject of this Material Safety Data sheet refer to the liquid		
۷)	First aid measures			
4.)	General information			
		verse effects consult a physician. Change contaminated, saturated clothing.		

Trade name: edding 8160 universal öl marker Version: 1.0.0 / GB



After inhalation

Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Rinse mouth thoroughly with water. Summon a doctor immediately. Never give anything by mouth to an unconscious person.

5.) <u>Fire-fighting measures</u>

Suitable extinguishing media

Foam; Carbon dioxide; Dry chemical extinguisher; Water spray jet

Extinguishing media that must not be used for safety reasons Full water jet

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In the event of fire, the following can be released: Carbon dioxide (CO2) Carbon monoxide (CO)

Special protective equipment for fire-fighters

Use self-contained breathing apparatus. Wear protective clothing.

6.) Accidental release measures

Personal precautions

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

7.) Handling and storage

Handling

Advice on safe handling

Ensure adequate ventilation. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

Storage

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with: Oxidizing agents

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Trade name: edding 8160 universal öl marker Version: 1.0.0 / GB

Status: 17.08.2007

E	Exposure limit values (2-METHOXYMETHYLETHOXY)PROPANOL						
	CAS no. EC no.	34590- 252-10	94-8				
	2000/39/EWG (2-Methoxymethylethoxy)-p TWA Skin resorption / sensibilisation	oropanol 308 Skin	mg/m³		50	ml/m³	
	Occupational Exposure S (2-Methoxymethylethoxy) p TWA Skin resorption / sensibilisation		OESs) / EH4 mg/m³	0	50	ml/m³	
F	Personal protective equipment						
	Respiratory protection If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.						
	Hand protection Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product . Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.						
	antistatic properties). Adhe storage, care and replacen when physically damaged	re to the manent of prote	nufacturer's ective gloves.	instructio Protecti	cal resistance ons and inforr ve gloves sha	e, product compatibility and mation relating to the use, all be replaced immediately	
	antistatic properties). Adhe storage, care and replacen when physically damaged	re to the ma nent of prote or worn. Des	nufacturer's ective gloves. sign operation	instructio Protecti	cal resistance ons and inforr ve gloves sha	e, product compatibility and mation relating to the use, all be replaced immediately	
	antistatic properties). Adhe storage, care and replacen when physically damaged gloves. Eye protection	re to the ma nent of prote or worn. Des otection shie	ective gloves. sign operation eld (EN 166)	instructio Protecti	cal resistance ons and inforr ve gloves sha	e, product compatibility and mation relating to the use, all be replaced immediately	
	antistatic properties). Adhe storage, care and replacen when physically damaged o gloves. Eye protection Safety glasses with side pr Skin protection	re to the manent of protection worn. Dest otection ship emical indus giene meas during work	enufacturer's ective gloves. sign operation eld (EN 166) stry. ures time. Keep a	instructic Protecti ns thus t	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	
<u> </u>	antistatic properties). Adhe storage, care and replacent when physically damaged of gloves. Eye protection Safety glasses with side pr Skin protection Clothing as usual in the cho General protective and hys Do not eat, drink or smoke	re to the manent of protection worn. Dest otection ship emical indus giene meas during work e soiled or s	ective gloves. sign operation eld (EN 166) stry. ures time. Keep a soaked clothin	instructic Protecti ns thus t	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	
-	antistatic properties). Adhe storage, care and replacent when physically damaged of gloves. Eye protection Safety glasses with side pr Skin protection Clothing as usual in the cho General protective and hys Do not eat, drink or smoke with eyes and skin. Remov	re to the manent of protection worn. Dest otection ship emical indus giene meas during work e soiled or s	ective gloves. sign operation eld (EN 166) stry. ures time. Keep a soaked clothin	instructic Protecti ns thus t	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	
(antistatic properties). Adhe storage, care and replacent when physically damaged of gloves. Eye protection Safety glasses with side pr Skin protection Clothing as usual in the cho General protective and hyg Do not eat, drink or smoke with eyes and skin. Remov Physical and chemical General information Form Colour	re to the ma nent of prote or worn. Des otection shid emical indus giene meas during work e soiled or s propertie liquid light vanilla	enufacturer's ective gloves. sign operation eld (EN 166) stry. ures time. Keep a soaked clothin es	instructic Protecti ns thus t away from ng imme	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	
(antistatic properties). Adhe storage, care and replacem when physically damaged of gloves. Eye protection Safety glasses with side pr Skin protection Clothing as usual in the cho General protective and hyg Do not eat, drink or smoke with eyes and skin. Remov Physical and chemical General information Form Colour Odour	re to the ma nent of prote or worn. Des otection shid emical indus giene meas during work e soiled or s propertie liquid light vanilla d environm	enufacturer's ective gloves. sign operation eld (EN 166) stry. ures time. Keep a soaked clothin es	instructic Protecti ns thus t away from ng imme	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	
(antistatic properties). Adhe storage, care and replacem when physically damaged gloves. Eye protection Safety glasses with side pr Skin protection Clothing as usual in the che General protective and hyg Do not eat, drink or smoke with eyes and skin. Remov Physical and chemical General information Form Colour Odour mportant health, safety and Changes in physical state	re to the ma nent of prote or worn. Des otection shid emical indus giene meas during work e soiled or s propertie liquid light vanilla d environm	ental informa	instructic Protecti ns thus t away from ng imme	cal resistance ons and inforr ve gloves sha o avoid perm	e, product compatibility and mation relating to the use, all be replaced immediately anent use of protective	

Trade name: edding 8160 universal öl marker Version: 1.0.0 / GB



Status: 17.08.2007

	Density Value Reference temperature	20	0,81 °C	g/cm³
	Viscosity Type Value	kinematic appr.	8	mm²/s
	Solubility in water Remarks	soluble		
10.)	Stability and reactivity			
	Materials to avoid Oxidizing agents			
	Hazardous decomposition pro No hazardous decomposition			
11.)	Toxicological information	<u>1</u>		
	Experience in practice By appropiate use of the prod	uct no health damage	e is known.	
	Other information (chapter 11. Product specific toxicological			
12.)	Ecological information			
	Persistence and degradability			
	Biodegradability			

Method

Method OEC	CD 302 B
Evaluation not r	readily degradable

Other adverse effects

Ecological data are not available. Do not discharge product unmonitored into the environment.

13.) Disposal considerations

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

14.) <u>Transport information</u>

Other information (chapter 14.)

The product is not defined under national/international road, rail, sea and air transport regulations as a hazardous material.

15.) <u>Regulatory information</u>

Labelling in accordance with EC directives

The product does not require a hazard warning label in accordance with EC Directive 1999/45/EC. The product is an article. The data subject of this Material Safety Data sheet refer to the liquid

Trade name: edding 8160 universal öl marker Version: 1.0.0 / GB



Status: 17.08.2007

	contained in this product (marker).			
	Hazard symbols -	ΝΟΝΕ		
	R phrases -	ΝΟΝΕ		
	S phrases -	ΝΟΝΕ		
	Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances			
	Remarks	Annex I, part 1 + 2: not mentioned. With regard to possibly appropriate decomposition products see Chapter 10.		
	National regulations			
	Other regulations, res VOC	strictions and prohibition regulations 4 %		
16.)	Other information			
	Sources of key data used to compile the data sheet: EC Directive 67/548/EC resp. 99/45/EC as amended in each case. Regulation (EC) No 1907/2006 (REACH) as amended in each case. EC Directives 2000/39/EC, 2006/15/EC as amended in each case. National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.			
		ased on our present state of knowledge. However, it should not constitute a ecific product properties and shall not establish a legally valid relationship.		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный) **Факс:** 8 (812) 320-02-42 **Электронная почта:** <u>org@eplast1.ru</u> **Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.