




PRODUCT NUMBER
89025-XYX
89025-XYXLF



mat'l code				--		tolerances unless otherwise specified				CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3				COPY			title			
CP	V06-0573	DCH	2006-06-14		0.XX ±0.13				projection			METRAL SIGNAL HEADER			
CR	DG09-0256	TER	2009-08-19		.XXX ±.051				1 MOD, 5 ROW PRESS-FIT						
-	-	-	-	angles	0° ±2°						product family		METRAL		code
CK	V03-0031	TAB	02/08/03	dr	T.BRUNGARD 11/19/99				MM		size	dwg no	213		
CL	V03-1321	DAI	01/15/04	enrg	M.STRAWSER 11/19/99				scale				sheet		
CM	V04-0459	LP	5/25/04	chr	M.STRAWSER 11/19/99				2:1		A	89025	1 of 8		
CN	V05-0030	DAI	02/10/05	appd	M.STRAWSER 02/29/00										
sheet		revision		CR	CR	CR	CR	CR	CR	CR	CR	CR	CR	CR	CR
index		sheet		1	2	3	4	5	6	7	8				


cage code 22526

Pro/E



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-10



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
23	8.00	17.70
24	6.50	16.30
25	5.75	15.60
26	5.00	14.90
27	5.75	12.40
29	8.00	14.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
32	6.50	12.90
38	7.25	14.40
39	8.00	14.40
40	5.00	15.60
41	6.50	15.60
44	5.75	12.10
45	6.50	12.10
49	5.75	15.10
54	5.00	11.50

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com					
lfr	ecn no.	dr	date	linear	0.X ± 0.3		COPY						
CR					0.XX ± 0.13		projection						
					.XXX $\pm .051$								
				angles	0° $\pm 2^\circ$				title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT				
				dr	T.BRUNGARD	11/19/99							
				enrg	M.STRAWSE	11/19/99							
				chr	M.STRAWSE	11/19/99	scale		product family		METRAL	code	
				appd	M.STRAWSE	02/29/00	1:1		size		dwg no	213	
sheet index		revision sheet							A		89025		sheet 2

cage code 22526

Pro/E


PDM: Rev:CR

STATUS: Released

Printed: Sep 16, 2009



		1 2						3						4									
METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6
89025-X01 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10	89025-X05 SEE NOTE 10 LEAD FREE OPTION	E	26	12	12	12	12	23	89025-X09 SEE NOTE 10 LEAD FREE OPTION	E	21	21	11	11	10	11
	D	10	10	10	10	10	10		D	26	12	12	12	12	23		D	21	21	11	11	11	11
	C	9	9	9	9	9	9		C	23	12	12	12	12	23		C	21	21	11	11	11	11
	B	10	10	10	10	10	10		B	24	12	12	12	12	23		B	21	21	11	11	11	11
	A	3	3	3	3	3	3		A	24	12	12	12	12	23		A	21	21	11	11	11	11
89025-X02 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	3	2	89025-X06 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X10 SEE NOTE 10 LEAD FREE OPTION	E	3	19	3	3	19	3
	D	2	2	2	3	2	2		D	25	25	25	25	25	25		D	19	3	3	19	3	3
	C	2	1	2	3	3	2		C	25	25	25	25	25	25		C	3	1	19	3	3	19
	B	2	2	2	3	2	2		B	25	25	25	25	25	25		B	3	19	3	3	19	3
	A	2	2	2	3	3	2		A	25	25	25	25	25	25		A	3	3	19	3	3	3
89025-X03 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	2	2	89025-X07 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2	89025-X11 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	2	2	2	3	2	2		D	6	6	6	6	6	6		D	10	10	10	10	10	10
	C	2	1	2	3	2	2		C	6	6	6	6	6	6		C	10	10	10	10	10	10
	B	2	2	2	3	2	2		B	6	6	6	6	6	6		B	10	10	10	10	10	10
	A	2	2	2	3	2	2		A	6	6	6	6	6	6		A	2	2	2	2	2	2
89025-X04 SEE NOTE 10 LEAD FREE OPTION	E	12	25	23	23	23	25	89025-X08 SEE NOTE 10 LEAD FREE OPTION	E	4	2	19	19	19	2	89025-X12 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	12	25	23	23	23	25		D	4	2	19	19	19	2		D	9	9	9	9	9	9
	C	12	25	23	23	23	25		C	4	2	19	19	19	2		C	10	10	10	10	10	10
	B	12	25	23	23	23	25		B	4	2	19	19	19	2		B	10	10	10	10	10	10
	A	12	25	23	23	23	25		A	4	2	19	19	19	2		A	3	3	3	3	3	3
89025-X13 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10	89025-X14 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X15 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	3
	D	9	9	9	9	9	9		D	25	25	25	25	25	25		D	3	3	19	19	3	3
	C	10	10	10	10	10	10		C	25	25	25	25	25	25		C	3	3	19	19	3	3
	B	10	10	10	10	10	10		B	25	25	25	25	25	25		B	3	3	19	19	3	3
	A	2	2	2	2	2	2		A	2	2	2	2	2	2		A	3	3	19	19	3	3
89025-X17 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2	89025-X18 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6	89025-X19 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	1	1	1
	D	2	2	2	2	2	2		D	6	6	6	6	6	6		D	3	3	3	3	3	3
	C	4	4	4	4	4	4		C	8	8	8	8	8	8		C	3	3	3	3	3	3
	B	2	2	2	2	2	1		B	6	6	6	6	6	5		B	3	3	3	3	3	3
	A	2	2	2	2	2	2		A	6	6	6	6	6	6		A	3	3	3	3	3	3
89025-X16 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	4	89025-X20 SEE NOTE 10 LEAD FREE OPTION	E	1	4	4	4	4	19		E	1	4	4	4	4	19
	D	3	3	19	19	3	4		D	1	4	4	4	4	19		D	1	4	4	4	4	19
	C	3	3	19	19	3	4		C	19	4	4	4	4	19		C	19	4	4	4	4	19
	B	3	3	19	19	3	4		B	3	4	4	4	4	19		B	3	4	4	4	4	19
	A	3	3	19	19	3	4		A	3	4	4	4	4	19		A	3	4	4	4	4	19

mat'l code				--				tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
lfr	ecn no.	dr	date	linear	0.X ±0.3				COPY			title																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
CR					0.XX ±0.13				projection			METRAL SIGNAL HEADER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					.XXX ±.051							1 MOD, 5 ROW PRESS-FIT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					0° ±2°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				dr	T.BRUNGARD	11/19/99				product family				code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				engr	M.STRAWSER	11/19/99				METRAL				213																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				chr	M.STRAWSER	11/19/99				size				sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				appd	M.STRAWSER	02/29/00				A				89025																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
sheet index	revision sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ					
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com					
CR					0.XX ±0.13	projection	title		METRAL SIGNAL HEADER				
					.XXX ±.051		product family		METRAL				
					0° ±2°		size		dwg no		213		
				angles	dr	T.BRUNGARD	11/19/99	MM		sheet		3	
					enrg	M.STRAWSE	11/19/99	1:1		A		89025	
					chr	M.STRAWSE	11/19/99						
					appd	M.STRAWSE	02/29/00						
sheet	revision												
index	sheet												



1 2										3										4																				
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I										
89025-X21 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X25 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X29 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X33 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	89025-X37 SEE NOTE 10 LEAD FREE OPTION	E	11	11	11	11	11	11	
	D	40	40	40	40	40	40		D	3	3	3	3	3	3		D	1	1	1	1	1	1		D	40	40	40	40	40	40		D	11	11	40	11	11	11	
	C	25	25	25	25	25	25		C	3	3	3	3	3	3		C	1	1	1	1	1	1		C	25	25	25	25	25	25		C	11	11	11	11	11	11	
	B	25	25	25	25	25	25		B	3	3	3	3	3	3		B	1	1	1	1	1	1		B	25	25	25	25	25	25		B	11	11	11	11	11	11	
	A	3	3	3	3	3	3		A	3	3	3	3	3	3		A	1	1	1	1	1	1		A	41	41	41	41	41	41		A	11	11	11	11	11	11	
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I										
89025-X22 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	89025-X26 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X30 SEE NOTE 10 LEAD FREE OPTION	E	1	4	1	1	1	1	89025-X34 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	13	13	13	89025-X38 SEE NOTE 10 LEAD FREE OPTION	E	49	49	49	49	49	49	
	D	1	1	1	1	1	1		D	3	3	-	-	-	-		D	1	1	1	1	1	4		D	4	4	4	13	13	13		D	49	49	49	49	49	49	
	C	1	1	1	1	1	1		C	3	3	-	-	-	-		C	1	1	1	4	1	1		C	4	4	4	13	13	13		C	49	49	49	49	49	49	
	B	19	4	4	4	4	4		B	3	3	-	-	-	-		B	1	4	1	1	1	1		B	4	4	4	13	13	13		B	49	49	49	49	49	49	
	A	1	1	1	1	1	1		A	3	3	-	-	-	-		A	1	1	1	1	1	4		A	4	4	4	13	13	13		A	49	49	49	49	49	49	
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I										
89025-X23 SEE NOTE 10 LEAD FREE OPTION	E	2	-	2	-	2	-	89025-X27 SEE NOTE 10 LEAD FREE OPTION	E	32	32	32	32	32	32	89025-X31 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	3	1	1	89025-X35 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	89025-X39 SEE NOTE 10 LEAD FREE OPTION	E	44	44	44	44	44	44	
	D	-	-	-	-	-	-		D	32	32	32	32	32	32		D	1	1	1	3	1	1		D	40	1	1	1	1	1		1	D	44	44	44	44	44	44
	C	2	-	2	-	2	-		C	32	32	32	32	32	32		C	3	3	1	3	1	1		C	1	1	1	1	1	1		1	C	44	44	44	44	44	44
	B	-	-	-	-	-	-		B	32	32	32	32	32	32		B	1	1	1	1	1	1		B	1	1	1	1	1	1		1	B	44	44	44	44	44	44
	A	2	-	2	-	2	-		A	32	32	32	32	32	32		A	4	4	4	4	4	4		A	1	1	1	1	1	1		1	A	44	44	44	44	44	44
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I										
89025-X24 SEE NOTE 10 LEAD FREE OPTION	E	4	2	2	2	2	2	89025-X28 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	89025-X32 SEE NOTE 10 LEAD FREE OPTION	E	45	45	45	45	45	45	89025-X36 SEE NOTE 10 LEAD FREE OPTION	E	8	8	8	14	14	14	89025-X40 SEE NOTE 10 LEAD FREE OPTION	E	12	12	12	15	15	15	
	D	4	2	2	2	2	2		D	1	1	1	1	1	1		D	45	45	45	45	45	45		D	8	8	8	14	14	14		D	12	12	12	15	15	15	
	C	4	2	2	2	2	2		C	1	1	1	1	1	1		C	45	45	45	45	45	45		C	8	8	8	14	14	14		C	12	12	12	15	15	15	
	B	4	2	2	2	2	2		B	1	1	1	1	1	1		B	45	45	45	45	45	45		B	8	8	8	14	14	14		B	12	12	12	15	15	15	
	A	4	2	2	2	2	2		A	1	1	1	1	1	1		A	45	45	45	45	45	45		A	8	8	8	14	14	14		A	12	12	12	15	15	15	

mat'l code

- -

tolerances unless otherwise specified

lfr

ecn no.

dr

date

linear

0. x ±0.3

0. xx ±0.13

.xxx ±.051

0° ±°

dr

T.BRUNGARD

11/19/99

enrg

M. STRAWSER

11/19/99

chr

M. STRAWSER

11/19/99

appd

M. STRAWSER

02/29/00

sheet index

revision sheet

CUSTOMER

COPY

projection

MM

scale

1:1

www.fciconnect.com

title

METRAL SIGNAL HEADER

1 MOD, 5 ROW PRESS-FIT

product family

METRAL

code

213

size

dwg no

89025

sheet


4

A

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fcjconnect.com				
lfr	ecn no.	dr	date	linear	0.X ± 0.3			COPY						
CR					0.XX ± 0.13			projection						
					.XXX $\pm .051$									
					0° $\pm 2^\circ$									
				angles	dr	T.BRUNGARD	11/19/99			title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT				
				enrg	M.STRAWSE	11/19/99	product family					METRAL	code	
				chr	M.STRAWSE	11/19/99	size					dwg no	213	
				appd	M.STRAWSE	02/29/00	A					89025	sheet	
sheet		revision												
index		sheet												



1 2											3											4																	
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I									
89025-X41 SEE NOTE 10 LEAD FREE OPTION	E	1	-	-	1	-	1	89025-X45 SEE NOTE 10 LEAD FREE OPTION	E	1	3	3	3	3	3	89025-X49 SEE NOTE 10 LEAD FREE OPTION	E	1	1	-	1	1	-	89025-X53 SEE NOTE 10 LEAD FREE OPTION	E	7	5	5	5	5	89025-X57 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4		
	D	1	-	-	1	-	1		D	3	3	3	3	3	D		1	1	-	1	1	-	D		7	5	5	5	5	D		13	4	4	4	4			
	C	1	-	-	1	-	1		C	3	3	3	3	3	C		-	-	-	-	-	-	C		7	5	5	5	5	C		13	4	4	4	4			
	B	1	-	-	1	-	1		B	3	3	3	3	3	B		1	1	-	1	1	-	B		7	5	5	5	5	B		4	4	4	4	4			
	A	1	-	-	1	-	1		A	3	3	3	3	3	A		1	1	-	1	1	-	A		7	5	5	5	5	A		13	13	13	13	13			
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I									
89025-X42 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4	89025-X46 SEE NOTE 10 LEAD FREE OPTION	E	1	9	1	9	1	9	1	89025-X50 SEE NOTE 10 LEAD FREE OPTION	E	1	1	9	1	9	1	89025-X54 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	89025-X58 SEE NOTE 10 LEAD FREE OPTION	E	2	0	7	7	7	
	D	4	4	4	4	4	4		D	1	9	1	9	1	9	1		D	1	1	9	1	9	1		D	2	2	2	2	2		D	2	0	7	7	7	
	C	4	4	4	4	4	4		C	1	9	1	9	1	9	1		C	1	1	9	1	9	1		C	2	2	2	2	2		C	2	0	7	7	7	
	B	1	9	1	9	1	9		1	B	1	9	1	9	1	9		1	B	1	1	9	1	9		1	B	2	2	2	2		2	B	2	0	7	7	7
	A	1	9	1	9	1	9		1	A	1	9	1	9	1	9		1	A	1	1	9	1	9		1	A	2	2	2	2		2	A	2	0	7	7	7
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I									
89025-X43 SEE NOTE 10 LEAD FREE OPTION	E	1	9	1	9	1	9	89025-X47 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	4	4	89025-X51 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X55 SEE NOTE 10 LEAD FREE OPTION	E	1	9	1	9	1	89025-X59 SEE NOTE 10 LEAD FREE OPTION	E	1	9	3	3	3		
	D	1	9	1	9	1	9		D	2	2	2	2	4	4		D	-	-	-	-	-	D		1	1	9	1	9	1		D	1	9	3	3	3		
	C	4	4	4	4	4	4		C	2	2	2	2	2	2		C	-	2	-	2	-	2		C	1	1	9	1	9		1	C	1	9	3	3	3	
	B	4	4	4	4	4	4		B	2	2	2	2	1	9		9	B	-	-	-	-	-		B	1	1	9	1	9		1	B	1	9	3	3	3	
	A	4	4	4	4	4	4		A	2	2	2	2	1	9		9	A	-	2	-	2	-		2	A	1	1	9	1		9	1	A	1	9	3	3	3
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I									
89025-X44 SEE NOTE 10 LEAD FREE OPTION	E	2	0	2	0	2	0	89025-X48 SEE NOTE 10 LEAD FREE OPTION	E	3	-	3	-	3	-	89025-X52 SEE NOTE 10 LEAD FREE OPTION	E	1	3	3	3	3	1	89025-X56 SEE NOTE 10 LEAD FREE OPTION	E	7	7	7	7	7	89025-X60 SEE NOTE 10 LEAD FREE OPTION	E	1	9	1	9	1	-	
	D	2	0	2	0	2	0		D	3	-	3	-	3	-		D	3	3	3	3	3	1		D	7	7	4	4	7		7	D	1	9	1	9	1	-
	C	8	8	8	8	8	8		C	-	-	-	-	-	C		3	3	3	3	3	1	C		7	7	7	7	7	7		C	1	9	1	9	1	-	
	B	8	8	8	8	8	8		B	3	-	3	-	3	-		B	3	3	3	3	3	1		B	7	7	7	7	7		7	B	1	9	1	9	1	-
	A	8	8	8	8	8	8		A	3	-	3	-	3	-		A	3	3	3	3	3	1		A	7	7	7	7	7		7	A	1	9	1	9	1	-

mat'l code				- -				tolerances unless otherwise specified				CUSTOMER		 www.fcjconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
lfr	ecn no.	dr	date	linear	0 . X ±0.3				COPY			title																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
CR					0 . XX ±0.13				projection			METRAL SIGNAL HEADER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
					. XXX ±.051							I MOD, 5 ROW PRESS-FIT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
					0° ±2°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				angles								product family				code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				dr	T.BRUNGARD 11/19/99							METRAL				213																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				engr	M.STRAWSER 11/19/99							size dwg no				sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				chr	M.STRAWSER 11/19/99							A 89025				5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				appd	M.STRAWSER 02/29/00						scale 1:1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
sheet index		revision sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
CR					0.XX ±0.13			projection		METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
					.XXX ±.051					product family	
					0° ±2°					METRAL	
				dr	T.BRUNGARD	11/19/99	MM		size		code
				enr	M.STRAWER	11/19/99	1:1		dwg no		213
				chr	M.STRAWER	11/19/99			A		sheet
				appd	M.STRAWER	02/29/00			89025		5
sheet index	revision sheet										




1						2						3						4																				
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X61 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	89025-X65 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	19	89025-X69 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	8	89025-X73 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7
	D	3	19	3	3	3		D	3	3	3	3	3	19		D	14	7	8	8	8	D		2	-	2	-	2	-	D		7	7	7	7	7	7	
	C	3	19	3	3	3		C	3	3	3	3	3	19		C	14	7	8	8	8	C		-	2	-	2	-	2	C		7	7	7	7	7	7	
	B	19	19	3	3	3		B	3	3	3	3	3	19		B	14	7	8	8	8	B		2	-	2	-	2	-	B		7	7	7	7	7	7	
	A	19	19	3	3	3		A	3	3	3	3	3	19		A	14	7	5	8	8	8		A	-	2	-	2	-	2		A	7	7	7	7	7	7
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X62 SEE NOTE 10 LEAD FREE OPTION	E	1	-	1	-	1	89025-X66 SEE NOTE 10 LEAD FREE OPTION	E	3	1	1	1	1	1	89025-X70 SEE NOTE 10 LEAD FREE OPTION	E	13	2	4	4	4	4	89025-X74 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	89025-X78 SEE NOTE 10 LEAD FREE OPTION	E	54	54	39	54	54	54	
	D	-	1	-	1	-		D	3	1	1	1	1	1		D	13	3	4	4	4	4		D	2	-	2	-	2		-	D	54	54	39	54	54	54
	C	1	-	1	-	1		C	3	1	1	1	1	1		C	13	3	4	4	4	4		C	-	2	-	2	-		2	C	54	54	39	54	54	54
	B	-	1	-	1	-		B	3	1	1	1	1	1		B	13	3	4	4	4	4		B	2	-	2	-	2		-	B	54	54	39	54	54	54
	A	1	-	1	-	1		A	3	1	1	1	1	1		A	13	3	1	4	4	4		A	-	2	-	2	-		2	A	54	54	39	54	54	54
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X63 SEE NOTE 10 LEAD FREE OPTION	E	8	27	29	29	27	89025-X67 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	20	20	20	89025-X71 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	8	8	8	89025-X75 SEE NOTE 10 LEAD FREE OPTION	E	54	54	54	54	39	54	89025-X79 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1
	D	8	27	29	29	27		D	5	5	20	20	20	20		D	20	20	20	8	8	8		D	54	54	54	54	39	54		D	1	1	1	1	1	1
	C	8	27	29	29	27		C	5	5	20	20	20	20		C	20	20	20	8	8	8		C	54	54	54	54	39	54		C	2	2	2	2	1	1
	B	8	27	29	29	27		B	5	5	20	20	20	20		B	20	20	20	8	8	8		B	54	54	54	54	39	54		B	1	1	1	1	1	1
	A	8	27	29	29	27		A	5	5	20	20	20	20		A	20	20	20	8	8	8		A	54	54	54	54	39	54		A	1	1	1	1	1	1
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X64 SEE NOTE 10 LEAD FREE OPTION	E	45	-	45	-	45	89025-X68 SEE NOTE 10 LEAD FREE OPTION	E	21	21	21	21	21	21	89025-X72 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	4	4	4	89025-X76 SEE NOTE 10 LEAD FREE OPTION	E	3	3	1	19	3	3	89025-X80 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5
	D	45	-	45	-	45		D	9	9	21	21	21	21		D	19	19	19	4	4	4		D	3	3	3	3	3	3		D	5	5	5	5	5	5
	C	-	-	-	-	-		C	9	9	21	21	21	21		C	19	19	19	4	4	4		C	3	3	3	3	3	3		C	6	6	6	6	5	5
	B	45	-	45	-	45		B	9	9	21	21	21	21		B	19	19	19	4	4	4		B	3	3	3	3	3	3		B	5	5	5	5	5	5
	A	45	-	45	-	45		A	9	9	21	21	21	21		A	19	19	19	4	4	4		A	3	3	3	3	3	3		A	5	5	5	5	5	5
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X65 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	89025-X69 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	89025-X73 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7									
	D	3	19	3	3	3		D	3	3	3	3	3		19	D	14	7	8	8	8		D	2	-	2	-	2	-	D	7	7	7	7	7	7		
	C	3	19	3	3	3		C	3	3	3	3	3		19	C	14	7	8	8	8		C	-	2	-	2	-	2	C	7	7	7	7	7	7		
	B	19	19	3	3	3		B	3	3	3	3	3		19	B	14	7	8	8	8		B	2	-	2	-	2	-	B	7	7	7	7	7	7		
	A	19	19	3	3	3		A	3	3	3	3	3		19	A	14	7	5	8	8		8	A	-	2	-	2	-	2	A	7	7	7	7	7	7	
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X66 SEE NOTE 10 LEAD FREE OPTION	E	3	1	1	1	1	89025-X70 SEE NOTE 10 LEAD FREE OPTION	E	13	2	4	4	4	89025-X74 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	89025-X78 SEE NOTE 10 LEAD FREE OPTION	E	54	54	39	54	54	54										
	D	3	1	1	1	1		D	13	3	4	4	4		4	D	2	-	2	-		2	-	D	54	54	39	54	54	54	D	54	54	39	54	54	54	
	C	3	1	1	1	1		C	13	3	4	4	4		4	C	-	2	-	2		-	2	-	C	54	54	39	54	54	54	C	54	54	39	54	54	54
	B	3	1	1	1	1		B	13	3	4	4	4		4	B	2	-	2	-		2	-	B	54	54	39	54	54	54	B	54	54	39	54	54	54	
	A	3	1	1	1	1		A	13	3	1	4	4		4	A	-	2	-	2		-	2	-	A	54	54	39	54	54	54	A	54	54	39	54	54	54
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X67 SEE NOTE 10 LEAD FREE OPTION	E	8	27	29	29	27	89025-X71 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	8	8	8	89025-X75 SEE NOTE 10 LEAD FREE OPTION	E	54	54	54	54	39	54	89025-X79 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1								
	D	8	27	29	29	27		D	5	5	20	20	20	20		D	20	20	20	8	8	8		D	54	54	54	54	39	54	D	1	1	1	1	1	1	
	C	8	27	29	29	27		C	5	5	20	20	20	20		C	20	20	20	8	8	8		C	54	54	54	54	39	54	C	2	2	2	2	1	1	
	B	8	27	29	29	27		B	5	5	20	20	20	20		B	20	20	20	8	8	8		B	54	54	54	54	39	54	B	1	1	1	1	1	1	
	A	8	27	29	29	27		A	5	5	20	20	20	20		A	20	20	20	8	8	8		A	54	54	54	54	39	54	A	1	1	1	1	1	1	
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X68 SEE NOTE 10 LEAD FREE OPTION	E	45	-	45	-	45	89025-X72 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	4	4	4	89025-X76 SEE NOTE 10 LEAD FREE OPTION	E	3	3	1	19	3	3	89025-X80 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5								
	D	45	-	45	-	45		D	9	9	21	21	21	21		D	19	19	19	4	4	4		D	3	3	3	3	3	3	D	5	5	5	5	5	5	
	C	-	-	-	-	-		C	9	9	21	21	21	21		C	19	19	19	4	4	4		C	3	3	3	3	3	3	C	6	6	6	6	5	5	
	B	45	-	45	-	45		B	9	9	21	21	21	21		B	19	19	19	4	4	4		B	3	3	3	3	3	3	B	5	5	5	5	5	5	
	A	45	-	45	-	45		A	9	9	21	21	21	21		A	19	19	19	4	4	4		A	3	3	3	3	3	3	A	5	5	5	5	5	5	
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X69 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	89025-X73 SEE NOTE 10 LEAD FREE OPTION	E	14	6	8	8	8	89025-X77 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2	89025-X81 SEE NOTE 10 LEAD FREE OPTION	E	7	7	5	20	7	7									
	D	3	19	3	3	3		D	3	3	3	3	3		19	D	14	7	8	8	8		D	2	-	2	-	2	-	D	7	7	7	7	7	7		
	C	3	19	3	3	3		C	3	3	3	3	3		19	C	14	7	8	8	8		C	-	2	-	2	-	2	C	7	7	7	7	7	7		
	B	19	19	3	3	3		B	3	3	3	3	3		19	B	14	7	8	8	8		B	2	-	2	-	2	-	B	7	7	7	7	7	7		
	A	19	19	3	3	3		A	3	3	3	3	3		19	A	14	7	5	8	8		8	A	-	2	-	2	-	2	A	7	7	7	7	7	7	
METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I					METRAL P/N		ROW	CONTACT CODE MOD. I											
89025-X70 SEE NOTE 10 LEAD FREE OPTION	E	13	2	4	4	4	89025-X74 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	89025-X78 SEE NOTE 10 LEAD FREE OPTION	E	54	54	39	54	54	54																	
	D	13	3	4	4	4		4	D	2	-	2	-		2	-	D	54	54	39	54	54	54	D	54	54	39	54	54	54	D	54	54	39	54	54	54	
	C	13	3	4	4	4		4	C	-	2	-	2		-	2	-	C	54	54	39	54	54	54	C	54	54	39	54	54	54	C	54	54	39	54	54	54
	B																																					

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ		www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		projection	title		
CR					0.XX ±0.13						METRAL SIGNAL HEADER		
					.XXX ±.051						1 MOD, 5 ROW PRESS-FIT		
					0° ±2°								
				angles	dr	T.BRUNGARD	11/19/99	MM	scale	1:1	product family		code
				enrg	M.STRAWSE	11/19/99	METRAL				213		
				chr	M.STRAWSE	11/19/99	size				6		
				appd	M.STRAWSE	02/29/00	dwg no				89025		
sheet index		revision sheet											



1 2										3										4																										
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I																
89025-X81 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	2	2	89025-X85 SEE NOTE 10 LEAD FREE OPTION		E	-	-	-	-	3	-	89025-X89 SEE NOTE 10 LEAD FREE OPTION		E	4	2	2	2	2	2	89025-X93 SEE NOTE 10 LEAD FREE OPTION		E	2	3	2	2	4	4	89025-X97 SEE NOTE 10 LEAD FREE OPTION		E	3	3	3	3	-	3		
		D	2	2	2	2	2	2			D	-	-	-	-	3	-			D	4	2	2	2	2	2			D	2	3	2	2	4	4			D	3	3	3	3	-	3		
		C	2	2	2	2	1	1			C	-	-	-	-	-	-			-	C	4	2	2	2	2			2	C	2	3	2	2	4			4	C	3	3	3	3	3	3	
		B	1	1	1	1	1	1			B	-	-	-	-	3	-			B	4	2	2	2	2	2			2	B	2	3	2	2	4			4	B	3	3	3	3	3	3	
		A	1	1	1	1	1	1			A	-	-	-	3	3	-			A	4	2	2	2	1	4			A	2	3	2	2	4	4			A	3	3	3	-	-	3		
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I																
89025-X82 SEE NOTE 10 LEAD FREE OPTION		E	7	-	38	38	-	7	89025-X86 SEE NOTE 10 LEAD FREE OPTION		E	19	3	3	3	3	3	89025-X90 SEE NOTE 10 LEAD FREE OPTION		E	19	3	3	3	2	1	89025-X94 SEE NOTE 10 LEAD FREE OPTION		E	19	3	3	3	3	89025-X98 SEE NOTE 10 LEAD FREE OPTION		E	4	4	4	19	19	19			
		D	7	-	38	38	-	7			D	19	3	3	3	3	1			D	19	3	3	3	2	1			D	3	19	3	3	3			3	D	4	4	4	19	19	19		
		C	7	-	38	38	-	7			C	19	3	3	3	3	1			C	19	3	3	3	2	1			C	3	19	3	3	3			3	C	4	4	4	19	19	19		
		B	7	-	38	38	-	7			B	19	3	3	3	3	2			B	19	3	3	3	2	1			B	19	19	3	3	3			3	B	4	4	4	19	19	19		
		A	7	-	38	38	-	7			A	19	3	3	3	3	3			A	19	3	3	3	2	1			A	19	19	3	3	3			3	A	4	4	4	19	19	19		
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I																
89025-X83 SEE NOTE 10 LEAD FREE OPTION		E	1	1	1	-	1	1	89025-X87 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	1	2	89025-X91 SEE NOTE 10 LEAD FREE OPTION		E	20	7	7	7	6	5	89025-X95 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	2	2	89025-X99 SEE NOTE 10 LEAD FREE OPTION		E	8	8	8	20	20	20		
		D	1	1	1	-	1	1			D	2	2	2	2	2	2			D	20	7	7	7	6	5			D	2	2	2	2	2	2			D	8	8	8	20	20	20		
		C	1	1	1	-	1	1			C	3	3	3	3	3	3			C	20	7	7	7	6	5			C	1	2	2	2	2	2			C	8	8	8	20	20	20		
		B	1	1	1	-	-	-			B	2	2	2	2	2	2			B	20	7	7	7	6	5			B	2	2	2	2	2	2			B	8	8	8	20	20	20		
		A	1	1	1	1	1	1			A	2	2	2	2	2	2			A	20	7	7	7	6	5			A	2	2	2	2	2	2			A	8	8	8	20	20	20		
METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I						METRAL P/N		ROW	CONTACT CODE MOD. I																
89025-X84 SEE NOTE 10 LEAD FREE OPTION		E	7	7	7	7	7	7	89025-X88 SEE NOTE 10 LEAD FREE OPTION		E	2	2	2	2	2	2	89025-X92 SEE NOTE 10 LEAD FREE OPTION		E	19	4	4	4	4	4	89025-X96 SEE NOTE 10 LEAD FREE OPTION		E	3	3	3	-	3	3			E	3	3	3	-	3	3		
		D	7	4	1	7	7	7			7	D	2	2	2	2	2			2	D	19	4	4	4	4			4	D	3	3	3	-	3			3	D	3	3	3	-	3	3	
		C	4	1	7	4	1	7			7	7	C	4	2	2	2			2	2	C	19	4	4	4			4	4	C	3	3	3	-			3	3	C	3	3	3	-	3	3
		B	7	7	4	1	7	7			7	B	2	2	2	2	2			2	B	19	4	4	4	4			4	B	3	3	3	-	-			-	B	3	3	3	-	-	-	
		A	7	7	7	4	5	7			7	A	2	2	2	2	2			2	A	19	4	4	4	4			4	A	3	3	3	3	3			3	A	3	3	3	3	3	3	

mat'l code				- -				tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com			
lfr	ecn no.	dr	date	linear	0.X ±0.3				COPY			title					
CR					0.XX ±0.13				projection			METRAL SIGNAL HEADER					
					.XXX ±.051							1 MOD, 5 ROW PRESS-FIT					
					0° ±2°												
				dr	T.BRUNGARD	11/19/99				product family				METRAL		code	
				engr	M.STRAWSER	11/19/99				size				dwg no		213	
				chr	M.STRAWSER	11/19/99				scale						sheet	
				appd	M.STRAWSER	02/29/00				1:1				A		89025	
sheet index	revision sheet																

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com		
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY	title	METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
CR					0.XX ±0.13					
					.XXX ±.051					
				angles	0° ±2°	MM	scale	product family	METRAL	
				dr	T.BRUNGARD					11/19/99
				enrg	M.STRAWSE					11/19/99
				chr	M.STRAWSE	11/19/99	size	dwg no	code	
				appd	M.STRAWSE	02/29/00				
sheet	revision									
index	sheet									

PRODUCT NUMBER

89025-XYX

89025-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
55422 -XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION GS-I2-180
APPLICATION SPECIFICATION BUS-20-073
8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
10. FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89025-X01LF

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
CR					0.XX ±0.13	projection			
					.XXX ±.051				
				angles	0° ±2°				
				dr	T.BRUNGARD	11/19/99	MM		product family
				enrg	M.STRAWSER	11/19/99			METRAL
				chr	M.STRAWSER	11/19/99	scale		code
				appd	M.STRAWSER	02/29/00	1:1		213
sheet	revision								sheet
index	sheet								8

cage code 22526

Pro/E



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.