

**SMA TOOLBOX**  
**SEMI-RIGID CABLE**

**R282.120.010**

Series : OUT



Issue : 0050 A


In the effort to improve our product, we reserve the right to make changes judged to be necessary.



**SMA TOOLBOX**  
**SEMI-RIGID CABLE**

**R282.120.010**

Series : OUT



| N  | REFERENCE     | MARK | DESIGNATION                                            |
|----|---------------|------|--------------------------------------------------------|
| 1  | R282.059.100. |      | Cable holder                                           |
| 2  | R282.862.060  |      | Solder gauge (cab .085 : mark 61, cab .141 : mark 62)  |
| 3  | R282.744.200  | 84   | Soldering positioner for right angle SMA               |
| 4  | R282.053.100  |      | Stripping tool                                         |
| 5  | R282.066.100  |      | Trimmer                                                |
| 6  | R282.744.220  |      | Soldering positioner for center contact                |
| 7  | R282.744.060  | 85   | Soldering positioner for male SMA cable .085           |
| 8  | R282.744.062  | 78   | Soldering positioner for male SMA B cable .085         |
| 9  | R282.744.201  | 88   | Soldering positioner for right angle SMA B             |
| 10 | R282.744.010  | 80   | Soldering positioner for female cable .085             |
| 11 | R282.744.011  | 86   | Soldering positioner for female cable.141              |
| 12 | R282.200.000  |      | Retaining ring pliers                                  |
| 13 | R282.760.000  |      | Retaining ring insert tool                             |
| 14 | R282.915.010  |      | Dielectric recess tool                                 |
| 15 | R282.914.010  | 92   | Dielectric recess gauge for female                     |
| 16 | R282.857.010  | 81   | Control gauge for female                               |
| 17 | R282.744.100  | 82   | Soldering positioner for male                          |
| 18 | R282.857.000  | 83   | Control gauge for male                                 |
| 19 | R282.914.000  | 93   | Dielectric recess gauge for male                       |
| 20 | R282.744.063  | 77   | Soldering positioner for maleSMA B cable .141          |
| 21 | R282.744.061  | 87   | Soldering positioner for male SMA cable .141           |
| 22 | R282.740.000  |      | Soldering assembly jig                                 |
| 23 | R282.730.040  |      | Dielectric insert tool + dielectric plunger for male   |
| 24 | R282.730.043  |      | Dielectric insert tool + dielectric plunger for female |

Issue : 0050 A

In the effort to improve our product, we reserve the right to make changes judged to be necessary.





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.