





P/N (See note 4)
85763-XYZZLF
With X : Plating dash number Y : Termination dash number ZZ: Loading dash number

X	PLATING CONTACT AREA
1	STANDARD PLATING See product specification GS-12-447

Y	DIMENSION A
1	4.3
2	13.6

ZZ	CONTACT LOADING
	SEE NEXT PAGE



RECOMMENDED LAYOUT



GENERAL CHARACTERISTIC AND ROHS INFORMATIONS
SEE PRODUCT SPECIFICATION : GS-12-447

NOTES :

1 - FLAT ROCK PRODUCT, NO SPECIFIC TOOL NEEDED FOR PRESS-FIT INSERTION
2 - PRESS-FIT : EON SHAPE
3 - TUBE PACKAGING : SEE NEXT PAGE
4 - STANDARD PLATING ON PRESS FIT AREA : PURE TIN
TIN LEAD PLATING AVAILABLE ONLY FOR CONTACT LENGHT Y :"1" ON REQUEST



"Y" : 1



"Y" : 2

rev	ecn no	dr	date
R	F12-0026	APA	2012/03/12
-	---	-	---
K	LS05-0076	LGO	2005/09/01
L	L06-0097	LGO	2006/07/08
M	L07-0142	MLE	2007/05/22
N	F10-0027	LSA	2010/04/09
P	F10-0046	LSA	2010/05/04

www.fciconnect.com

surface - ISO 1302 | tolerance std ISO 406 ISO 1101 | projection | mm

TOLERANCES UNLESS OTHERWISE SPECIFIED

Dr	A.PARRENIN	2011/05/25
Eng	A.PARRENIN	2011/05/25
Chr	F.MORILLAS	2011/05/25
Appr	J.PETIT	2011/05/25

ANGULAR 0° ±2° | LINEAR 0.X ±0.3 | 0.XX ±0.1 | 0.XXX ±0.05

size A2 | Scale 4:1

ECN F12-0026

Product family METRAL | Spec ref

title: METRAL RCP STR 5 RAW
5 x 24 SIGNAL - FLAT ROCK

dwg no C-85763 | Rev. R

catalog no - | CUSTOMER | sheet 1 of 2

Copyright FCI.

FCI CONFIDENTIAL

CONTACT LOADINGS

LEAD FREE PART NUMBER	CONFIGURATION																								
	POS	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
85763-XY01LF	E	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
85763-XY02LF	E		X		X		X		X		X		X		X		X		X		X		X		X
	D	X		X		X		X		X		X		X		X		X		X		X		X	
	C		X		X		X		X		X		X		X		X		X		X		X		X
	B	X		X		X		X		X		X		X		X		X		X		X		X	
	A		X		X		X		X		X		X		X		X		X		X		X		X
	E																								
	D																								
	C																								
	B																								
	A																								

PACKAGING



SCALE 1:1



QTY / TUBE	12

PRESS FIT DETAILS



DETAIL A
SCALE 15:1



Material	-	Spec ref			
Mat code	-	surface - ISO 1302	tolerance ISO 406 ISO 1101	projection	mm
Heattreat	-				
Plating/Finish	-				
Dr	A.PARRENIN	2011/05/25		size A3	Scale 4:1
Eng	A.PARRENIN	2011/05/25	Product family METRAL		
Chr	F.MORILLAS	2011/05/25	Model Name 85763-X1ZZ	ECN	F12-0026
Appr	J.PETIT	2011/05/25	Model Revision 1	REL Level	CONCEPT

title	METRAL RCP STR 5 RAW 5 x 24 SIGNAL - FLAT ROCK	dwg no	C-85763 Rev. R
Pro/E file	catalog no -	CUSTOMER	sheet 2 of 2

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-03-28

PDM: Rev:R STATUS Released Printed: Apr 06, 2012

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.