

| REVISIONS |                                |           |          |
|-----------|--------------------------------|-----------|----------|
| LTR       | DESCRIPTION                    | DATE      | APPROVED |
| K1        | REVISED PER ECO-11-005139      | 29MAR2011 | HMR      |
| L         | ADDED PAGE 3 PER ECO-17-014556 | 04OCT2017 | I.M.     |

DK-621-14XX-XX CONNECTORS ARE NOT AVAILABLE FOR NEW ORDERS. ORDER EQUIVALENT DK-621-04XX-XX CONNECTOR.

| PART NUMBER     | CONNECTOR | CONTACT | CONNECTOR INTERFACE | COLOR CODE |
|-----------------|-----------|---------|---------------------|------------|
| DK-621-0433     | PLUG      | _____   | A                   | RED        |
| DK-621-0433-1P  | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1UP | PLUG      | PIN     | A                   | RED        |
| DK-621-0433-1S  | PLUG      | SOCKET  | A                   | RED        |
| DK-621-0433-1US | PLUG      | SOCKET  | A                   | RED        |
| DK-621-0434     | JACK      | _____   | A                   | RED        |
| DK-621-0434-1P  | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1UP | JACK      | PIN     | A                   | RED        |
| DK-621-0434-1S  | JACK      | SOCKET  | A                   | RED        |
| DK-621-0434-1US | JACK      | SOCKET  | A                   | RED        |
| DK-621-0435     | PLUG      | _____   | B                   | WHITE      |
| DK-621-0435-2P  | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2UP | PLUG      | PIN     | B                   | WHITE      |
| DK-621-0435-2S  | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-0435-2US | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-0436     | JACK      | _____   | B                   | WHITE      |
| DK-621-0436-2P  | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2UP | JACK      | PIN     | B                   | WHITE      |
| DK-621-0436-2S  | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-0436-2US | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-0437     | PLUG      | _____   | C                   | GREEN      |
| DK-621-0437-3P  | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3UP | PLUG      | PIN     | C                   | GREEN      |
| DK-621-0437-3S  | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-0437-3US | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-0438     | JACK      | _____   | C                   | GREEN      |
| DK-621-0438-3P  | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3UP | JACK      | PIN     | C                   | GREEN      |
| DK-621-0438-3S  | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-0438-3US | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-0439     | PLUG      | _____   | D                   | N/A        |
| DK-621-0439-4P  | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4UP | PLUG      | PIN     | D                   | N/A        |
| DK-621-0439-4S  | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-0439-4US | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-0440     | JACK      | _____   | D                   | N/A        |
| DK-621-0440-4P  | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4UP | JACK      | PIN     | D                   | N/A        |
| DK-621-0440-4S  | JACK      | SOCKET  | D                   | N/A        |
| DK-621-0440-4US | JACK      | SOCKET  | D                   | N/A        |


| PART NUMBER    | CONNECTOR | CONTACT | CONNECTOR INTERFACE | COLOR CODE |
|----------------|-----------|---------|---------------------|------------|
| DK-621-1433    | PLUG      | _____   | A                   | RED        |
| DK-621-1433-1P | PLUG      | PIN     | A                   | RED        |
| DK-621-1433-1S | PLUG      | SOCKET  | A                   | RED        |
| DK-621-1434    | JACK      | _____   | A                   | RED        |
| DK-621-1434-1P | JACK      | PIN     | A                   | RED        |
| DK-621-1434-1S | JACK      | SOCKET  | A                   | RED        |
| DK-621-1435    | PLUG      | _____   | B                   | WHITE      |
| DK-621-1435-2P | PLUG      | PIN     | B                   | WHITE      |
| DK-621-1435-2S | PLUG      | SOCKET  | B                   | WHITE      |
| DK-621-1436    | JACK      | _____   | B                   | WHITE      |
| DK-621-1436-2P | JACK      | PIN     | B                   | WHITE      |
| DK-621-1436-2S | JACK      | SOCKET  | B                   | WHITE      |
| DK-621-1437    | PLUG      | _____   | C                   | GREEN      |
| DK-621-1437-3P | PLUG      | PIN     | C                   | GREEN      |
| DK-621-1437-3S | PLUG      | SOCKET  | C                   | GREEN      |
| DK-621-1438    | JACK      | _____   | C                   | GREEN      |
| DK-621-1438-3P | JACK      | PIN     | C                   | GREEN      |
| DK-621-1438-3S | JACK      | SOCKET  | C                   | GREEN      |
| DK-621-1439    | PLUG      | _____   | D                   | N/A        |
| DK-621-1439-4P | PLUG      | PIN     | D                   | N/A        |
| DK-621-1439-4S | PLUG      | SOCKET  | D                   | N/A        |
| DK-621-1440    | JACK      | _____   | D                   | N/A        |
| DK-621-1440-4P | JACK      | PIN     | D                   | N/A        |
| DK-621-1440-4S | JACK      | SOCKET  | D                   | N/A        |


IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

Raychem Databus CUSTOMER DRAWING

© 2009-2017 TE Connectivity Corporation. All Rights Reserved.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND METRIC DIMENSIONS ARE IN BRACKETS.  
 DECIMALS  
 .XXX ± --- [---mm]  
 .XX ± --- [---mm]  
 ANGLES  
 .X ± ---  
 WEIGHT  
 ---lbs [---g]

|  |            |           |
|--|------------|-----------|
| DRAWN  | J.B.K.     | 1992Mar03 |
| CHECKED  | G.Rositano | 2009Mar12 |
| APPROVED   | Z.TEMAN    | 1992Mar03 |
| CAD NAME<br>DK621-X433-X440_CD_Ka  |            |           |
| THIRD ANGLE PROJECTION  |            |           |

|  |                          |  |  |
|--|--------------------------|--|--|
|  |                          | TE Connectivity  |  |
|  |                          | TITLE<br>KITS FOR DK-621-0433/0440 TRIAXIAL CONNECTORS |  |
| SIZE<br>A  | CODE IDENT. NO.<br>06090 | DWG. NO.<br>DK-621-X433/X440-XX                        |  |
| DO NOT SCALE THIS DRAWING  |                          | SHEET 1 OF 3   |  |



NOTES:

1.0 REFER TO THE FOLLOWING TE CONNECTIVITY CUSTOMER DRAWINGS (CD) FOR INDIVIDUAL COMPONENT DETAILS:

- D-621-0433/0440 CONNECTOR, TRIAXIAL, BAYONET COUPLED
  - D-602-0126 CONTACT, PIN, TWISTED PAIR
  - D-602-0127 CONTACT, SOCKET, TWISTED PAIR
  - (D-600-0030) BRAID TERMINATOR
  - (D-600-0019) STRAIN RELIEF
  - (D-600-0053) SEALING WASHER (JACK ONLY)
- \* SEALING WASHER MAY BE INSTALLED IF THE PANEL THICKNESS IS LESS THAN 0.093 INCH.

2.0 CONNECTORS ARE QUALIFIED TO RAYCHEM SPECIFICATION D-6025.

3.0 TERMINATION PROCEDURE: RAYCHEM ES 61162.

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

|                                  |           |      |                           |                     |              |
|----------------------------------|-----------|------|---------------------------|---------------------|--------------|
| Raychem Databus CUSTOMER DRAWING |           |      |                           |                     |              |
| DRAWN                            | DATE      | SIZE | CAGE CODE                 | DWG. NO.            | REV          |
| J.B.K.                           | 91Apr2003 | A    | 06090                     | DK-621-X433/X440-XX | L            |
| CAD FILE                         |           |      | DO NOT SCALE THIS DRAWING |                     | SHEET 2 OF 3 |
| DK621-X433-X440_CD_Kb            |           |      |                           |                     |              |

# Bayonet Style D-621 Connector Kit Part Numbering

**DK-621 - 04 33 - 1 U P**

**CONTACT**

P: Pin  
S: Socket  
Omit if contact is not required

**UNMARKED STRAIN RELIEF TUBING**

Omit if Air Force part number marking is required  
Omit if contact is not required

**KEYING POLARIZATION**

1: A Keying  
2: B Keying  
3: C Keying  
4: D Keying  
Omit if contact is not required

-: Part number separator  
Omit if contact is not required

**BASIC CONNECTOR CONFIGURATION**


33: Plug, A Keying  
34: Jack, A Keying  
35: Plug, B Keying  
36: Jack, B Keying  
37: Plug, C Keying  
38: Jack, C Keying  
39: Plug, D Keying  
40: Jack, D Keying

**SERIES**

-: Part number separator

**D-621 CONNECTOR, KITTED WITH ACCESSORIES**

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED. CHECK FOR THE LATEST REVISION.

|   |                   |           |                           |                                 |  |  |
|---|-------------------|-----------|---------------------------|---------------------------------|--|--|
| <b>Raychem Databus CUSTOMER DRAWING</b> |                   |           |                           |                                 |  <b>TE Connectivity</b> |  |
| DRAWN<br>G.M.R.                         | DATE<br>03Oct2017 | SIZE<br>A | CAGE CODE<br>06090        | DWG. NO.<br>DK-621-X433/X440-XX | REV<br>L   |  |
| CAD FILE<br>DK621-X433-X440_CD_Kb       |                   |           | DO NOT SCALE THIS DRAWING |                                 | SHEET 3 OF 3   |  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.