

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
AD	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F2	REVISED PER ECO-11-005140	23MAR2011	RK	HMR





1. HOUSING: HIGH TEMPERATURE, GLASS FILLED NYLON, COLOR: BLACK.
   CONTACTS: PHOSPHOR BRONZE.
   SCREWLOCKS: STEEL.
2. CONTACTS: 0.000381 MIN GOLD ON MATING RECEPTACLE END, 0.00254 BRIGHT TIN-LEAD ON REMAINDER, ALL OVER 0.001270 NICKEL.
   SCREWLOCKS: CLEAR CHROMATE OVER ZINC.
3. PCB HOLE RECOMMENDATIONS:
   A. DRILL HOLE DIAMETER TO BE 1.00±0.02.
   B. PLATING TO BE 0.005 MIN TIN-LEAD OVER 0.025-0.075 COPPER.
   C. RECOMMENDED FINISH HOLE SIZE IS 0.88±0.08.
4. DIMENSION AFTER SEATING TO PCB.
5. NO CONTACT IN THIS POSITION FOR PART NUMBER 1375798-2, -5 ONLY.
6. NO CONTACT IN THIS POSITION FOR PART NUMBER 1375798-3, -6 ONLY.
7. CONTACTS: 0.000381 MIN GOLD ON MATING RECEPTACLE END, 0.00254-0.00508 MATTE TIN-LEAD ON REMAINDER, ALL OVER 0.001270 NICKEL.
   SCREWLOCKS: CLEAR CHROMATE OVER ZINC.
8. TO BE USED ON SILVER IMMERSION PLATED PCB'S (NOTE 9).
9. PCB HOLE RECOMMENDATIONS FOR SILVER IMMERSION PLATING:
   A. DRILL HOLE DIAMETER TO BE 1.04±0.02.
   B. PLATING TO BE 0.0001524-0.0004064 SILVER OVER 0.0508±0.0254 COPPER.
   C. RECOMMENDED FINISH HOLE SIZE IS 0.94-1.03.
10. PCB HOLE RECOMMENDATIONS FOR ENIG PLATING:
    A. DRILL HOLE DIAMETER TO BE 1.04±0.02.
    B. PLATING TO BE 0.0000501-0.000127 GOLD OVER 0.00305-0.00610 NICKEL ALL OVER 0.0508±0.0254 COPPER.
    C. RECOMMENDED FINISH HOLE SIZE IS 0.94-1.03.
11. TO BE USED ON STANDARD PCB (NOTE 3) OR ENIG PLATED PCB (NOTE 10).
12. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

8	7	YES 6	1375798-6
8	7	YES 5	1375798-5
8	7	NO	1375798-4
12 11 SUPERCEDED BY 1375798-6	2	YES 6	1375798-3
12 11 SUPERCEDED BY 1375798-5	2	YES 5	1375798-2
11	2	NO	1375798-1
	FINISH	KEYED CIRCUITS	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL 1

FINISH 2 7

DWN W.G.LENKER 20JUN2000
CHK L.BREKOSKY 15JAN2001
APVD I.OLSON 13JUN2001
PRODUCT SPEC 108-1956
APPLICATION SPEC 114-13021
WEIGHT -

TE Connectivity

NAME ASSEMBLY, PC/104-PLUS, NON-STACKTHROUGH CONTACTS, 2 STANDOFFS, PRESS FIT

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1375798	-

CUSTOMER DRAWING

SCALE 2:1 SHEET 1 OF 2 REV F2

4805 (3/11)


Pro/ENGINEER DRAWING

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
AD	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




RECOMMENDED PCB LAYOUT

FOR 1375798-1 & -4



RECOMMENDED PCB LAYOUT

FOR 1375798-2 & -5



RECOMMENDED PCB LAYOUT

FOR 1375798-3 & -6

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -

FINISH -

DWN	W.G.LENKER 20JUN2000
CHK	L.BREKOSKY 15JAN2001
APVD	J.OLSON 13JUN2001
PRODUCT SPEC	108-1956
APPLICATION SPEC	114-13021
WEIGHT	-

CUSTOMER DRAWING

TE Connectivity

NAME: ASSEMBLY, PC/104-PLUS, NON-STACKTHROUGH CONTACTS, 2 STANDOFFS, PRESS FIT

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1375798	-

SCALE 5:1 SHEET 2 OF 2 REV F2


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.